

Video Dating App API

Overview

REST API for the Video Dating App MVP. Real-time features (messages, video calls, matches) use WebSockets and are excluded here.

Security

Type	Name	Scopes
apiKey	bearerAuth	

Paths

***POST* /api/auth/register** Register a new account

Responses

Code	Description	Links
201	Registered <i>Content</i> application/json	No Links
400	Invalid input	No Links

***POST* /api/auth/login** Login and receive a JWT

Responses

Code	Description	Links
200	Login successful <i>Content</i> application/json	No Links
401	Invalid credentials	No Links

***POST* /api/auth/logout** Logout

Responses

Code	Description	Links
200	Logged out	No Links

Code	Description	Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

***POST* /api/auth/send-verification** Send verification email to authenticated user

Responses

Code	Description	Links
200	Verification email sent <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

***GET* /api/auth/verify-email** Verify email using a token

Parameters

Type	Name	Description	Schema
query	token <i>required</i>		string

Responses

Code	Description	Links
200	Email verified	No Links
400	Invalid or expired token	No Links

GET /api/me Get authenticated user's profile

Responses

Code	Description	Links
200	Profile returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

PATCH /api/me Update authenticated user's profile

Responses

Code	Description	Links
200	Profile updated <i>Content</i> application/json	No Links
400	Invalid input	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /api/settings Get account-level settings

Responses

Code	Description	Links
200	Account settings returned <i>Content</i> application/json	No Links

Code	Description	Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

PATCH /api/settings Update email or password

Responses

Code	Description	Links
200	Settings updated	No Links
400	Invalid input	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /api/languages List all languages

Responses

Code	Description	Links
200	Languages returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /api/religions List all religions

Responses

Code	Description	Links
200	Religions returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /api/mod/users List all users (Account + Profile)

Responses

Code	Description	Links
200	Users returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links
403	Forbidden <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

POST /api/mod/users/{id}/ban Permanently ban a user

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	User banned	No Links
401	Unauthorized <i>Content</i> application/json	No Links
403	Forbidden <i>Content</i> application/json	No Links
404	Not found <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /ws WebSocket Upgrade Endpoint

Endpoint for upgadeing the connection to websocket.

Responses

Code	Description	Links
101	Switching Protocols (WebSocket handshake accepted)	No Links
400	Bad request	No Links
401	Unauthorized	No Links

Components

Schemas

UserAccount

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
email <i>optional</i>		string (email)

Name	Description	Schema
email_verified <i>optional</i>		boolean
is_enabled <i>optional</i>		boolean
role <i>optional</i>		string
created_at <i>optional</i>		string (date-time)
last_login_at <i>optional</i>		string (date-time)

Language

Properties

Name	Description	Schema
id <i>optional</i>		integer
code <i>optional</i>		string
name <i>optional</i>		string

Religion

Properties

Name	Description	Schema
id <i>optional</i>		integer
name <i>optional</i>		string

UserProfile

Properties

Name	Description	Schema
user_id <i>optional</i>		string (uuid)
first_name <i>optional</i>		string
middle_name <i>optional</i>	<i>nullable</i>	string
last_name <i>optional</i>		string
birthdate <i>optional</i>		string (date)

Name	Description	Schema
gender <i>optional</i>		string
avatar_url <i>optional</i>		string (uri)
is_smoker <i>optional</i>		boolean
wants_children <i>optional</i>		boolean
language <i>optional</i>		Language
religion <i>optional</i>		Religion

ProfileUpdateRequest

Properties

Name	Description	Schema
first_name <i>optional</i>		string
middle_name <i>optional</i>	<i>nullable</i>	string
last_name <i>optional</i>		string
birthdate <i>optional</i>		string (date)
gender <i>optional</i>		string
avatar_url <i>optional</i>		string (uri)
is_smoker <i>optional</i>		boolean
wants_children <i>optional</i>		boolean
language_id <i>optional</i>		integer
religion_id <i>optional</i>		integer

SettingsUpdateRequest

Properties

Name	Description	Schema
email <i>optional</i>		string (email)
password <i>optional</i>		string (password)

RegisterRequest

Properties

Name	Description	Schema
email <i>required</i>		string (email)
password <i>required</i>		string (password)

LoginRequest

Properties

Name	Description	Schema
email <i>required</i>		string (email)
password <i>required</i>		string (password)
stay_logged_in <i>optional</i>	If true, the server issues a long-lived JWT. If false or omitted, a short-lived JWT is issued.	boolean

LoginResponse

Properties

Name	Description	Schema
access_token <i>optional</i>		string
token_type <i>optional</i>		string
expires_in <i>optional</i>	Lifetime of token in seconds	integer

EmailVerificationResponse

Properties

Name	Description	Schema
message <i>optional</i>		string

ErrorResponse

Properties

Name	Description	Schema
error <i>optional</i>		string

Responses

Responses

Code	Description	Links
Unautho rized	Unauthorized <i>Content</i> application/json	No Links
Forbidd en	Forbidden <i>Content</i> application/json	No Links
NotFoun d	Not found <i>Content</i> application/json	No Links