

# Manual for GROMACS-FDA

May 12, 2021

## Table of Contents

1 Installation.....	2
1.1 Installation of GROMACS.....	2
1.2 Installation of GROMACS-FDA.....	2
1.3 Installation of VMD visualization plugins.....	3
2 Principles.....	3
2.1 Residue-based operation.....	3
2.2 Residue (re)numbering.....	3
2.3 Pairwise forces decomposition for 3- and 4-body potentials.....	4
3 Running.....	4
3.1 Additional mdrun options.....	4
3.2 The input file (.pfi).....	5
3.3 Input file examples.....	9
4 Output file formats.....	11
5 Analysis modules.....	13
5.1 Module fda_graph.....	13
5.2 Module fda_shortest_path.....	13
5.3 Module fda_get_stress.....	13
5.4 Module fda_view_stress.....	13
6 Visualization with VMD.....	13
6.1 Usage of pf_loaduser.....	14
6.2 Usage of pf_draw.....	15
7 References.....	16
8 Appendix.....	17
8.1 Decomposition of pairwise forces for 3- and 4-body potentials.....	17

# 1 Installation

GROMACS-FDA base on the official GROMACS. The actual molecular dynamic simulation will be performed with the official GROMACS, whereas the force distribution analysis will be performed with GROMACS-FDA. To avoid inconsistencies between different versions of GROMACS and GROMACS-FDA it is crucial that the GROMACS version numbers are identical. Please find the available FDA releases at

<https://github.com/HITS-MBM/gromacs-fda/releases>

## 1.1 Installation of GROMACS

The default installation of GROMACS can be build with following steps:

```
git clone https://github.com/gromacs/gromacs.git \
    -b <gromacs-version>
cd gromacs
mkdir build
cd build
cmake -DCMAKE_INSTALL_PREFIX=<installation path> ..
make -j <number of cores>
make check
make install
```

Please look at the official GROMACS documentation for details of the installation procedure.

## 1.2 Installation of GROMACS-FDA

GROMACS-FDA is also available on GitHub and can be build with following steps:

```
git clone https://github.com/HITS-MBM/gromacs-fda.git \
    -b <gromacs-version>-fda<fda-version>
cd gromacs-fda
mkdir build
cd build
cmake -DCMAKE_INSTALL_PREFIX=<installation path> \
    -DGMX_BUILD_FDA=ON \
    -DGMX_DEFAULT_SUFFIX=OFF \
    -DGMX_BINARY_SUFFIX=_fda \
    -DGMX_SIMD=NONE \
    -DGMX_BUILD_UNITTESTS=ON \
    -DGMX_GPU=OFF \
    ..
make -j <number of cores>
```

```
make check
make install
```

This will generate an executable called **gmx\_fda** which contains all the functionality described in this document. To compile a double precision version use following cmake parameters:

```
-DGMX_DOUBLE=ON
-DGMX_BINARY_SUFFIX=_fda_d
```

which will generate an executable called **gmx\_fda\_d**. In the rest of this document only **gmx\_fda** (default name for a single precision version) is mentioned, but everything applies to the double precision version as well.

## 1.3 Installation of VMD visualization plugins

The installation is done by unpacking the archive into the VMD plugins directory; normally this is `plugins/noarch/tcl`. This operation will create 2 directories called `pf_loaduser1.0` and `pf_draw1.0` which contain the corresponding Tcl files. To test the installation, start VMD then at the console or in the Tk console type:

```
package require pf_loaduser
package require pf_draw
```

## 2 Principles

### 2.1 Residue-based operation

For residue-based operation, the following steps are done in order:

1. building of an atom according to residue correspondence table
2. if an atom pair is part of those selected for pairwise forces calculations, the residue numbers of the 2 atoms are obtained from the correspondence table
3. if the 2 residue numbers are equal (2 different atoms from the same residue), nothing is done because it makes no sense to calculate the interaction of a residue with itself and the code goes back to step 2 with a different atom pair
4. the atomic vector force is added to the vector force corresponding to the residue pair

So in the end, each residue pair will have a vector force calculated as:

$$\vec{F}_{ri,rj} = \sum_{i \in ri, j \in rj} \vec{F}_{ij}$$

where  $i$  is an atom of residue  $ri$  and  $j$  is an atom of residue  $rj$ , with  $ri$  and  $rj$  being different.

Once calculated, the residue-based pairwise forces can be written to output files just like the atom-based ones – as vector or scalar values – or can be further used to calculate a per-residue sum/average/minimum/maximum value.

## 2.2 Residue (re)numbering

For GROMACS, residues are of secondary importance during the actual MD run – they are useful only to write out a structure file (e.g. PDB). The correspondence between numbering of atoms and residues is made based on the information in the structure file where residues numbering might not start from 1 and might not be continuous – to deal with all these cases, by default GROMACS doesn't make any attempt to renumber residues and writes back whatever residue number was assigned to an atom in the input structure file.

The PF2 code uses these residue numbers to identify which atoms belong to which residues and to output residue-based data. Dealing with residue numbers not starting from 1 or not being contiguous is easy – just fill in the missing numbers starting from 1 and have the output contain zeros for them. But residue numbers can also appear multiple times, e.g. if the structure file contains several chains (say a protein, a ligand and solvent) and in each of them residues start being numbered at 1 or when there are many residues (more than 9999 which is the maximum number in a PDB file) and their number wraps around. To get around this, GROMACS can do residue renumbering which numbers residues with increasing numbers starting from 1. The PF2 code can detect residue number collisions and, by default, automatically switches to renumbering residues; this behavior can be controlled through a .pfi file option.

Renumbering residues influences both the way the residue data is stored in memory and the way it is written in the output files. The information whether renumbering has taken place in the PF2 code (be it automatically or enforced through the .pfi file option) has to be passed on to the VMD plugin; failure to do so will result in wrong representations!

## 2.3 Pairwise forces decomposition for 3- and 4-body potentials

For potentials involving only two atoms (bonds, Coulomb, Lennard-Jones), the pairwise force is the same as the atomic force, directly calculated from the potential. For potentials involving more than two atoms (angles, dihedral angles – proper and improper, as well as cross bond-bond and cross bond-angle), the atomic forces need to be decomposed to reflect the interactions between each two atoms. The vector sum of pairwise forces which result from this decomposition should equal the atomic forces. The decomposition implemented in the PF2 code is detailed in Appendix A.

# 3 Running

## 3.1 Additional mdrun options

FDA adds a few command line options to **gmx\_fda mdrun**:

- **-pfi input.pfi** – specifies an input file which controls how the code should run

- -pfn index.ndx – is an index file containing one or more groups of atoms which should be used for pairwise forces calculations
- -pfa output.pfa – output file, containing pairwise forces for atoms; the content and format depend on the choices in the .pfi file
- -pfr output.pfr – output file, containing pairwise forces for residues; the content and format depend on the choices in the .pfi file
- -psa output.psa – output file, containing punctual stress for atoms; the content and format depend on the choices in the .pfi file
- -psr output.psr – output file, containing punctual stress for residues; the content and format depend on the choices in the .pfi file
- -vsa output.vsa – output file, containing virial stress for atoms; the content and format depend on the choices in the .pfi file
- -vma output.vma – output file, containing von Mises virial stress for atoms; the content and format depend on the choices in the .pfi file

gmx\_fda mdrun should always be run with the -rerun option, requiring that an initial trajectory is produced beforehand; apart from the PF2 specific options described above, the options passed to gmx\_fda mdrun should be the same as the ones used when producing the original trajectory, with one exception: a single CPU run should be enforced, as the PF2 code is not (yet) parallel. Please note that a non-MPI version of GROMACS 4.5 runs by default as threaded which still counts as parallel, so use “-nt 1” to enforce a non-parallel run:

```
gmx_fda mdrun -nt 1 \
  -rerun traj.trr \
  -pfi input.pfi \
  -pfn index.ndx \
  -pfa output.pfa \
  -pfr output.pfr \
  <other options>
```

## 3.2 The input file (.pfi)

The input file controls how the PF2 code should run; it also specifies the content and format of the output files (.pfa and .pfr). Like the .mdp file which GROMACS uses as input, the .pfi file is a simple text file containing statements of form “keyword = value”, with comments started by a semi-colon (;). All keywords start with pf\_. The .pfi file is read directly by gmx\_fda mdrun, there is no need for a step equivalent to grompp.

The .pfi file keywords are:

**onepair** – describes how the pairwise forces between the same pair of atoms  $i$  and  $j$  is handled. Typically, a force field can allow either several types of non-bonded interactions or several types of bonded interactions between the same pair of atoms. E.g. two distant atoms could interact through both Coulomb and Lennard-Jones interactions, while two bonded atoms could interact through a

bond, several angle and several dihedral angle interactions. There are 2 possible values for this keyword:

**summed** – all pairwise forces between the same pair of atoms are summed; if atoms *i* and *j* interact, the code stores exactly one value of the pairwise force between them

**detailed** – all pairwise forces of the same type (e.g. angle interactions) between the same pair of atoms are stored separately; if atoms *i* and *j* interact, the code stores at least one, possibly many, pairwise forces between them, corresponding to each type of interaction that exists between them.

Using **detailed** can lead to a significant increase in the amount of memory needed compared with the **summed** option. **detailed** should probably only be used in the rare cases where simultaneous output of pairwise forces separated by potential type should be obtained, like force field development/debugging. The default is **summed**. For example, the following set of options will compute a sum of all interactions of the same type (say dihedral angles) between the atoms *i* and *j*:

```
onepair = detailed
type = dihedral
```

**group1** and **group2** – name the groups which will be used for pairwise forces calculations; if not present, they default to “Protein”. The 2 groups are equivalent, there is no difference in how they are treated internally. The groups names should exist in the index file specified with the -pfn command line option; it's not necessary to have a separate index file for this purpose, different from the one used for the **grompp** step of the original run – only the groups named in group1 and group2 will be loaded, other groups will be ignored. The 2 groups define which atoms are used for pairwise forces calculations: only interactions for which an atom is part of group1 and the other atom is part of group2 are being considered. It's fine to have one or more atoms in both groups at the same time. It's also fine to have only one group defined in the index file and the name of this group specified for both group1 and group2 – this is equivalent to the original PF implementation [1] where only one group was defined. Having 2 groups allows a greater flexibility and efficiency: imagine a case where the interactions between a ligand and a protein are of interest – group1 could be defined to contain the protein and group2 could be defined to contain the ligand and the pairwise interactions will only be computed for interactions between them; using only one group as in the original PF implementation would mean including both the protein and the ligand in this group and obtaining potentially useless interactions protein-protein and ligand-ligand.

group1 and group2 always contain atom indices, even when requesting only residue-based calculations. Specifying all atoms of a residue in one or both groups remains the responsibility of the user. If only some of the atoms of a residue are specified and residue-based calculations are requested, the results corresponding to that residue will only contain the interactions involving the specified atoms - the code doesn't automatically fill in the missing atoms to obtain full residues. This is done for flexibility: e.g. if only the residue-based backbone interactions are of interest, the index file should contain only backbone atoms and residue-based calculations should be requested.

**type** – specifies which types of interactions are of interest. It can have one or more of the values:

bond angle dihedral polar coulomb lj nb14 bonded nonbonded all

nb14 is defined as the combination of LJ14 and Coulomb14 interactions – LJ14 and Coulomb14 cannot be obtained separately.

bonded is defined as the combination of bond, angle and dihedral.

nonbonded is defined as the combination of coulomb, lj and nb14.

all is defined as the combination of bonded, polar and nonbonded.

If no type is specified, “type = all” is assumed.

GROMACS contains several functions which calculate potentials and forces for bonds, angles and dihedral angles. Which ones are used depends on the force field, choices in the .mdp file (e.g. “morse=yes”) and user modifications to the topology files (e.g. to add extra harmonic potentials). The PF2 code treats them based on the number of particles involved: all bonded interactions involving 2 particles are considered bonds, all bonded interactions involving 3 particles are considered angles and all bonded interactions involving 4 particles are considered dihedral angles. This makes impossible to differentiate between several types of interactions involving the same number of atoms; e.g. in a protein topology using the OPLS-AA force field, the dihedral angles are modeled using a Ryckaert-Bellemans form while the improper dihedral angles are modeled using a classical dihedral angle form – both these types of interactions will be selected by `dihedral`.

When requesting residue-based calculations, a pairwise residue-based interaction of a certain type will exist if at least one atom from one residue and one atom from the second residue are involved in an interaction of that type.

**atombased and residuebased** – specify how the pairwise forces are handled and saved. The 2 keywords are independent: one can be set to “no” to specify that there is no interest in storing, handling and saving that type of data; the default is “no”. The following table shows the possible values and their effect:

option	calculation	output data	output file
no	Pairwise forces are not stored, handled or saved.	none	.pfa or .pfr
pairwise_forces_vector	Pairwise forces are saved as vectors.	vector	.pfa or .pfr
pairwise_forces_scalar	Pairwise forces are saved as signed scalars.	signed scalar	.pfa or .pfr
punctual_stress	For each atom/residue, the punctual stress is saved. Only works with onepair=summed.	scalar	.psa or .psr
virial_stress	For each atom, the virial stress is saved. Only works with atombased and onepair=summed.	tensor	.vsa
virial_stress_von_mises	For each atom, the von Mises virial stress is saved. Only works with atombased and onepair=summed.	scalar	.vma
compat_bin (deprecated option)	Pairwise forces are saved as signed scalars into a binary format compatible to the original PF implementation. Only	signed scalar	.pfa or .pfr

	works with onepair=summed.		
compat_ascii (deprecated option)	Pairwise forces are saved as signed scalars into a text format compatible to the original PF implementation. Only works with onepair=summed.	signed scalar	.pfa or .pfr

**vector2scalar** – controls how the transformation between the vector pairwise forces and their scalar representation is made. It can have the following values:

**projection** – the scalar is the length of the projection of the force vector on the vector determined by the position of the 2 atoms or the position of the COM of the 2 residues.

**norm** – the scalar is the norm of the vector and the sign is determined based on the cosine of the angle between the vector force and the vector determined by the positions of the 2 atoms or the position of the COM of the 2 residues:

- if it's positive, the vector force is oriented within -90 to 90 degrees with respect to the atoms/residues - considered to be same direction = attractive = negative
- if it's negative, the vector force is oriented within 90 to 270 degrees with respect to the atoms/residues - considered to be in opposite direction = repulsive = positive
- if it's zero, the vector force is oriented at exactly 90 or 270 degrees with respect to the atoms/residues - the force can be considered neither attractive nor repulsive, so it's set to zero

The default value is **norm**.

**residuesrenumber** – controls residue renumbering. The possible values are:

**auto** – keep the residue numbering as in the structure file if there are not collisions and do renumbering if collisions are present

**yes** – do residue renumbering independent of the presence of residue number collisions

**no** – don't do residue renumbering. In case a collision is detected, a warning will be written but renumbering will not take place. Using this option is dangerous as residues cannot be uniquely identified ! If residue number collisions are present, pairwise forces of residues with the same residue number will be summed up together – which is probably not desired.

This option is taken into account only if residuebased is set to something else than **no**; the default value is **auto**.

**time\_averages\_period** – is the number of input trajectory frames between averaging scalar data. This can only be used together with **atombased** and/or **residuebased** set to **pairwise\_forces\_scalar**, **compat\_bin** or **compat\_ascii**. The default value is 1 – no averaging is done. The output will contain one frame for this number of input frames; if the input frames are not a multiple of this number, a last frame is written after averaging over the remainder of input frames. A value of 0 specifies that averaging should be done over all frames present in the input trajectory; the output will then contain a single frame.



**no\_end\_zeros** – controls the presence of zeros at the end of per atom/residue data. The possible values are:

**yes** – suppress all zeros at the end of per atom/residue data

**no** – do not suppress zeros at the end of the per atom/residue data

The default value is **no**. This option is useful when computing per atom/residue data for systems composed of the molecule(s) of interest followed by lots of water; in this case, the per atom/stress only has non-zero values for the molecule(s) of interest followed by lots of zeros, increasing the storage space without bringing any useful information.

**energy\_grp\_exclusion** – controls the usage of energy group exclusions to speedup the md rerun:

**yes** – unneeded forces between atoms not in the FDA groups will be not calculated

**no** – all forces will be calculated

The default is **yes**. The option is only for the case that the exclusion is not working correctly for debugging.

**normalize\_punctual\_stress\_per\_residue** – Divide the per residue punctual stress by the number of atoms in the residue. The possible values are:

**yes** – per residue punctual stress will be normalized

**no** – per residue punctual stress will not be normalized

The default is **no**.

**binary\_result\_file** – Store the FDA result file in a binary format. The possible values are:

**yes** – FDA result file in binary format

**no** – FDA result file in text based format

The default is **no**.

**threshold** – is a real number for neglecting all pairwise forces which are smaller than the threshold. The unit is kJ/mol/nm and the default value is 1e-7.

### 3.3 Input file examples

An example .pfi file for only residue-based output in text compatibility format, taking into consideration all interaction types and with time averaging over all input frames:

```
; onepair could be detailed or summed
onepair = summed
```

```
; group1 and group2 as defined in the -pfn file; if not defined,
```

```

defaults to 'Protein'
group1 = Protein
group2 = Ligand

; no interest in atom-based information
atombased = no

; output residue-based information in compatibility format
residuebased = compat_ascii

; interactions type could be one of more of:
; bond angle dihedral polar coulomb lj nb14 bonded nonbonded all
type = all

; scalar summation over all steps
time_averages_period = 0

```

Another example .pfi file, for only atom-based output containing a per-atom sum of all bonded interactions:

```

; onepair could be detailed or summed
onepair = summed

; group1 and group2 as defined in the -pfn file; if not defined,
defaults to 'Protein'
group1 = Protein
group2 = Ligand

; sum of scalar pairwise forces per atom
atombased = per_atom_sum

; no interest in residue-based information
residuebased = no

; interactions type could be one of more of:
; bond angle dihedral polar coulomb lj nb14 bonded nonbonded all
type = bonded

```

Yet another example .pfi file, for atom-based output containing per-atom maximum scalar pairwise interactions and residue-based output containing scalar pairwise forces:

```

; onepair could be detailed or summed
onepair = summed

; group1 and group2 as defined in the -pfn file; if not defined,
defaults to 'Protein'
group1 = Protein
group2 = Ligand

; maximum scalar pairwise force per atom

```

```
atombased = per_atom_max
```

```
; scalar pairwise forces between residues  
residuebased = scalar
```

```
; interactions type could be one of more of:  
; bond angle dihedral polar coulomb lj nb14 bonded nonbonded all  
type = all
```

And finally an example .pfi file for only residue-based output in text compatibility format, taking into consideration all interaction types and performing residue renumbering, with time averaging over all input frames:

```
; onepair could be detailed or summed  
onepair = summed
```

```
; group1 and group2 as defined in the -pfn file; if not defined,  
defaults to 'Protein'  
group1 = Protein  
group2 = Ligand
```

```
; no interest in atom-based information  
atombased = no
```

```
; output residue-based information in compatibility format  
residuebased = compat_ascii
```

```
; ask for residues to be renumbered - starting from 1 and  
continuous  
residuesrenumber = yes
```

```
; interactions type could be one of more of:  
; bond angle dihedral polar coulomb lj nb14 bonded nonbonded all  
type = all
```

```
; scalar summation over all steps  
time_averages_period = 0
```

## 4 Output file formats

The file formats are independent on whether they contain atom-based or residue-based data (.pfa or .pfr file respectively).

The compatibility formats (atombased/residuebased set to `compat_bin` or `compat_ascii`) are supposed to be as close as possible to the ones obtained from the original PF implementation. The following mapping between PF2 and PF interaction types is used:

PF2	PF
bond	iBond
angle	iAngle
dihedral	iDihedral
polar	iPolar
lj	iLJ
coulomb	iCoul
nb14	iDihedral

However, the compatibility formats contain further data: the original PF implementation made the approximation that for an angle or dihedral angle only the extreme atoms interact; PF2 correctly treats interactions between all atoms in these cases, leading to more interactions present in the output file. These formats are supposed to be used only to facilitate reading the data into the current R FDA tools.

The output formats containing pairwise forces (atombased/residuebased set to `scalar` or `vector`) are composed of a set of frames, each frame containing a variable set of interactions. A frame starts with a line containing:

```
frame <frame_number>
```

where <frame\_number> is an integer starting from 0, separated by a whitespace from the word “frame”. This line is followed by zero or more lines of form:

```
i j scalar_force interaction_type
```

for atombased/residuebased set to `scalar` or

```
i j force_x force_y force_z interaction_type
```

for atombased/residuebased set to `vector`. `i` and `j` are integer numbers which represent the atom indices (0-based); `scalar_force` is a floating point number which represents the magnitude of the pairwise force vector; `force_x`, `force_y` and `force_z` are floating point numbers which represent the X, Y and Z components of the pairwise force vector; `interaction_type` is an integer number which

represents the type of interaction – for detailed interactions, this is a constant defined in `include/pf_interactions.h` file and might change depending on the PF2 version (the existing constants will normally be kept, new ones will be added with higher values); for summed interactions, this is a sum of the constants corresponding to all interactions present between atoms *i* and *j*. All floating point numbers are output using the C `printf` format specifier “%e”. All values on one line are separated by whitespaces.

The output formats containing per-atom/per-residue data are composed of one line per frame with values on the line separated by whitespaces. All values are floating point numbers which represent the sum/average/minimum/maximum scalar pairwise interaction; they are written using the C `printf` format specifier “%e”. The first value on the line corresponds to the first atom/residue, the second value on the line corresponds to the second atom/residue, etc.; on each line there are as many per-atom values as the number of atoms and as many per-residue values as the number of residues. If an atom/residue does not have any pairwise interactions (e.g. because it is located further than the cutoff from other atoms, because it doesn't have any interactions of the type specified with `type` or because it was included neither in `group1` nor in `group2`), the corresponding value is 0.0.

For per-residue data, residue numbering depends on whether residue renumbering has taken place. If the residue renumbering has not taken place, the residue numbers start from 0 and continue until the highest number found in the input structure file. E.g. if the input structure contains 4 residues numbered 5, 6, 8 and 9, the output will contain 10 values: the first 5 values and the 8<sup>th</sup> value will always be zero. If the residue renumbering has taken place, the residue numbers start from 0 and continue until the total number of residues minus 1.

## 4.1 Binary file format

The FDA result files can also be written in a binary format to reduce and speed-up the disk usage. The binary format is used by setting the option ‘`binary_result_file`’ to ‘yes’. All FDA result files (`pfa`, `pfr`, `psa`, `psr`, `vsa`, `vma`) can be converted from text-based into binary format and vice versa by using the conversion module:

```
gmx_fda fda_convert -i <input-file> -o <output-file>
```

If the input file is text-based to output file will be binary and the other way round.

## 5 Analysis modules

All analysis modules are integrated within GROMACS and can be executed by using:

```
gmx_fda <module> [options]
```

The documentation of every analysis module can be printed by using:

```
gmx_fda help <module>
```

### 5.1 Module fda\_graph

fda\_graph converts a FDA force network into a PDB or DIMACS graph. If the optional file -ipf-diff is used the differences of the pairwise forces will be taken. The PDB graph allows an easy visualization with a program of your choice. Only forces larger than the -t will be considered. The default threshold is zero. Networks must contain at least the same number of nodes as the min-value (default: 2). If the option -big is used, only the biggest network in term of number of nodes will be printed. Each network will be determined and segment names will be assigned to each of them, thus coloring them by segment id will help the analysis (32 different colors). The Bfactor column will be used for the value of the force and helps the coloring as a function of the force magnitude. The CONNECT header will be used to create bonds between nodes.

### 5.2 Module fda\_shortest\_path

fda\_shortest\_path calculates the k-shortest paths between a source node and a destination node of a FDA force network. If the optional file -ipf-diff is used the differences of the pairwise forces will be taken. The graph will be printed in the PDB-format, which allows an easy visualization with a program of your choice. Each path will be determined and segment names will be assigned to each of them, thus coloring them by segment id will help the analysis (32 different colors). The Bfactor column will be used for the value of the force and helps the coloring as a function of the force magnitude. The CONNECT header will be used to create bonds between nodes.

### 5.3 Module fda\_get\_stress

fda\_get\_stress calculates the punctual stress by pairwise forces. If the optional file -ipf-diff is used the differences of the pairwise forces will be taken.

### 5.4 Module fda\_view\_stress

fda\_view\_stress illustrates the punctual or von Mises virial stress of FDA as xpm or pdb-file. The x-axis of the xpm file represents the particle number and the y-axis the frame number. For the xpm-file the number of different colors can be set with the -nbColors option. For the pdb file the Bfactor column will be used for the value of the stress and helps the coloring as a function of the stress magnitude. The pdb-file can be visualized with a program of your choice.

## 6 Visualization with VMD

Tcl scripts are used to read and represent in VMD scalar pairwise interactions; there is no representation for vector pairwise interactions.

### 6.1 Usage of pf\_loaduser

Per-atom data is loaded into the “user” field that each atom has assigned in VMD; this field can be used to set the color of the atom. An animation can be produced by updating the value in this field for each frame, showing the variations in per-atom data as they vary in time.

To load and use the pf\_loaduser plugin, follow the syntax:

```
package require pf_loaduser
pf_loaduser <filename.pfa> <residues_renumbered> <ignore_zeros>
<color_scale> <color_min> <color_max>
```

The first line will instruct VMD to load the pf\_loaduser plugin which will make available the pf\_loaduser function which is called on the 2<sup>nd</sup> line. The pf\_loaduser function takes several arguments:

- filename.pfa is a string representing the name of the file containing per-atom data; it assumes that there are as many lines with data in the file as there are currently loaded frames. There is no default, a file name should always be provided.
- residues\_renumbered is a string containing “true” or “false”. It should correspond to whether a residue renumbering has been done (automatically or enforced) in the GROMACS PF2 code. The default is “false”.
- ignore\_zeros is an integer; if set to 0, zeros will be taken into consideration when calculating the minimum values, if set to something else, zeros will not be taken into consideration when calculating minimum values. The default is 0. This is useful for the case when analyzing only a subset of atoms in which case the atoms not analyzed will have a zero value. If color\_min is given, ignore\_zeros will not have any effect.
- color\_scale is a string representing the name of the VMD color scale. The default is “BGR”.
- color\_min and color\_max are floating point numbers representing the minimum and maximum values used for color mapping, useful when doing a uniform mapping for several trajectories; if they are not specified or specified as “-1”, the minimum and maximum values found in the file will be used.

At the end of loading a per-atom/per-residue data file, the Tcl script will print the minimum and maximum values used for color mapping.

Example for using the pf\_loaduser plugin: load a PDB file and a trajectory then at the console or in the Tk console type:

```
package require pf_loaduser
```

```
animate delete beg 0 end 0 skip 0 0
pf_loaduser "peratom-sum.pfa"
```

The second line tells VMD to remove the first frame – this is needed as the PDB will act as the first frame and the .pfa file contains only as many frames as there are in the trajectory. The third line loads the user data from the “peratom-sum.pfa” file and lets VMD automatically map the colors using the minimum and maximum value from this file.

As the data is assigned to the per-atom “user” field, VMD takes care of updating the colors when drawing each frame. For residue-based data, all atoms in a residue receive the same per-atom “user” data.

## 6.2 Usage of pf\_draw

Scalar pairwise forces are represented as a set of cylinders drawn for each pair between the coordinates of the 2 atoms. The scalar values are mapped to either thickness or color of cylinders.

To load and use the pf\_draw plugin, follow the syntax:

```
package require pf_draw
pf_init <max_cylinder_width> <what_to_scale>
pf_read <filename.pfa> <residues_renumbered>
pf_draw
```

The first line will instruct VMD to load the pf\_draw plugin which will make available functions shown on the 2<sup>nd</sup> to 4<sup>th</sup> line.

The second line initializes the plugin: max\_cylinder\_width is a floating point number specifying the maximum cylinder width; what\_to\_scale is either “cyl\_w” - scale width or “cyl\_col” - scale color.

The third line reads scalar pairwise force data (as output with atombased set to scalar) from the specified file; residues\_renumbered is a string containing “true” or “false” and should correspond to whether a residue renumbering has been done (automatically or enforced) in the GROMACS PF2 code - the default is “false”.

The fourth line draws the cylinders for the currently active structure (a PDB file or the last frame of a trajectory); any cylinders drawn previously are removed before drawing new ones.

When scaling the cylinder width, the maximum cylinder width is taken from the pf\_init command line. For each pair of atoms, the value used as cylinder width is the absolute value of the pairwise force. To show the sign of the pairwise forces, the cylinders are colored red for positive pairwise forces and blue for negative ones (zero forces can't be visualized as the cylinder width would be zero).

When scaling the cylinder color, the cylinder width is taken from the pf\_init command line. For each pair of atoms, the value used as cylinder color is the value of the pairwise force scaled such that the minimum pairwise force corresponds to the lowest color, the maximum pairwise force corresponds to the maximum color and a zero pairwise force corresponds to the midpoint of the color scale.

At the end of reading a scalar pairwise forces file, the Tcl script will print the difference between the



maximum and minimum force in the set; this difference is used for color scaling.

Example for using the pf\_loaduser plugin: load a PDB file and a trajectory then at the console or in the Tk console type:

```
package require pf_draw
animate delete beg 0 end 0 skip 0 0
pf_init 0.2 "cyl_w"
pf_read "summed_scalar.pfa"
trace variable vmd_frame(0) w pf_draw
```

The second line tells VMD to remove the first frame – this is needed as the PDB will act as the first frame and the .pfa file contains only as many frames as there are in the trajectory. The third line will initialize the drawing to scale by cylinder width, with a maximum cylinder width of 0.2 – this value needs experimentation. The fifth line looks a bit strange – it tells VMD to call the function pf\_draw for each drawing of a frame; this is needed because VMD doesn't know what to do with the pairwise forces values. If this line would be replaced by a simple pf\_draw, cylinders would be drawn for the currently loaded PDB file or last frame of the trajectory but they would not be updated when VMD displays a different frame.

If there are many pairwise forces to be represented, drawing the cylinders from a Tcl function can become slow and the display can become cluttered with so many geometrical shapes. It's recommended to filter the pairwise forces, so that only a few are represented at a time.

## 7 References

1. Stacklies *et al.*: **Implementation of force distribution analysis for molecular dynamics simulations.** *BMC Bioinformatics* 2011 **12**:101

## 8 Appendix

### 8.1 Decomposition of pairwise forces for 3- and 4-body potentials.

#### Notation

$\vec{F}_i$  – force on atom  $i$  as vector

$F_i$  – magnitude of  $\vec{F}_i$

$\vec{U}_i$  – unit vector in the direction of  $\vec{F}_i$

such that  $\vec{F}_i = F_i \cdot \vec{U}_i$

#### Forces decomposition for 3-body potentials

For an angle formed by atoms  $i, j, k$  (bonds  $i-j$  and  $j-k$ ), the sum of the atomic forces is zero:

$$\vec{F}_i + \vec{F}_j + \vec{F}_k = 0 \quad (S1)$$

The atomic forces  $\vec{F}_i$  and  $\vec{F}_k$  can be decomposed into a component in the direction of  $\vec{F}_j$  and a perpendicular component. The perpendicular components cancel each other out because of Eq. S1.

The components in the direction of  $\vec{F}_j$  can be written as:

$$\vec{F}_{ij} = -\vec{F}_{ji} = F_i \cdot \cos(\vec{F}_i, -\vec{F}_j) \cdot \vec{U}_j \quad (S2)$$

$$\vec{F}_{kj} = -\vec{F}_{jk} = F_k \cdot \cos(\vec{F}_k, -\vec{F}_j) \cdot \vec{U}_j \quad (S3)$$

The pairwise force between atoms  $i$  and  $k$  can be obtained by a vector difference:

$$\vec{F}_{ki} = \vec{F}_i - \vec{F}_{ji} = -\vec{F}_{ik} = -(\vec{F}_k - \vec{F}_{jk}) \quad (S4)$$




Figure A1: Force decomposition for an angle potential.  $\vec{F}_i$  and  $\vec{F}_k$  are decomposed into a component in the direction opposite to  $\vec{F}_j$  and a component in the perpendicular direction.

### Forces decomposition for 4-body potentials

For a dihedral angle formed by atoms  $i, j, k, l$  (bonds  $i-j, j-k$  and  $k-l$ ), the sum of atomic forces is zero:

$$\vec{F}_i + \vec{F}_j + \vec{F}_k + \vec{F}_l = 0 \quad (\text{S5})$$

which can also be written as:

$$\vec{F}_i + \vec{F}_l = -(\vec{F}_j + \vec{F}_k) \quad (\text{S6})$$

Atoms  $j$  and  $k$  can be considered to form a single body on which a combined force:

$$\vec{F}_{j+k} = \vec{F}_j + \vec{F}_k \quad (\text{S7})$$

acts as shown in Fig. S2a. Similar to the forces decomposition for an angle,  $\vec{F}_i$  and  $\vec{F}_l$  can be decomposed in a component in the direction of  $\vec{F}_{j+k}$  and a component in the perpendicular direction. Due to Eq. S6, the components in the perpendicular direction cancel each other out. The components in the direction of  $\vec{F}_{j+k}$  can be written as:

$$F_{i(j+k)} = F_i \cdot \cos(-\vec{F}_i, \vec{F}_{j+k}) \cdot \vec{U}_{j+k} \quad (\text{S8})$$

$$F_{l(j+k)} = F_l \cdot \cos(-\vec{F}_l, \vec{F}_{j+k}) \cdot \vec{U}_{j+k} \quad (\text{S9})$$

The pairwise forces acting on atoms  $j$  and  $k$  can be written in a generic way as:

$$\vec{F}_j = \vec{F}_{ij} + \vec{F}_{kj} + \vec{F}_{lj} \quad (\text{S10})$$

$$\vec{F}_k = \vec{F}_{ik} + \vec{F}_{jk} + \vec{F}_{lk} \quad (\text{S11})$$

and, because  $j+k$  is considered a single body,  $j$  and  $k$  do not move with respect to each other, so the pairwise force between them is zero:

$$\vec{F}_{kj} = -\vec{F}_{jk} = 0 \quad (\text{S12})$$

such that:

$$\vec{F}_{j+k} = \vec{F}_{ij} + \vec{F}_{lj} + \vec{F}_{ik} + \vec{F}_{lk} \quad (\text{S13})$$

A decomposition of  $\vec{F}_{i(j+k)}$  and  $\vec{F}_{l(j+k)}$  can be made in the direction of  $\vec{F}_j$  and  $\vec{F}_k$ , shown in Fig. S2b, such that:

$$F_{i(j+k)} = \vec{F}_{ij} + \vec{F}_{ik} \quad (\text{S14})$$

$$F_{l(j+k)} = \vec{F}_{lj} + \vec{F}_{lk} \quad (\text{S15})$$

Defining  $\alpha$  as the angle between  $\vec{F}_{j+k}$  and  $\vec{F}_j$  and  $\beta$  as the angle between  $\vec{F}_{j+k}$  and  $\vec{F}_k$ , these vectors can be written as:

$$\vec{F}_{ij} = -\vec{F}_{ji} = \frac{F_{i(j+k)} \cdot \sin(\beta)}{\sin(\alpha) \cos(\beta) + \sin(\beta) \cos(\alpha)} \cdot \vec{U}_j \quad (\text{S16})$$

$$\vec{F}_{lj} = -\vec{F}_{jl} = \frac{F_{l(j+k)} \cdot \sin(\beta)}{\sin(\alpha) \cos(\beta) + \sin(\beta) \cos(\alpha)} \cdot \vec{U}_j \quad (\text{S17})$$

$$\vec{F}_{ik} = -\vec{F}_{ki} = \frac{F_{i(j+k)} \cdot \sin(\alpha)}{\sin(\alpha) \cos(\beta) + \sin(\beta) \cos(\alpha)} \cdot \vec{U}_k \quad (\text{S18})$$

$$\vec{F}_{lk} = -\vec{F}_{kl} = \frac{F_{l(j+k)} \cdot \sin(\alpha)}{\sin(\alpha) \cos(\beta) + \sin(\beta) \cos(\alpha)} \cdot \vec{U}_k \quad (\text{S19})$$

Finally, the pairwise force between atoms  $i$  and  $l$  can be obtained by a vector difference:

$$\vec{F}_{li} = \vec{F}_i - \vec{F}_{ji} - \vec{F}_{ki} = -\vec{F}_{il} = -(\vec{F}_l - \vec{F}_{jl} - \vec{F}_{kl}) \quad (\text{S20})$$




Figure A2: Force decomposition for a dihedral angle potential. a) Atoms  $j$  and  $k$  are considered a single body on which a combined  $\vec{F}_{j+k}$  acts. Forces are then decomposed similar to Fig. 1. b) The pairwise forces between the atoms  $i$  and  $l$  and the  $j+k$  single body are decomposed into components in directions of  $\vec{F}_j$  and  $\vec{F}_k$ .