The group G is isomorphic to the group labelled by [42, 1] in the Small Groups library. Ordinary character table of $G \cong C7$: C6:

Triv	ial source	character	table	of	$G \cong$	C7	:	C6	at p) =
------	------------	-----------	-------	----	-----------	----	---	----	------	-----

Normalisers N_i			N_1					N_2					
p-subgroups of G up to conjugacy in G		P_1					P_2						
Representatives $n_j \in N_i$		2a	3a	6b	3b	6a	1a	3a	2a	3b	6a	6b	
$1 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 1 \cdot \chi_7$	7	1	1	1	1	1	0	0	0	0	0	0	
$0 \cdot \chi_1 + 1 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 1 \cdot \chi_7$	7	-1	E(3)	-E(3)	$E(3)^{2}$	$-E(3)^2$	0	0	0	0	0	0	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 1 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 1 \cdot \chi_7$	7	1	$E(3)^{2}$	$E(3)^{2}$	E(3)	E(3)	0	0	0	0	0	0	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 1 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 1 \cdot \chi_7$	7	-1	1	-1	1	-1	0	0	0	0	0	0	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 1 \cdot \chi_5 + 0 \cdot \chi_6 + 1 \cdot \chi_7$	7	1	E(3)	E(3)	$E(3)^{2}$	$E(3)^{2}$	0	0	0	0	0	0	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 1 \cdot \chi_6 + 1 \cdot \chi_7$	7	-1	$E(3)^{2}$	$-E(3)^{2}$	E(3)	-E(3)	0	0	0	0	0	0	
$1 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 0 \cdot \chi_7$	1	1	1	1	1	1	1	1	1	1	1	1	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 1 \cdot \chi_5 + 0 \cdot \chi_6 + 0 \cdot \chi_7$	1	1	E(3)	E(3)	$E(3)^{2}$	$E(3)^{2}$	1	E(3)	1	$E(3)^{2}$	E(3)	$E(3)^{2}$	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 1 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 0 \cdot \chi_7$	1	1	$E(3)^{2}$	$E(3)^{2}$	E(3)	E(3)	1	$E(3)^{2}$	1	E(3)	$E(3)^{2}$	E(3)	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 1 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 0 \cdot \chi_7$	1	-1	1	-1	1	-1	1	1	-1	1	-1	-1	
$0 \cdot \chi_1 + 1 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 0 \cdot \chi_6 + 0 \cdot \chi_7$	1	-1	E(3)	-E(3)	$E(3)^{2}$	$-E(3)^2$	1	E(3)	-1	$E(3)^{2}$	-E(3)	$-E(3)^2$	
$0 \cdot \chi_1 + 0 \cdot \chi_2 + 0 \cdot \chi_3 + 0 \cdot \chi_4 + 0 \cdot \chi_5 + 1 \cdot \chi_6 + 0 \cdot \chi_7$	1	-1	$E(3)^{2}$	$-E(3)^2$	E(3)	-E(3)	1	$E(3)^{2}$	-1	E(3)	$-E(3)^2$	-E(3)	

 $P_1 = Group([()]) \cong 1$ $P_2 = Group([(1, 15, 33, 9, 27, 4, 21)(2, 18, 36, 12, 30, 6, 24)(3, 20, 38, 14, 32, 8, 26)(5, 23, 40, 17, 35, 11, 29)(7, 25, 41, 19, 37, 13, 31)(10, 28, 42, 22, 39, 16, 34)]) \cong C7$

 $N_1 = Group([(1,2)(3,5)(4,36)(6,33)(7,10)(8,40)(9,30)(11,38)(12,27)(13,42)(14,35)(15,24)(16,41)(17,32)(28,31,37,41)(10,16,22,28,34,39,42)]) \cong C7: C6$ $N_2 = Group([(1,15,33,9,27,4,21)(2,18,36,12,30,6,24)(3,20,38,14,32,8,26)(5,23,40)(7,13,19,25,31,37,41)(10,16,22,28,34,39,42)]) \cong C7: C6$ $N_2 = Group([(1,15,33,9,27,4,21)(2,18,36,12,30,6,24)(3,20,38,14,32,8,26)(5,23,40,17,35,11,29)(7,25,41,19,37,13,31)(10,28,42,22,39,16,34),(1,2)(3,5)(4,36)(6,33)(7,10)(8,40)(9,30)(11,38)(12,27)(13,42)(14,35)(15,24)(16,41)(17,32)(18,21)(19,39)(20,29)(22,37)(23,26)(25,34)(28,36,35)]) \cong C7: C6$