

IoT Device Endpoint – Response Schema

```
{ // response envelope
  "rc": <integer>, // e.g. 200
  "rm": "<string>", // response message
  "src": "<string>", // source identifier

  // ■■ result ■■
  "result": {
    "count": <integer>, // total matching records
    "limit": <integer>, // page size
    "offset": <integer>, // pagination offset

    // ■■ list items ■■
    "list": [ // array of IoT device objects
      { // device entry
        // ■■ identity ■■
        "DeviceId": <integer>,
        "DeviceName": "<string>",
        "euid": "<string>",

        // ■■ device type & communication ■■
        "DeviceType": <integer>,
        "DeviceCommunication": <integer>,

        // ■■ hardware ■■
        "DeviceBatteryLevel": <integer>,

        // ■■ network ids (always null) ■■
        "appid": null, // always null
        "appkey": null, // always null
        "netid": null, // always null
        "pac": "<string>" | null, // nullable

        // ■■ timestamps ■■
        "DeviceLastUpdated": <integer>, // unix timestamp
        "DeviceCreatedOn": <integer>, // unix timestamp

        // ■■ status ■■
        "DeviceRegistered": <boolean>,
        "State": "<string>",
        "DeviceNodes": [ ... ] // list
      } // ... more entries
    ]
  }
}
```

"key"	"string"	<integer>	<boolean>	[...]	null	"string" null	// optional
field name	string type	integer type	boolean type	array type	always null	nullable	optional field