






35_B2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.307
Anc = 0.323
IC50 = 0.332
Anc = 0.3
IC50 = 0.276
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_B2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0175
Anc = 0.0132
IC50 = 0.0148
Anc = 0.0117
IC50 = 0.0186
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_B2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 12.9
Anc = 13
IC50 = 15.2
Anc = 11.4
IC50 = 18.1
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_B6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.289
Anc = 0.323
IC50 = 0.293
Anc = 0.3
IC50 = 0.25
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_B6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.00995
Anc = 0.0132
IC50 = 0.0133
Anc = 0.0117
IC50 = 0.0101
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_B6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 11.7
Anc = 13
IC50 = 11.9
Anc = 11.4
IC50 = 15.4
Anc = 16.6
OD (blank−corrected)
0.9
0.6
0.3
0.1
1.0
10.0
100.0
Concentration (log scale)



35_B8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.311
Anc = 0.3
IC50 = 0.284
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_B8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.016
Anc = 0.0132
IC50 = 0.00729
Anc = 0.0117
IC50 = 0.0155
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_B8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 8.94
Anc = 13
IC50 = 13.2
Anc = 11.4
IC50 = 15.1
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_C5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.309
Anc = 0.323
IC50 = 0.288
Anc = 0.3
IC50 = 0.256
Anc = 0.286
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_C5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0159
Anc = 0.0132
IC50 = 0.0109
Anc = 0.0117
IC50 = 0.0145
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_C5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 13.4
Anc = 13
IC50 = 14
Anc = 11.4
IC50 = 15.4
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_C7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.447
Anc = 0.323
IC50 = 0.365
Anc = 0.3
IC50 = 0.289
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_C7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0157
Anc = 0.0132
IC50 = 0.0119
Anc = 0.0117
IC50 = 0.0159
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_C7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 12.9
Anc = 13
IC50 = 16.1
Anc = 11.4
IC50 = 12.8
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_C9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.452
Anc = 0.323
IC50 = 0.308
Anc = 0.3
IC50 = 0.269
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_C9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0155
Anc = 0.0132
IC50 = 0.0125
Anc = 0.0117
IC50 = 0.0156
Anc = 0.0159
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_C9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 13
Anc = 13
IC50 = 13.4
Anc = 11.4
IC50 = 16.9
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_D2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.448
Anc = 0.365
IC50 = 0.316
Anc = 0.291
IC50 = 0.259
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_D2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0102
Anc = 0.0107
IC50 = 0.0151
Anc = 0.0147
IC50 = 0.0145
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_D2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 12.7
Anc = 1.92
IC50 = 18
Anc = 12.1
IC50 = 11.3
Anc = 4.8
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



35_D4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.168
Anc = 0.365
IC50 = 0.134
Anc = 0.291
IC50 = 0.0964
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_D4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0321
Anc = 0.0107
IC50 = 0.0362
Anc = 0.0147
IC50 = 0.0426
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_D4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 1.98
Anc = 1.92
IC50 = 2.17
Anc = 12.1
IC50 = 1.7
Anc = 4.8
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_D8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.296
Anc = 0.365
IC50 = 0.291
Anc = 0.291
IC50 = 0.247
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_D8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.00854
Anc = 0.0107
IC50 = 0.00941
Anc = 0.0147
IC50 = 0.0154
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_D8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 13.6
Anc = 1.92
IC50 = 14
Anc = 12.1
IC50 = 14.4
Anc = 14.8
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



35_E11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.286
Anc = 0.365
IC50 = 0.36
Anc = 0.291
IC50 = 0.253
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_E11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0112
Anc = 0.0107
IC50 = 0.0146
Anc = 0.0147
IC50 = 0.0149
Anc = 0.0142
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_E11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 12.5
Anc = 1.92
IC50 = 12.5
Anc = 12.1
IC50 = 17.3
Anc = 4.8
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_E7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.304
Anc = 0.365
IC50 = 0.285
Anc = 0.291
IC50 = 0.25
Anc = 0.175
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_E7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0103
Anc = 0.0107
IC50 = 0.00912
Anc = 0.0147
IC50 = 0.0119
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_E7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 13.7
Anc = 1.92
IC50 = 14.1
Anc = 12.1
IC50 = 13.4
Anc = 4.8
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_E9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.294
Anc = 0.365
IC50 = 0.355
Anc = 0.291
IC50 = 0.286
Anc = 0.175
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_E9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0111
Anc = 0.0107
IC50 = 0.0112
Anc = 0.0147
IC50 = 0.0154
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_E9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 13.9
Anc = 1.92
IC50 = 11.8
Anc = 12.1
IC50 = 18.7
Anc = 4.8
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_F2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.148
Anc = 0.148
IC50 = 0.148
Anc = 0.0906
IC50 = 0.151
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_F2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0135
Anc = 0.0114
IC50 = 0.0163
Anc = 0.015
IC50 = 0.0166
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_F2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 16.6
Anc = 18.3
IC50 = 15.8
Anc = 16.4
IC50 = 22.8
Anc = 17.2
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



35_F4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.141
Anc = 0.148
IC50 = 0.178
Anc = 0.0906
IC50 = 0.137
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_F4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.015
Anc = 0.0114
IC50 = 0.0111
Anc = 0.015
IC50 = 0.0164
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_F4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 17
Anc = 18.3
IC50 = 15.1
Anc = 16.4
IC50 = 24.5
Anc = 7.2
OD (blank−corrected)
0.9
0.6
0.3
0.1
1.0
10.0
100.0
Concentration (log scale)



35_F6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.124
Anc = 0.148
IC50 = 0.127
Anc = 0.0906
IC50 = 0.133
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_F6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0153
Anc = 0.0114
IC50 = 0.0108
Anc = 0.015
IC50 = 0.0147
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_F6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 11
Anc = 18.3
IC50 = 14.4
Anc = 16.4
IC50 = 15.2
Anc = 7.2
OD (blank−corrected)
0.9
0.6
0.3
0.1
1.0
10.0
100.0
Concentration (log scale)



35_G11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.134
Anc = 0.148
IC50 = 0.0728
Anc = 0.0906
IC50 = 0.0989
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_G11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0142
Anc = 0.0114
IC50 = 0.0105
Anc = 0.015
IC50 = 0.0184
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_G11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 11.9
Anc = 18.3
IC50 = 13.2
Anc = 16.4
IC50 = 12.8
Anc = 7.2
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_G5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.147
Anc = 0.148
IC50 = 0.159
Anc = 0.0906
IC50 = 0.146
Anc = 0.108
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_G5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.015
Anc = 0.0114
IC50 = 0.0151
Anc = 0.015
IC50 = 0.0161
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_G5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 19.5
Anc = 18.3
IC50 = 19
Anc = 16.4
IC50 = 22.4
Anc = 17.2
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_G9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.143
Anc = 0.148
IC50 = 0.109
Anc = 0.0906
IC50 = 0.129
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_G9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0148
Anc = 0.0114
IC50 = 0.0123
Anc = 0.015
IC50 = 0.0164
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_G9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 17.1
Anc = 18.3
IC50 = 16
Anc = 16.4
IC50 = 15.1
Anc = 7.2
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



40_B2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 1.96
Anc = 1.9
IC50 = 1.67
Anc = 1.87
IC50 = 1.86
Anc = 1.48
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_B2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0214
Anc = 0.0254
IC50 = 0.0293
Anc = 0.0256
IC50 = 0.0306
Anc = 0.00444
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_B2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 19.4
Anc = 27.7
IC50 = 16.5
Anc = 25.5
IC50 = 22
Anc = 28.4
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_B6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.906
Anc = 1.9
IC50 = 0.724
Anc = 1.87
IC50 = 0.698
Anc = 1.48
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_B6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0279
Anc = 0.0254
IC50 = 0.0173
Anc = 0.0256
IC50 = 0.0174
Anc = 0.00444
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_B6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 28.5
Anc = 27.7
IC50 = 25.1
Anc = 25.5
IC50 = 22.1
Anc = 28.4
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_B8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 1.58
Anc = 1.9
IC50 = 1.42
Anc = 1.87
IC50 = 1.37
Anc = 1.48
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_B8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0161
Anc = 0.0254
IC50 = 0.0181
Anc = 0.0256
IC50 = 0.0188
Anc = 0.00444
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_B8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 23.1
Anc = 27.7
IC50 = 25.3
Anc = 25.5
IC50 = 19.2
Anc = 28.4
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
0.1
1.0
10.0
100.0
Concentration (log scale)



40_C5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 2
Anc = 1.9
IC50 = 1.62
Anc = 1.87
IC50 = 1.76
Anc = 1.48
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_C5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0177
Anc = 0.0254
IC50 = 0.0286
Anc = 0.0256
IC50 = 0.0173
Anc = 0.00444
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_C5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 25.8
Anc = 27.7
IC50 = 25.6
Anc = 25.5
IC50 = 20.5
Anc = 28.4
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_C7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.808
Anc = 1.9
IC50 = 0.67
Anc = 1.87
IC50 = 0.862
Anc = 1.48
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_C7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.016
Anc = 0.0256
IC50 = 0.016
Anc = 0.00444
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_C7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 29.4
Anc = 27.7
IC50 = 24.4
Anc = 25.5
IC50 = 23.7
Anc = 28.4
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_C9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
IC50 = 1.84
Anc = 1.9
January Set1 Rep2
IC50 = 1.57
Anc = 1.87
January Set1 Rep3
IC50 = 1.89
Anc = 1.48
March Set4 Rep1
IC50 = 0.523
Anc = 0.353
March Set4 Rep2
IC50 = 0.41
Anc = 0.334
March Set4 Rep3
IC50 = 0.321
Anc = 0.251
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_C9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
IC50 = 0.027
Anc = 0.0254
January Set1 Rep2
IC50 = 0.0293
Anc = 0.0256
January Set1 Rep3
IC50 = 0.00154
Anc = 0.00444
March Set4 Rep1
IC50 = 0.0158
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0163
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0175
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_C9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
IC50 = 65.3
Anc = 27.7
February Plate1 Rep2
IC50 = 30.5
Anc = 25.5
February Plate1 Rep3
IC50 = 45.6
Anc = 28.4
March Set4 Rep1
IC50 = 31.9
Anc = 12.1
March Set4 Rep2
IC50 = 27.8
Anc = 14.6
March Set4 Rep3
IC50 = 12.2
Anc = 18.2
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_D2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 1.26
Anc = 1.38
IC50 = 1
Anc = 1.49
IC50 = 0.631
Anc = 1.23
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_D2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0213
Anc = 0.0292
IC50 = 0.0179
Anc = 0.0198
IC50 = 0.031
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_D2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 28.8
Anc = 31.3
IC50 = 28
Anc = 25.4
IC50 = 22.5
Anc = 14
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_D4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 1.37
Anc = 1.38
IC50 = 1.22
Anc = 1.49
IC50 = 1.01
Anc = 1.23
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_D4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0212
Anc = 0.0292
IC50 = 0.0183
Anc = 0.0198
IC50 = 0.0181
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_D4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 21.6
Anc = 31.3
IC50 = 19.6
Anc = 25.4
IC50 = 26.8
Anc = 14
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_D8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.951
Anc = 1.38
IC50 = 0.938
Anc = 1.49
IC50 = 0.0622
Anc = 1.23
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_D8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0167
Anc = 0.0292
IC50 = 0.02
Anc = 0.0198
IC50 = 0.0194
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_D8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 16.5
Anc = 31.3
IC50 = 24.9
Anc = 25.4
IC50 = 27.3
Anc = 14
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_E11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 1.66
Anc = 1.38
January Set2 Rep2
IC50 = 1.9
Anc = 1.49
January Set2 Rep3
IC50 = 1.82
Anc = 1.23
March Set4 Rep1
IC50 = 0.428
Anc = 0.353
March Set4 Rep2
IC50 = 0.468
Anc = 0.334
March Set4 Rep3
IC50 = 0.0214
Anc = 0.251
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_E11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 0.0278
Anc = 0.0292
January Set2 Rep2
IC50 = 0.0204
Anc = 0.0198
January Set2 Rep3
IC50 = 0.0288
Anc = 0.0266
March Set4 Rep1
IC50 = 0.0145
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0127
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0145
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_E11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
IC50 = 56.1
Anc = 31.3
February Plate2 Rep2
IC50 = 23.7
Anc = 25.4
February Plate2 Rep3
IC50 = 38.3
Anc = 14
March Set4 Rep1
IC50 = 15.3
Anc = 12.1
March Set4 Rep2
IC50 = 19.6
Anc = 14.6
March Set4 Rep3
IC50 = 25.5
Anc = 18.2
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_E7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 1.54
Anc = 1.38
January Set2 Rep2
IC50 = 1.95
Anc = 1.49
January Set2 Rep3
IC50 = 1.66
Anc = 1.23
March Set4 Rep1
IC50 = 0.492
Anc = 0.353
March Set4 Rep2
IC50 = 0.376
Anc = 0.334
March Set4 Rep3
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_E7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 0.0341
Anc = 0.0292
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0254
Anc = 0.0266
March Set4 Rep1
IC50 = 0.0162
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0232
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0168
Anc = 0.0164
OD (blank−corrected)
0.0
0.5
1.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_E7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
IC50 = 36.2
Anc = 31.3
February Plate2 Rep2
IC50 = 27
Anc = 25.4
February Plate2 Rep3
IC50 = 28
Anc = 14
March Set4 Rep1
IC50 = 23.2
Anc = 12.1
March Set4 Rep2
IC50 = 18.2
Anc = 14.6
March Set4 Rep3
IC50 = 16.1
Anc = 18.2
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
0.1
1.0
10.0
100.0
Concentration (log scale)



40_E9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 1.59
Anc = 1.38
IC50 = 1.49
Anc = 1.49
IC50 = 1.29
Anc = 1.23
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_E9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0146
Anc = 0.0292
IC50 = 0.0195
Anc = 0.0198
IC50 = 0.0188
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_E9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 2.49
Anc = 31.3
IC50 = 22.9
Anc = 25.4
IC50 = 25.3
Anc = 14
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_F2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 1.2
Anc = 1.54
IC50 = 1.05
Anc = 1.36
IC50 = 1.17
Anc = 1.34
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_F2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 0.0303
Anc = 0.0181
IC50 = 0.0202
Anc = 0.019
IC50 = 0.0185
Anc = 0.0281
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_F2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
February Plate3 Rep2
February Plate3 Rep3
IC50 = 37.4
Anc = 25.6
IC50 = 30.5
Anc = 20
IC50 = 30.2
Anc = 5.92
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_F4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 2.06
Anc = 1.54
IC50 = 2.11
Anc = 1.36
IC50 = 1.85
Anc = 1.34
OD (blank−corrected)
1.2
0.8
0.4
0.0
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_F4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 0.0187
Anc = 0.0181
IC50 = 0.0166
Anc = 0.019
IC50 = 0.0141
Anc = 0.0281
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_F4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
February Plate3 Rep2
February Plate3 Rep3
IC50 = 30.8
Anc = 25.6
IC50 = 17.2
Anc = 20
IC50 = 15.7
Anc = 5.92
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
0.1
1.0
10.0
100.0
Concentration (log scale)



40_F6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 1.45
Anc = 1.54
January Set3 Rep2
IC50 = 1.19
Anc = 1.36
January Set3 Rep3
IC50 = 1.18
Anc = 1.34
March Set4 Rep1
IC50 = 0.301
Anc = 0.353
March Set4 Rep2
IC50 = 0.393
Anc = 0.334
March Set4 Rep3
IC50 = 0.262
Anc = 0.251
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
1.25
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_F6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 0.0236
Anc = 0.0181
January Set3 Rep2
IC50 = 0.0291
Anc = 0.019
January Set3 Rep3
IC50 = 0.0279
Anc = 0.0281
March Set4 Rep1
IC50 = 0.017
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0121
Anc = 0.00607
March Set4 Rep3
IC50 = 0.014
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_F6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
IC50 = 18.5
Anc = 25.6
February Plate3 Rep2
IC50 = 26.3
Anc = 20
February Plate3 Rep3
IC50 = 24.6
Anc = 5.92
March Set4 Rep1
IC50 = 15.5
Anc = 12.1
March Set4 Rep2
IC50 = 16.9
Anc = 14.6
March Set4 Rep3
IC50 = 20.7
Anc = 18.2
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_G11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 1.65
Anc = 1.54
January Set3 Rep2
IC50 = 1.88
Anc = 1.36
January Set3 Rep3
IC50 = 1.86
Anc = 1.34
March Set4 Rep1
IC50 = 0.488
Anc = 0.353
March Set4 Rep2
IC50 = 0.526
Anc = 0.334
March Set4 Rep3
IC50 = 0.325
Anc = 0.251
OD (blank−corrected)
0.0
0.4
0.8
1.2
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_G11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 0.0238
Anc = 0.0181
January Set3 Rep2
IC50 = 0.0251
Anc = 0.019
January Set3 Rep3
IC50 = 0.0296
Anc = 0.0281
March Set4 Rep1
IC50 = 0.0182
Anc = 0.0141
March Set4 Rep2
IC50 = 0.017
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0234
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_G11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
IC50 = 69.4
Anc = 25.6
February Plate3 Rep2
IC50 = 43.8
Anc = 20
February Plate3 Rep3
IC50 = 56.1
Anc = 5.92
March Set4 Rep1
IC50 = 35.1
Anc = 12.1
March Set4 Rep2
IC50 = 41.2
Anc = 14.6
March Set4 Rep3
IC50 = 68.9
Anc = 18.2
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
1.25
0.1
1.0
10.0
100.0
Concentration (log scale)



40_G5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 1.25
Anc = 1.54
IC50 = 1.83
Anc = 1.36
IC50 = 1.17
Anc = 1.34
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_G5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 0.0284
Anc = 0.0181
IC50 = 0.0193
Anc = 0.019
IC50 = 0.0167
Anc = 0.0281
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_G5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
February Plate3 Rep2
February Plate3 Rep3
IC50 = 29.8
Anc = 25.6
IC50 = 37
Anc = 20
IC50 = 34.5
Anc = 5.92
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
0.1
1.0
10.0
100.0
Concentration (log scale)



40_G9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 2.07
Anc = 1.54
January Set3 Rep2
IC50 = 1.95
Anc = 1.36
January Set3 Rep3
IC50 = 1.95
Anc = 1.34
March Set4 Rep1
IC50 = 0.483
Anc = 0.353
March Set4 Rep2
IC50 = 0.519
Anc = 0.334
March Set4 Rep3
IC50 = 0.456
Anc = 0.251
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
1.25
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)


40_G9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 0.0271
Anc = 0.0181
January Set3 Rep2
IC50 = 0.0297
Anc = 0.019
January Set3 Rep3
IC50 = 0.0293
Anc = 0.0281
March Set4 Rep1
IC50 = 0.0232
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0175
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0235
Anc = 0.0164
OD (blank−corrected)
0.0
0.5
1.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)


40_G9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
IC50 = 51.8
Anc = 25.6
February Plate3 Rep2
IC50 = 46.5
Anc = 20
February Plate3 Rep3
IC50 = 79.3
Anc = 5.92
March Set4 Rep1
IC50 = 82
Anc = 12.1
March Set4 Rep2
IC50 = 29.1
Anc = 14.6
March Set4 Rep3
IC50 = 127
Anc = 18.2
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
1.25
0.1
1.0
10.0
100.0
Concentration (log scale)


fRS585 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
March Set4 Rep1
March Set4 Rep2
March Set4 Rep3
IC50 = 0.323
IC50 = 0.3
IC50 = 0.286
IC50 = 0.365
IC50 = 0.291
IC50 = 0.175
IC50 = 0.148
IC50 = 0.0906
IC50 = 0.108
IC50 = 0.353
IC50 = 0.334
IC50 = 0.251
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)


fRS585 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
IC50 = 0.0254
January Set1 Rep2
IC50 = 0.0256
January Set1 Rep3
IC50 = 0.00444
January Set2 Rep1
IC50 = 0.029
January Set2 Rep2
IC50 = 0.0198
January Set2 Rep3
IC50 = 0.026
January Set3 Rep1
IC50 = 0.0181
January Set3 Rep2
IC50 = 0.019
January Set3 Rep3
IC50 = 0.028
March Set1 Rep1
IC50 = 0.0132
March Set1 Rep2
IC50 = 0.0117
March Set1 Rep3
IC50 = 0.0159
March Set2 Rep1
IC50 = 0.0107
March Set2 Rep2
IC50 = 0.0147
March Set2 Rep3
IC50 = 0.0142
March Set3 Rep1
IC50 = 0.0114
March Set3 Rep2
IC50 = 0.015
March Set3 Rep3
IC50 = 0.0143
March Set4 Rep1
IC50 = 0.0141
March Set4 Rep2
IC50 = 0.00607
March Set4 Rep3
IC50 = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)


fRS585 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
IC50 = 27.7
February Plate1 Rep2
IC50 = 25.5
February Plate1 Rep3
IC50 = 28.4
February Plate2 Rep1
IC50 = 31.3
February Plate2 Rep2
IC50 = 25.4
February Plate2 Rep3
IC50 = 14
February Plate3 Rep1
IC50 = 25.6
February Plate3 Rep2
IC50 = 20
February Plate3 Rep3
IC50 = 5.92
March Set1 Rep1
IC50 = 13
March Set1 Rep2
IC50 = 11.4
March Set1 Rep3
IC50 = 16.6
March Set2 Rep1
IC50 = 1.92
March Set2 Rep2
IC50 = 12.1
March Set2 Rep3
IC50 = 4.8
March Set3 Rep1
IC50 = 18.3
March Set3 Rep2
IC50 = 16.4
March Set3 Rep3
IC50 = 7.2
March Set4 Rep1
IC50 = 12.1
March Set4 Rep2
IC50 = 14.6
March Set4 Rep3
IC50 = 18.2
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)