






35_B2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.307
Anc = 0.323
IC50 = 0.332
Anc = 0.3
IC50 = 0.276
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_B2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0175
Anc = 0.0132
IC50 = 0.0148
Anc = 0.0117
IC50 = 0.0186
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_B2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 12.9
Anc = 13
IC50 = 15.2
Anc = 11.4
IC50 = 18.1
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_B6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.289
Anc = 0.323
IC50 = 0.293
Anc = 0.3
IC50 = 0.25
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_B6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.00995
Anc = 0.0132
IC50 = 0.0133
Anc = 0.0117
IC50 = 0.0101
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_B6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 11.7
Anc = 13
IC50 = 11.9
Anc = 11.4
IC50 = 15.4
Anc = 16.6
OD (blank−corrected)
0.9
0.6
0.3
0.1
1.0
10.0
100.0
Concentration (log scale)



35_B8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.311
Anc = 0.3
IC50 = 0.284
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_B8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.016
Anc = 0.0132
IC50 = 0.00729
Anc = 0.0117
IC50 = 0.0155
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_B8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 8.94
Anc = 13
IC50 = 13.2
Anc = 11.4
IC50 = 15.1
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_C5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.309
Anc = 0.323
IC50 = 0.288
Anc = 0.3
IC50 = 0.256
Anc = 0.286
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_C5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0159
Anc = 0.0132
IC50 = 0.0109
Anc = 0.0117
IC50 = 0.0145
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_C5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 13.4
Anc = 13
IC50 = 14
Anc = 11.4
IC50 = 15.4
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_C7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.447
Anc = 0.323
IC50 = 0.365
Anc = 0.3
IC50 = 0.289
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_C7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0157
Anc = 0.0132
IC50 = 0.0119
Anc = 0.0117
IC50 = 0.0159
Anc = 0.0159
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_C7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 12.9
Anc = 13
IC50 = 16.1
Anc = 11.4
IC50 = 12.8
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_C9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.452
Anc = 0.323
IC50 = 0.308
Anc = 0.3
IC50 = 0.269
Anc = 0.286
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_C9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 0.0155
Anc = 0.0132
IC50 = 0.0125
Anc = 0.0117
IC50 = 0.0156
Anc = 0.0159
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_C9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set1 Rep1
March Set1 Rep2
March Set1 Rep3
IC50 = 13
Anc = 13
IC50 = 13.4
Anc = 11.4
IC50 = 16.9
Anc = 16.6
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_D2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.448
Anc = 0.365
IC50 = 0.316
Anc = 0.291
IC50 = 0.259
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_D2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0102
Anc = 0.0107
IC50 = 0.0151
Anc = 0.0147
IC50 = 0.0145
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_D2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 12.7
Anc = 1.92
IC50 = 18
Anc = 12.1
IC50 = 11.3
Anc = 4.8
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



35_D4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.168
Anc = 0.365
IC50 = 0.134
Anc = 0.291
IC50 = 0.0964
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_D4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0321
Anc = 0.0107
IC50 = 0.0362
Anc = 0.0147
IC50 = 0.0426
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_D4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 1.98
Anc = 1.92
IC50 = 2.17
Anc = 12.1
IC50 = 1.7
Anc = 4.8
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_D8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.296
Anc = 0.365
IC50 = 0.291
Anc = 0.291
IC50 = 0.247
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_D8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.00854
Anc = 0.0107
IC50 = 0.00941
Anc = 0.0147
IC50 = 0.0154
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_D8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 13.6
Anc = 1.92
IC50 = 14
Anc = 12.1
IC50 = 14.4
Anc = 4.8
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



35_E11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.286
Anc = 0.365
IC50 = 0.36
Anc = 0.291
IC50 = 0.253
Anc = 0.175
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_E11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0112
Anc = 0.0107
IC50 = 0.0146
Anc = 0.0147
IC50 = 0.0149
Anc = 0.0142
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_E11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 12.5
Anc = 1.92
IC50 = 12.5
Anc = 12.1
IC50 = 17.3
Anc = 4.8
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_E7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.304
Anc = 0.365
IC50 = 0.285
Anc = 0.291
IC50 = 0.25
Anc = 0.175
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_E7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0103
Anc = 0.0107
IC50 = 0.00912
Anc = 0.0147
IC50 = 0.0119
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_E7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 13.7
Anc = 1.92
IC50 = 14.1
Anc = 12.1
IC50 = 13.4
Anc = 4.8
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_E9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.294
Anc = 0.365
IC50 = 0.355
Anc = 0.291
IC50 = 0.286
Anc = 0.175
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_E9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 0.0111
Anc = 0.0107
IC50 = 0.0112
Anc = 0.0147
IC50 = 0.0154
Anc = 0.0142
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_E9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set2 Rep1
March Set2 Rep2
March Set2 Rep3
IC50 = 13.9
Anc = 1.92
IC50 = 11.8
Anc = 12.1
IC50 = 18.7
Anc = 4.8
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



35_F2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.148
Anc = 0.148
IC50 = 0.148
Anc = 0.0906
IC50 = 0.151
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_F2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0135
Anc = 0.0114
IC50 = 0.0163
Anc = 0.015
IC50 = 0.0166
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_F2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 16.6
Anc = 18.3
IC50 = 15.8
Anc = 16.4
IC50 = 22.8
Anc = 17.2
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



35_F4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.141
Anc = 0.148
IC50 = 0.178
Anc = 0.0906
IC50 = 0.137
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_F4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.015
Anc = 0.0114
IC50 = 0.0111
Anc = 0.015
IC50 = 0.0164
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_F4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 17
Anc = 18.3
IC50 = 15.1
Anc = 16.4
IC50 = 24.5
Anc = 7.2
OD (blank−corrected)
0.9
0.6
0.3
0.1
1.0
10.0
100.0
Concentration (log scale)



35_F6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.124
Anc = 0.148
IC50 = 0.127
Anc = 0.0906
IC50 = 0.133
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_F6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0153
Anc = 0.0114
IC50 = 0.0108
Anc = 0.015
IC50 = 0.0147
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_F6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 11
Anc = 18.3
IC50 = 14.4
Anc = 16.4
IC50 = 15.2
Anc = 7.2
OD (blank−corrected)
0.9
0.6
0.3
0.1
1.0
10.0
100.0
Concentration (log scale)



35_G11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.134
Anc = 0.148
IC50 = 0.0728
Anc = 0.0906
IC50 = 0.0989
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_G11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0142
Anc = 0.0114
IC50 = 0.0105
Anc = 0.015
IC50 = 0.0184
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_G11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 11.9
Anc = 18.3
IC50 = 13.2
Anc = 16.4
IC50 = 12.8
Anc = 7.2
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.1
1.0
10.0
100.0
Concentration (log scale)



35_G5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.147
Anc = 0.148
IC50 = 0.159
Anc = 0.0906
IC50 = 0.146
Anc = 0.108
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_G5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.015
Anc = 0.0114
IC50 = 0.0151
Anc = 0.015
IC50 = 0.0161
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_G5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 19.5
Anc = 18.3
IC50 = 19
Anc = 16.4
IC50 = 22.4
Anc = 17.2
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



35_G9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.143
Anc = 0.148
IC50 = 0.109
Anc = 0.0906
IC50 = 0.129
Anc = 0.108
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



35_G9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 0.0148
Anc = 0.0114
IC50 = 0.0123
Anc = 0.015
IC50 = 0.0164
Anc = 0.0143
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



35_G9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
March Set3 Rep1
March Set3 Rep2
March Set3 Rep3
IC50 = 17.1
Anc = 18.3
IC50 = 16
Anc = 16.4
IC50 = 15.1
Anc = 7.2
1.00
0.75
0.50
0.25
OD (blank−corrected)
0.1
1.0
10.0
100.0
Concentration (log scale)



40_B2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 1.96
Anc = 1.9
IC50 = 1.67
Anc = 1.87
IC50 = 1.86
Anc = 1.48
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_B2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0214
Anc = 0.0254
IC50 = 0.0293
Anc = 0.0256
IC50 = 0.0306
Anc = 0.00444
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_B2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 19.4
Anc = 27.7
IC50 = 16.5
Anc = 25.5
IC50 = 22
Anc = 28.4
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_B6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.906
Anc = 1.9
IC50 = 0.724
Anc = 1.87
IC50 = 0.698
Anc = 1.48
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_B6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0279
Anc = 0.0254
IC50 = 0.0173
Anc = 0.0256
IC50 = 0.0174
Anc = 0.00444
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_B6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 28.5
Anc = 27.7
IC50 = 25.1
Anc = 25.5
IC50 = 22.1
Anc = 28.4
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_B8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 1.58
Anc = 1.9
IC50 = 1.42
Anc = 1.87
IC50 = 1.37
Anc = 1.48
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_B8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0161
Anc = 0.0254
IC50 = 0.0181
Anc = 0.0256
IC50 = 0.0188
Anc = 0.00444
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_B8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 23.1
Anc = 27.7
IC50 = 25.3
Anc = 25.5
IC50 = 19.2
Anc = 28.4
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
0.1
1.0
10.0
100.0
Concentration (log scale)



40_C5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 2
Anc = 1.9
IC50 = 1.62
Anc = 1.87
IC50 = 1.76
Anc = 1.48
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_C5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.0177
Anc = 0.0254
IC50 = 0.0286
Anc = 0.0256
IC50 = 0.0173
Anc = 0.00444
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_C5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 25.8
Anc = 27.7
IC50 = 25.6
Anc = 25.5
IC50 = 20.5
Anc = 28.4
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_C7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.808
Anc = 1.9
IC50 = 0.67
Anc = 1.87
IC50 = 0.862
Anc = 1.48
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_C7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
January Set1 Rep2
January Set1 Rep3
IC50 = 0.016
Anc = 0.0256
IC50 = 0.016
Anc = 0.00444
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_C7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
February Plate1 Rep2
February Plate1 Rep3
IC50 = 29.4
Anc = 27.7
IC50 = 24.4
Anc = 25.5
IC50 = 23.7
Anc = 28.4
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_C9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
IC50 = 1.84
Anc = 1.9
January Set1 Rep2
IC50 = 1.57
Anc = 1.87
January Set1 Rep3
IC50 = 1.89
Anc = 1.48
March Set4 Rep1
IC50 = 0.523
Anc = 0.353
March Set4 Rep2
IC50 = 0.41
Anc = 0.334
March Set4 Rep3
IC50 = 0.321
Anc = 0.251
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_C9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
IC50 = 0.027
Anc = 0.0254
January Set1 Rep2
IC50 = 0.0293
Anc = 0.0256
January Set1 Rep3
IC50 = 0.00154
Anc = 0.00444
March Set4 Rep1
IC50 = 0.0158
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0163
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0175
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_C9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
IC50 = 65.3
Anc = 27.7
February Plate1 Rep2
IC50 = 30.5
Anc = 25.5
February Plate1 Rep3
IC50 = 45.6
Anc = 28.4
March Set4 Rep1
IC50 = 31.9
Anc = 12.1
March Set4 Rep2
IC50 = 27.8
Anc = 14.6
March Set4 Rep3
IC50 = 12.2
Anc = 18.2
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_D2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 1.26
Anc = 1.38
IC50 = 1
Anc = 1.49
IC50 = 0.631
Anc = 1.23
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_D2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0213
Anc = 0.0292
IC50 = 0.0179
Anc = 0.0198
IC50 = 0.031
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_D2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 28.8
Anc = 31.3
IC50 = 28
Anc = 25.4
IC50 = 22.5
Anc = 14
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_D4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 1.37
Anc = 1.38
IC50 = 1.22
Anc = 1.49
IC50 = 1.01
Anc = 1.23
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_D4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0212
Anc = 0.0292
IC50 = 0.0183
Anc = 0.0198
IC50 = 0.0181
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_D4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 21.6
Anc = 31.3
IC50 = 19.6
Anc = 25.4
IC50 = 26.8
Anc = 14
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_D8 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.951
Anc = 1.38
IC50 = 0.938
Anc = 1.49
IC50 = 0.0622
Anc = 1.23
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_D8 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0167
Anc = 0.0292
IC50 = 0.02
Anc = 0.0198
IC50 = 0.0194
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_D8 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 16.5
Anc = 31.3
IC50 = 24.9
Anc = 25.4
IC50 = 27.3
Anc = 14
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_E11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 1.66
Anc = 1.38
January Set2 Rep2
IC50 = 1.9
Anc = 1.49
January Set2 Rep3
IC50 = 1.82
Anc = 1.23
March Set4 Rep1
IC50 = 0.428
Anc = 0.353
March Set4 Rep2
IC50 = 0.468
Anc = 0.334
March Set4 Rep3
IC50 = 0.0214
Anc = 0.251
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_E11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 0.0278
Anc = 0.0292
January Set2 Rep2
IC50 = 0.0204
Anc = 0.0198
January Set2 Rep3
IC50 = 0.0288
Anc = 0.0266
March Set4 Rep1
IC50 = 0.0145
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0127
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0145
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_E11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
IC50 = 56.1
Anc = 31.3
February Plate2 Rep2
IC50 = 23.7
Anc = 25.4
February Plate2 Rep3
IC50 = 38.3
Anc = 14
March Set4 Rep1
IC50 = 15.3
Anc = 12.1
March Set4 Rep2
IC50 = 19.6
Anc = 14.6
March Set4 Rep3
IC50 = 25.5
Anc = 18.2
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_E7 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 1.54
Anc = 1.38
January Set2 Rep2
IC50 = 1.95
Anc = 1.49
January Set2 Rep3
IC50 = 1.66
Anc = 1.23
March Set4 Rep1
IC50 = 0.492
Anc = 0.353
March Set4 Rep2
IC50 = 0.376
Anc = 0.334
March Set4 Rep3
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_E7 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
IC50 = 0.0341
Anc = 0.0292
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0254
Anc = 0.0266
March Set4 Rep1
IC50 = 0.0162
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0232
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0168
Anc = 0.0164
OD (blank−corrected)
0.0
0.5
1.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_E7 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
IC50 = 36.2
Anc = 31.3
February Plate2 Rep2
IC50 = 27
Anc = 25.4
February Plate2 Rep3
IC50 = 28
Anc = 14
March Set4 Rep1
IC50 = 23.2
Anc = 12.1
March Set4 Rep2
IC50 = 18.2
Anc = 14.6
March Set4 Rep3
IC50 = 16.1
Anc = 18.2
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
0.1
1.0
10.0
100.0
Concentration (log scale)



40_E9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 1.59
Anc = 1.38
IC50 = 1.49
Anc = 1.49
IC50 = 1.29
Anc = 1.23
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_E9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set2 Rep1
January Set2 Rep2
January Set2 Rep3
IC50 = 0.0146
Anc = 0.0292
IC50 = 0.0195
Anc = 0.0198
IC50 = 0.0188
Anc = 0.0266
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_E9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate2 Rep1
February Plate2 Rep2
February Plate2 Rep3
IC50 = 2.49
Anc = 31.3
IC50 = 22.9
Anc = 25.4
IC50 = 25.3
Anc = 14
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_F2 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 1.2
Anc = 1.54
IC50 = 1.05
Anc = 1.36
IC50 = 1.17
Anc = 1.34
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_F2 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 0.0303
Anc = 0.0181
IC50 = 0.0202
Anc = 0.019
IC50 = 0.0185
Anc = 0.0281
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_F2 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
February Plate3 Rep2
February Plate3 Rep3
IC50 = 37.4
Anc = 25.6
IC50 = 30.5
Anc = 20
IC50 = 30.2
Anc = 5.92
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)



40_F4 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 2.06
Anc = 1.54
IC50 = 2.11
Anc = 1.36
IC50 = 1.85
Anc = 1.34
OD (blank−corrected)
1.2
0.8
0.4
0.0
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_F4 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 0.0187
Anc = 0.0181
IC50 = 0.0166
Anc = 0.019
IC50 = 0.0141
Anc = 0.0281
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_F4 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
February Plate3 Rep2
February Plate3 Rep3
IC50 = 30.8
Anc = 25.6
IC50 = 17.2
Anc = 20
IC50 = 15.7
Anc = 5.92
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
0.1
1.0
10.0
100.0
Concentration (log scale)



40_F6 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 1.45
Anc = 1.54
January Set3 Rep2
IC50 = 1.19
Anc = 1.36
January Set3 Rep3
IC50 = 1.18
Anc = 1.34
March Set4 Rep1
IC50 = 0.301
Anc = 0.353
March Set4 Rep2
IC50 = 0.393
Anc = 0.334
March Set4 Rep3
IC50 = 0.262
Anc = 0.251
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
1.25
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_F6 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 0.0236
Anc = 0.0181
January Set3 Rep2
IC50 = 0.0291
Anc = 0.019
January Set3 Rep3
IC50 = 0.0279
Anc = 0.0281
March Set4 Rep1
IC50 = 0.017
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0121
Anc = 0.00607
March Set4 Rep3
IC50 = 0.014
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_F6 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
IC50 = 18.5
Anc = 25.6
February Plate3 Rep2
IC50 = 26.3
Anc = 20
February Plate3 Rep3
IC50 = 24.6
Anc = 5.92
March Set4 Rep1
IC50 = 15.5
Anc = 12.1
March Set4 Rep2
IC50 = 16.9
Anc = 14.6
March Set4 Rep3
IC50 = 20.7
Anc = 18.2
OD (blank−corrected)
0.0
0.3
0.6
0.9
0.1
1.0
10.0
100.0
Concentration (log scale)



40_G11 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 1.65
Anc = 1.54
January Set3 Rep2
IC50 = 1.88
Anc = 1.36
January Set3 Rep3
IC50 = 1.86
Anc = 1.34
March Set4 Rep1
IC50 = 0.488
Anc = 0.353
March Set4 Rep2
IC50 = 0.526
Anc = 0.334
March Set4 Rep3
IC50 = 0.325
Anc = 0.251
OD (blank−corrected)
0.0
0.4
0.8
1.2
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_G11 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 0.0238
Anc = 0.0181
January Set3 Rep2
IC50 = 0.0251
Anc = 0.019
January Set3 Rep3
IC50 = 0.0296
Anc = 0.0281
March Set4 Rep1
IC50 = 0.0182
Anc = 0.0141
March Set4 Rep2
IC50 = 0.017
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0234
Anc = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_G11 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
IC50 = 69.4
Anc = 25.6
February Plate3 Rep2
IC50 = 43.8
Anc = 20
February Plate3 Rep3
IC50 = 56.1
Anc = 5.92
March Set4 Rep1
IC50 = 35.1
Anc = 12.1
March Set4 Rep2
IC50 = 41.2
Anc = 14.6
March Set4 Rep3
IC50 = 68.9
Anc = 18.2
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
1.25
0.1
1.0
10.0
100.0
Concentration (log scale)



40_G5 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 1.25
Anc = 1.54
IC50 = 1.83
Anc = 1.36
IC50 = 1.17
Anc = 1.34
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)



40_G5 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
January Set3 Rep2
January Set3 Rep3
IC50 = 0.0284
Anc = 0.0181
IC50 = 0.0193
Anc = 0.019
IC50 = 0.0167
Anc = 0.0281
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)



40_G5 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
February Plate3 Rep2
February Plate3 Rep3
IC50 = 29.8
Anc = 25.6
IC50 = 37
Anc = 20
IC50 = 34.5
Anc = 5.92
OD (blank−corrected)
1.2
0.9
0.6
0.3
0.0
0.1
1.0
10.0
100.0
Concentration (log scale)



40_G9 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 2.07
Anc = 1.54
January Set3 Rep2
IC50 = 1.95
Anc = 1.36
January Set3 Rep3
IC50 = 1.95
Anc = 1.34
March Set4 Rep1
IC50 = 0.483
Anc = 0.353
March Set4 Rep2
IC50 = 0.519
Anc = 0.334
March Set4 Rep3
IC50 = 0.456
Anc = 0.251
OD (blank−corrected)
1.25
1.00
0.75
0.50
0.25
0.00
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)


40_G9 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set3 Rep1
IC50 = 0.0271
Anc = 0.0181
January Set3 Rep2
IC50 = 0.0297
Anc = 0.019
January Set3 Rep3
IC50 = 0.0293
Anc = 0.0281
March Set4 Rep1
IC50 = 0.0232
Anc = 0.0141
March Set4 Rep2
IC50 = 0.0175
Anc = 0.00607
March Set4 Rep3
IC50 = 0.0235
Anc = 0.0164
OD (blank−corrected)
0.0
0.5
1.0
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)


40_G9 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate3 Rep1
IC50 = 51.8
Anc = 25.6
February Plate3 Rep2
IC50 = 46.5
Anc = 20
February Plate3 Rep3
IC50 = 79.3
Anc = 5.92
March Set4 Rep1
IC50 = 82
Anc = 12.1
March Set4 Rep2
IC50 = 29.1
Anc = 14.6
March Set4 Rep3
IC50 = 127
Anc = 18.2
OD (blank−corrected)
0.00
0.25
0.50
0.75
1.00
1.25
0.1
1.0
10.0
100.0
Concentration (log scale)


fRS585 | amphotericin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
IC50 = 1
January Set1 Rep2
IC50 = 1
January Set1 Rep3
IC50 = 1.
January Set2 Rep1
IC50 = 1.
January Set2 Rep2
IC50 = 1.
January Set2 Rep3
IC50 = 1.2
January Set3 Rep1
IC50 = 1.
January Set3 Rep2
IC50 = 1.
January Set3 Rep3
IC50 = 1.
March Set1 Rep1
IC50 = 0.323
March Set1 Rep2
IC50 = 0.3
March Set1 Rep3
IC50 = 0.286
March Set2 Rep1
IC50 = 0.365
March Set2 Rep2
IC50 = 0.291
March Set2 Rep3
IC50 = 0.175
March Set3 Rep1
IC50 = 0.148
March Set3 Rep2
IC50 = 0.0906
March Set3 Rep3
IC50 = 0.108
March Set4 Rep1
IC50 = 0.353
March Set4 Rep2
IC50 = 0.334
March Set4 Rep3
IC50 = 0.251
OD (blank−corrected)
0.0
0.3
0.6
0.9
1e−03
1e−02
1e−01
1e+00
1e+01
Concentration (log scale)


fRS585 | caspofungin
Grey: ancestor (fRS585) | Black/blue: strain
January Set1 Rep1
IC50 = 0.0254
January Set1 Rep2
IC50 = 0.0256
January Set1 Rep3
IC50 = 0.00444
January Set2 Rep1
IC50 = 0.029
January Set2 Rep2
IC50 = 0.0198
January Set2 Rep3
IC50 = 0.026
January Set3 Rep1
IC50 = 0.0181
January Set3 Rep2
IC50 = 0.019
January Set3 Rep3
IC50 = 0.028
March Set1 Rep1
IC50 = 0.0132
March Set1 Rep2
IC50 = 0.0117
March Set1 Rep3
IC50 = 0.0159
March Set2 Rep1
IC50 = 0.0107
March Set2 Rep2
IC50 = 0.0147
March Set2 Rep3
IC50 = 0.0142
March Set3 Rep1
IC50 = 0.0114
March Set3 Rep2
IC50 = 0.015
March Set3 Rep3
IC50 = 0.0143
March Set4 Rep1
IC50 = 0.0141
March Set4 Rep2
IC50 = 0.00607
March Set4 Rep3
IC50 = 0.0164
OD (blank−corrected)
0.0
0.3
0.6
0.9
1.2
1e−04
1e−03
1e−02
1e−01
1e+00
Concentration (log scale)


fRS585 | fluconazole
Grey: ancestor (fRS585) | Black/blue: strain
February Plate1 Rep1
IC50 = 27.7
February Plate1 Rep2
IC50 = 25.5
February Plate1 Rep3
IC50 = 28.4
February Plate2 Rep1
IC50 = 31.3
February Plate2 Rep2
IC50 = 25.4
February Plate2 Rep3
IC50 = 14
February Plate3 Rep1
IC50 = 25.6
February Plate3 Rep2
IC50 = 20
February Plate3 Rep3
IC50 = 5.92
March Set1 Rep1
IC50 = 13
March Set1 Rep2
IC50 = 11.4
March Set1 Rep3
IC50 = 16.6
March Set2 Rep1
IC50 = 1.92
March Set2 Rep2
IC50 = 12.1
March Set2 Rep3
IC50 = 4.8
March Set3 Rep1
IC50 = 18.3
March Set3 Rep2
IC50 = 16.4
March Set3 Rep3
IC50 = 7.2
March Set4 Rep1
IC50 = 12.1
March Set4 Rep2
IC50 = 14.6
March Set4 Rep3
IC50 = 18.2
OD (blank−corrected)
1.00
0.75
0.50
0.25
0.00
0.1
1.0
10.0
100.0
Concentration (log scale)