



Candidate Report: trainingYW3K3A-HHY

[Check out Codility training tasks](#)

Test Name:

Summary Timeline

Tasks summary

Task	Time spent	Score
MaxProductOfThree Python	27 min	100%

Total score

100%

Tasks Details

Easy	1. MaxProductOfThree	Task Score	Correctness	Performance
	Maximize $A[P] * A[Q] * A[R]$ for any triplet (P, Q, R).	100%	100%	100%

Task description

A non-empty array A consisting of N integers is given. The *product* of triplet (P, Q, R) equates to $A[P] * A[Q] * A[R]$ ($0 \leq P < Q < R < N$).

For example, array A such that:

```
A[0] = -3
A[1] = 1
A[2] = 2
A[3] = -2
A[4] = 5
A[5] = 6
```

contains the following example triplets:

- (0, 1, 2), product is $-3 * 1 * 2 = -6$
- (1, 2, 4), product is $1 * 2 * 5 = 10$
- (2, 4, 5), product is $2 * 5 * 6 = 60$



Your goal is to find the maximal product of any triplet.

Write a function:

```
def solution(A)
```

that, given a non-empty array A, returns the value of the maximal product of any triplet.

Solution

Programming language used:	Python	
Total time used:	27 minutes	
Effective time used:	27 minutes	
Notes:	<i>not defined yet</i>	

Task timeline

Timeline progress bar

06:50:0407:17:04

Code: 07:17:04 UTC, py, final, score: 100

[show code in pop-up](#)

For example, given array A such that:

```
A[0] = -3
A[1] = 1
A[2] = 2
A[3] = -2
A[4] = 5
A[5] = 6
```

the function should return 60, as the product of triplet (2, 4, 5) is maximal.

Write an **efficient** algorithm for the following assumptions:

- N is an integer within the range [3..100,000];
- each element of array A is an integer within the range [-1,000..1,000].

Copyright 2009–2020 by Codility Limited. All Rights Reserved. Unauthorized copying, publication or disclosure prohibited.

```
1  # you can write to stdout for debugging purposes, e.g.
2  # print("this is a debug message")
3
4  def solution(A):
5      # write your code in Python 3.6
6      if len(A)==3:
7          return A[0]*A[1]*A[2]
8      A.sort(reverse=True)
9
10     ret1 = A[0]*A[1]*A[2]
11     ret2 = A[0]*A[-1]*A[-2]
12
13     return ret1 if ret1>ret2 else ret2
14
15
```

Analysis summary

The solution obtained perfect score.

Analysis ?

collapse all		Example tests	
▼	example	✓ OK	
example test			
1.		0.036 s	OK
collapse all		Correctness tests	
▼	one_triple	✓ OK	
three elements			
1.		0.036 s	OK
2.		0.036 s	OK
3.		0.036 s	OK
▼	simple1	✓ OK	
simple tests			
1.		0.036 s	OK
2.		0.036 s	OK
3.		0.036 s	OK
4.		0.036 s	OK
▼	simple2	✓ OK	
simple tests			
1.		0.036 s	OK
2.		0.036 s	OK
3.		0.036 s	OK
▼	small_random	✓ OK	
random small, length = 100			
1.		0.036 s	OK
collapse all		Performance tests	

▼ medium_range	✓ OK
-1000, -999, ... 1000, length = ~1,000	
1. 0.040 s	OK
▼ medium_random	✓ OK
random medium, length = ~10,000	
1. 0.048 s	OK
▼ large_random	✓ OK
random large, length = ~100,000	
1. 0.164 s	OK
▼ large_range	✓ OK
2000 * (-10..10) + [-1000, 500, -1]	
1. 0.084 s	OK
▼ extreme_large	✓ OK
(-2, .., -2, 1, .., 1) and (MAX_INT).. (MAX_INT), length = ~100,000	
1. 0.128 s	OK
2. 0.132 s	OK

The PDF version of this report that may be downloaded on top of this site may contain sensitive data including personal information. For security purposes, we recommend you remove it from your system once reviewed.