

College of Engineering, Construction and Living Sciences Bachelor of Information Technology

IN721: Design and Development of Applications for Mobile Devices Level 7, Credits 15

Assessment 01: Language Translator

Assessment Overview

For this assessment, you will use Kotlin with Android Studio to build a language translator. As well as implementing the core functionality, you will be required to research & implement seven components. In addition, marks will also be given for code elegance, functionality, robustness & git usage.

Assessment Table

Assessment Activity	Weighting	Learning Outcomes	Assessment Grading Scheme	Completion Requirements
Practicals	25%	1, 3, 4	CRA	Cumulative
Language Translator	20%	1, 3, 4	CRA	Cumulative
Wishlist	25%	1, 3, 4	CRA	Cumulative
Exam	30%	2, 3, 4	CRA	Cumulative

Conditions of Assessment

You will complete this assessment outside timetabled class time, however, there will be availability during the teaching sessions to discuss the requirements and progress of this assessment. This assessment will need to be completed by Friday, 01 May 2020 at 5pm.

Pass Criteria

This assessment is criterion-referenced with a cumulative pass mark of 50%.

Submission Details

You must submit your program files via **GitHub Classroom**. Here is the link to the repository you will be using for your submission – https://classroom.github.com/a/4408YJ7J. For ease of marking, please submit the marking sheet with your name & student id number via **Microsoft Teams** under the **Assignments** tab.

Group Contribution

All git commit messages must identify which member(s) participated in the associated work session. Proportional contribution will be determined by inspection of the commit logs. If the commit logs show evidence of significantly uneven contribution proportion, the lecturer may choose to adjust the mark of the lesser contributor downward by an amount derived from the individual contributions.

Authenticity

All parts of your submitted assessment must be completely your work and any references must be cited appropriately including, externally-sourced graphic elements. All media must be royalty free (or legally purchased) for educational use. Failure to do this will result in a mark of zero.

Policy on Submissions, Extensions, Resubmissions & Resits

The school's process concerning **Submissions**, **Extensions**, **Resubmissions** and **Resits** complies with Otago Polytechnic policies. Students can view policies on the Otago Polytechnic website located at https://www.op.ac.nz/about-us/governance-and-management/policies.

Extensions

Please familiarise yourself with the assessment due dates. If you need an extension, please contact your lecturer before the due date. If you require more than a week's extension, a medical certificate or support letter from your manager may be needed.

Resubmissions

Students may be requested to resubmit an assessment following a rework of part/s of the original assessment. Resubmissions are completed within a short time frame (usually no more than 5 working days) and usually must be completed within the timing of the course to which the assessment relates. Resubmissions will be available to students who have made a genuine attempt at the first assessment opportunity. The maximum grade awarded for resubmission will be C-.

Learning Outcomes

At the successful completion of this course, students will be able to:

- 1. Implement complete, non-trivial, industry-standard mobile applications following sound architectural and code-quality standards.
- 2. Explain relevant principles of human perception and cognition and their importance to software design.
- 3. Identify relevant use cases for a mobile computing scenario and incorporate them into an effective user experience design.
- 4. Follow industry standard software engineering practice in the design of mobile applications.

Instructions

Application Requirements - Learning Outcomes 1, 3, 4

The language translator application **must** have the following functional requirements:

• System:

- Open without modification in Android Studio. This includes the removal of the gradle & idea hidden directories.
- Run without modification on multiple mobile devices.

• Features:

- Text translation which includes support for at least four languages, excluding English. This will be done via an async task using the Yandex API.
 - * Display a progress dialog while in translation.
 - * Handle incorrect formatted input values.
- Localization which includes support for at least four languages.
- Exit the application via an alert dialog.
- Research: Text-to-speech using the TextToSpeech Android class or a third-party library.
- Research: Multiple mobile screen/device support. Include support for at least four screens/devices, excluding tablets & smartwatches devices.
- Research: For each language, create an interactive quiz.
 - * Each quiz must have at least five questions. For example, questions can be on colours, animals, numbers, etc.
 - * Each question must have an image & at least four answers.
 - * Provide appropriate feedback for correct & incorrect answers.
 - * At the end of each quiz, the score is saved to shared preferences.
 - * For each quiz, display the highest score.

• User-Interface:

- Visually attractive user-interface with a coherent graphical theme and style. This can be a custom theme/style or Material Design.
- Research: Toggle between light & dark mode.
- **Research:** Splash screen with a transition animation.
- Research: Adaptive launcher icon.
- Bottom navigation which navigates the user to the appropriate activities/fragments.

• Publishing:

- Application published to the Google Play Store.
- Download application from Google Play Store on mobile device.

Documentation - Learning Outcomes 1, 3, 4

Write the following documentation requirements in the README.md file:

- Step-by-step user guide. Must include a screenshot of each activity/fragment provided with a description.
- Research: Code commented & documented using KDoc. Kotlin's documentation generation tool is called Dokka. Click here for usage instructions.

Git Usage - Learning Outcomes 1, 3, 4

The language translator repository must have the following git requirements:

- At least five feature branches excluding master.
- Commit messages reflect the context of each functional requirement change.

Additional Resources

- Yandex API https://tech.yandex.com/translate/
- Documenting Kotlin Code https://kotlinlang.org/docs/reference/kotlin-doc.html
- Android Design https://developer.android.com/design
- $\bullet \ \ Adaptive \ Launcher \ Icon-https://developer.android.com/guide/practices/ui_guidelines/icon_design_adaptive$

Assessment 01: Language Translator Assessment Rubric

	10-9	8-7	6-5	4-0
	Application thoroughly demonstrates	Application mostly demonstrates	Application demonstrates some	Application does not or does not fully
	functionality & robustness on the following:	functionality & robustness on the	functionality & robustness on the	demonstrate functionality &
	Open without modification in Android	following:	following:	robustness on the following:
	Studio. This includes the removal of the	Open without modification in	Open without modification in	Open without modification in
	gradle & idea hidden directories.	Android Studio. This includes the	Android Studio. This includes the	Android Studio. This includes the
	Run without modification on multiple	removal of the gradle & idea	removal of the gradle & idea	removal of the gradle & idea
	mobile devices.	hidden directories.	hidden directories.	hidden directories.
	Text translation which includes support	Run without modification on	Run without modification on	Run without modification on
	for at least four languages, excluding	multiple mobile devices.	multiple mobile devices.	multiple mobile devices.
	English.	Text translation which includes	Text translation which includes	Text translation which includes
S	Display a progress dialog while in	support for at least four	support for at least four	support for at least four
nes	translation.	languages, excluding English.	languages, excluding English.	languages, excluding English.
no	Handle incorrect formatted input	Display a progress dialog while in	Display a progress dialog while in	Display a progress dialog while in
Functionality & Robustness	values.	translation.	translation.	translation.
8	Localization which includes support for	Handle incorrect formatted input	Handle incorrect formatted input	Handle incorrect formatted input
alit	at least four languages.	values.	values.	values.
ion	Exit the application via an alert dialog.	Localization which includes	Localization which includes	Localization which includes
nct	Text-to-speech using the TextToSpeech	support for at least four	support for at least four	support for at least four
I.	Android class or a third-party library.	languages.	languages.	languages.
	Multiple mobile screen/device support.	Exit the application via an alert	Exit the application via an alert	Exit the application via an alert
	Include support for at least four	dialog.	dialog.	dialog.
	screens/devices, excluding tablets &	Text-to-speech using the	Text-to-speech using the	Text-to-speech using the
	smartwatches devices.	TextToSpeech Android class or a	TextToSpeech Android class or a	TextToSpeech Android class or a
	Interactive quiz for each language.	third-party library.	third-party library.	third-party library.
	Visually attractive user-interface with a	Multiple mobile screen/device	Multiple mobile screen/device	Multiple mobile screen/device
	coherent graphical theme and style.	support. Include support for at	support. Include support for at	support. Include support for at
	Toggle between light & dark mode.	least four screens/devices,	least four screens/devices,	least four screens/devices,
	Splash screen with a transition	excluding tablets &	excluding tablets &	excluding tablets &
	animation.	smartwatches devices.	smartwatches devices.	smartwatches devices.

IN721: Design & Development of Applications for Mobile Devices

Semester 1, 2020

	 Adaptive launcher icon. Bottom navigation which navigates the user to the appropriate activities. Application published to Google Play Store. 	 Interactive quiz for each language. Visually attractive user-interface with a coherent graphical theme and style. Toggle between light & dark mode. Splash screen with a transition animation. Adaptive launcher icon. Bottom navigation which navigates the user to the appropriate activities. Application published to Google 	 Interactive quiz for each language. Visually attractive user-interface with a coherent graphical theme and style. Toggle between light & dark mode. Splash screen with a transition animation. Adaptive launcher icon. Bottom navigation which navigates the user to the appropriate activities. Application published to Google 	 Interactive quiz for each language. Visually attractive user-interface with a coherent graphical theme and style. Toggle between light & dark mode. Splash screen with a transition animation. Adaptive launcher icon. Bottom navigation which navigates the user to the appropriate activities. Application published to Google
		Play Store.	Play Store.	Play Store.
ation	Step-by-step user guide thoroughly describes each activity/fragment screenshot.	Step-by-step user guide mostly describes each activity/fragment screenshot.	Step-by-step user guide describes each activity/fragment screenshot.	Step-by-step user guide does not or does not fully describe each activity/fragment screenshot.
Documentation	Application code is thoroughly commented & documented with KDoc/Dokka.	Most application code is commented & documented with KDoc/Dokka.	Some application code is commented & documented with KDoc/Dokka.	Application code is not or is not fully commented & documented with KDoc/Dokka.

	All Kotlin files contain no magic numbers/strings.	Most Kotlin files contain no magic numbers/strings.	Some Kotlin files contain no magic numbers/strings.	Kotlin files contain frequent magic numbers/strings.
Code Elegance	All XML files contain no magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers. Application thoroughly demonstrates code elegance on the following: Correct use of intermediate variables, e.g., no method calls as arguments. Idiomatic use of control flow, data structures & other in-built functions. Sufficient modularity, e.g., code adheres to various OO design principles. Adhere to a complex OO architecture, e.g., classes, methods, concise naming & methods assigned to the correct classes. Efficient algorithmic approach.	Most XML files contain no magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers. Application mostly demonstrates code elegance on the following: Correct use of intermediate variables, e.g., no method calls as arguments. Idiomatic use of control flow, data structures & other in-built functions. Sufficient modularity, e.g., code adheres to various OO design principles. Adhere to a complex OO architecture, e.g., classes, methods, concise naming & methods assigned to the correct classes. Efficient algorithmic approach.	Some XML files contain no magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers. Application demonstrates some code elegance on the following: Correct use of intermediate variables, e.g., no method calls as arguments. Idiomatic use of control flow, data structures & other in-built functions. Sufficient modularity, e.g., code adheres to various OO design principles. Adhere to a complex OO architecture, e.g., classes, methods, concise naming & methods assigned to the correct classes. Efficient algorithmic approach.	XML files contain frequent magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers. Application does not or does not fully demonstrate code elegance on the following: Correct use of intermediate variables, e.g., no method calls as arguments. Idiomatic use of control flow, data structures & other in-built functions. Sufficient modularity, e.g., code adheres to various OO design principles. Adhere to a complex OO architecture, e.g., classes, methods, concise naming & methods assigned to the correct classes. Efficient algorithmic approach.
Git Usage	Git commit messages thoroughly reflect the functional requirement changes. Git branches thoroughly named & describe the context of the functional requirements.	Git commit messages mostly reflect the functional requirement changes. Git branches mostly named & describe the context of the functional requirements.	Git commit messages reflect some of the functional requirement changes. Git branches named & describe some of the context of the functional requirements.	Git commit messages do not or do not fully reflect the context of each solution. Git branches incorrectly named & do not or do not fully describe the context of the functional requirements.

Marking Cover Sheet



Assessment 01: Language Translator IN721: Design & Development of Application for Mobile Devices

Level 7, Credits 15

Bachelor of Information Technology



Name:	Date:
Learner ID:	
Assessor's Name:	
Assessor's Signature:	

Criteria	Out Of	Weighting	Final Result
Functionality & Robustness	10	40	
Documentation	10	30	
Code Elegance	10	20	
Git Usage	10	10	
Final Result /100			

This assessment is worth 20% of the final mark for the Design & Development of Application for Mobile Devices course.