



Jointly with Book Industry Study Group, New York, and
Book Industry Communication, London



ONIX for Books

Product Information Message Overview and Data Elements

Release 2.1, revision 02 July 2004

Documentation revised February 2005

Copyright © 2005 EDItEUR Limited. All rights reserved.

EDItEUR is the international group which coordinates the development and promotion of standards for electronic commerce in the book and serials sectors.

EDItEUR

c/o Book Industry Communication
39-41 North Road
LONDON N7 9DP
UK

Telephone +44 (0)20 7607 0021

Fax +44 (0)20 7607 0415

<http://www.editeur.org/>

Book Industry Communication (BIC)

39-41 North Road
LONDON N7 9DP
UK

Telephone +44 (0)20 7607 0021

Fax +44 (0)20 7607 0415

<http://www.bic.org.uk/>

Book Industry Study Group, Inc (BISG)

19 West 21st Street - Suite 905
New York, NY 10010
USA

Telephone +1 (646) 336 7141

<http://www.bisg.org/>

Contents

	Page
1. Introduction	4
2. Using <i>ONIX for Books</i> product information standards	4
3. Summary list of data elements: key	5
4. Message header	6
5. Product record	7
Record reference number, type and source	7
Product numbers	7
Product form	7
Epublication detail	8
Series	9
Set	9
Title	10
Authorship	11
Conference	12
Edition	13
Language	13
Extents and other content	13
Subject	14
Audience	15
Descriptions and other supporting text	16
Links to image/audio/video files	16
Prizes	17
Content items	17
Publisher	18
Publishing status and dates, and copyright	19
Territorial rights and other sales restrictions	19
Dimensions	20
Related products	20
Supplier, availability and prices	22
Market representation	25
Sales promotion information	25
6. Main Series record	26
Group MS.1 Record reference number, type and source: as Group PR.1	26
Group MS.2 Main series identifiers	26
Group MS.3 Main series title	26
Group MS.4 Main series contributors	26
Group MS.5 Main series text elements	28
Group MS.6 Main series publisher elements	28
Group MS.7 Subordinate entries	28
7. Subseries record	29
Group SS.1 Record reference number, type and source: as Group PR.1	29
Group SS.2 Subseries identifiers	29
Group SS.3 Subseries volume or part detail	29
Group SS.4 Subseries title	29
Group SS.5 Subseries contributors	30
Group SS.6 Subseries text elements	31
Group SS.7 Subseries publisher elements	31
Group SS.8 Subordinate entries	31

1. Introduction

This document is primarily a summary list of the data elements and composites contained in the *ONIX for Books* Product Information message format. It also gives a brief overview of the *ONIX for Books* standard for representing and communicating product information from the book and related media industries in electronic form.

The *ONIX for Books* standards are maintained by EDItEUR under the direction of an international steering group. The secretariat of EDItEUR and of the ONIX International Steering Committee is located at Book Industry Communication (BIC) in London.

US implementation and input to the international steering group are co-ordinated through the Book Industry Study Group (BISG). UK implementation and input to the international steering group are co-ordinated through the BIC Product Metadata Committee.

Other national ONIX groups have been established (as of November 2003) in Australia, Canada, France, Germany and the Republic of Korea, and there is a group in course of formation in the Netherlands. All national groups are represented on the EDItEUR ONIX International Steering Committee.

If you have comments, questions or suggestions for improvements to *ONIX for Books* Product Information standards, please send them to one of the following contact points:

For the USA: BISG, email info@bookinfo.org

For the UK and all other countries: Brian Green, EDItEUR, email brian@bic.org.uk

2. Using *ONIX for Books* product information standards

“*ONIX for Books*” includes three record types within a single product information message format: the Product Record, the Main Series Record, and the Subseries Record. The latter two have been added to meet the particular needs of an application identified by the German user group, and in practise most ONIX implementations will use only the Product record.

This **Overview** includes a summary list of all the data elements and composites in the *ONIX for Books* Product Information Message, including all these three record types and the message header.

The complete package of material for Release 2.1 is in six parts, in addition to the **Overview**. All are available from the EDItEUR website, <http://www.editeur.org/>. Most new and existing users will need items 1,4 and 5, and possibly 6:

1. *Product Record Format specification*

A comprehensive guide to the complete *ONIX for Books* data element set, for all senders or receivers of book industry product information in ONIX format.

2. *Main Series Record Format specification*

3. *Subseries Record Format specification*

Outline specifications of these two record types, which are largely built up of elements from the Product Record, and are intended strictly for those who have a business need to handle series detail outside of the Product Record.

4. XML Message specification

Details of the XML message format, message header content, and recommended use of certain XML features.

5. XML DTD

The XML definition of the ONIX product information message. The DTD consists of a number of linked text files. Together, they constitute a formal definition which allows standard XML software to parse, verify and operate on the content of any correctly-formulated ONIX product information message.

The files also carry sufficient notes to enable a user who is familiar with the principles of XML to understand how they are constructed and how they should be used.

6. Code Lists

ONIX code lists are available in a variety of forms. The documentation package comprising items 1, 2, 3 and 4 includes the code lists as HTML files that are hot-linked to the data element specifications. A separate printable document comprising the complete set of code lists is also published, as are XML and comma-delimited files for those who want to be able to load the codes into a local application. All of these will be found on the EDItEUR website.

3. Summary list of data elements: key

This summary list shows all the product data elements which occur in Release 2.1, revision 02, of the *ONIX for Books* Product Information Message, in the sequence and grouping in which they are listed in the various specification documents.

There are four sections: Message Header, Product Record, Main Series Record and Subseries Record.

Key to tables in Sections 4 to 7

Numbers in column 2 of each table are cross-references to the relevant sections of the *ONIX for Books* specifications.

XML Reference Names in column 3 are the plain English names used in the XML DTD for readability, and which may also be used in ONIX messages.

Tags in column 4 are the short names also defined in the XML DTD for use in messages where conciseness is considered more important than readability.

Letter (R) in parentheses means that the element or composite is repeatable.

Color coding

Entries shown in **red** are new in Release 2.1 (including revisions 01 and 02). Entries shaded grey are elements whose use is now deprecated, since they have been superseded by more recent additions.

Corrections, February 2005

Pages 7, 8, 19 and 20: in all occurrences of the <ISBN> and <EAN13> elements, the descriptions have been changed to "ISBN-10" and "EAN.UCC-13" respectively.

Pages 16, 28 and 31: in all occurrences of PR.15.9, the short tag for the <TextSourceCorporate> element has been amended from <d374> to <b374>, for consistency with the DTD.

4. Message header

DATA ELEMENT		XML REFERENCE NAME	TAG
Message header data elements			
<i>Header composite</i>		<Header>	
Sender EAN number	MH.1	<FromEANNumber>	<m172>
Sender SAN	MH.2	<FromSAN>	<m173>
<i>Sender identifier composite (R)</i>		<SenderIdentifier>	
Sender identifier type code	MH.3	<SenderIDType>	<m379>
Identifier type name	MH.4	<IDTypeName>	<b233>
Identifier value	MH.5	<IDValue>	<b244>
<i>End of sender identifier composite</i>			
Sender company name	MH.6	<FromCompany>	<m174>
Sender contact	MH.7	<FromPerson>	<m175>
Sender email	MH.8	<FromEmail>	<m283>
Addressee EAN number	MH.9	<ToEANNumber>	<m176>
Addressee SAN	MH.10	<ToSAN>	<m177>
<i>Addressee identifier composite (R)</i>		<AddresseeIdentifier>	
Addressee identifier type code	MH.11	<AddresseeIDType>	<m380>
Identifier type name	MH.12	<IDTypeName>	<b233>
Identifier value	MH.13	<IDValue>	<b244>
<i>End of addressee identifier composite</i>			
Addressee company name	MH.14	<ToCompany>	<m178>
Addressee contact	MH.15	<ToPerson>	<m179>
Message sequence number	MH.16	<MessageNumber>	<m180>
Message repeat number	MH.17	<MessageRepeat>	<m181>
Message creation date/time	MH.18	<SentDate>	<m182>
Message note	MH.19	<MessageNote>	<m183>
Default language of text	MH.20	<DefaultLanguageOfText>	<m184>
Default price type	MH.21	<DefaultPriceTypeCode>	<m185>
Default currency	MH.22	<DefaultCurrencyCode>	<m186>
Default linear unit	MH.23	<DefaultLinearUnit>	<m187>
Default unit of weight	MH.24	<DefaultWeightUnit>	<m188>
Default class of trade	MH.25	<DefaultClassOfTrade>	<m193>
<i>End of header composite</i>			

5. Product record

DATA ELEMENT		XML REFERENCE NAME	TAG
Record reference number, type and source			
Record reference number	PR.1.1	<RecordReference>	<a001>
Notification or update type code	PR.1.2	<NotificationType>	<a002>
Reason for deletion code	PR.1.3	<DeletionCode>	<a198>
Reason for deletion text	PR.1.4	<DeletionText>	<a199>
Record source type code	PR.1.5	<RecordSourceType>	<a194>
Record source identifier type	PR.1.6	<RecordSourceIdentifierType>	<a195>
Record source identifier	PR.1.7	<RecordSourceIdentifier>	<a196>
Record source name	PR.1.8	<RecordSourceName>	<a197>
Product numbers			
ISBN-10	PR.2.1	<ISBN>	<b004>
EAN.UCC-13 number	PR.2.2	<EAN13>	<b005>
UPC	PR.2.3	<UPC>	<b006>
Publisher's product number	PR.2.4	<PublisherProductNo>	<b007>
ISMN	PR.2.5	<ISMN>	<b008>
DOI	PR.2.6	<DOI>	<b009>
<i>Product identifier composite (R)</i>		<ProductIdentifier>	
Product identifier type code	PR.2.7	<ProductIDType>	<b221>
Identifier type name	PR.2.8	<IDTypeName>	<b233>
Identifier value	PR.2.9	<IDValue>	<b244>
<i>End of product identifier composite</i>			
Barcode indicator (R)	PR.2.10	<Barcode>	<b246>
Replaces ISBN	PR.2.11	<ReplacesISBN>	<b010>
Replaces EAN-13 number	PR.2.12	<ReplacesEAN13>	<b011>
Product form			
Product form code	PR.3.1	<ProductForm>	<b012>
Product form detail (R)	PR.3.2	<ProductFormDetail>	<b333>
<i>Product form feature composite (R)</i>		<ProductFormFeature>	
Product form feature type	PR.3.3	<ProductFormFeatureType>	<b334>
Product form feature value	PR.3.4	<ProductFormFeatureValue>	<b335>
Product form feature description	PR.3.5	<ProductFormFeatureDescription>	<b336>
<i>End of product form feature composite</i>			
Book form detail (R)	PR.3.6	<BookFormDetail>	<b013>
Product packaging type code	PR.3.7	<ProductPackaging>	<b225>
Product form description	PR.3.8	<ProductFormDescription>	<b014>
Number of pieces	PR.3.9	<NumberOfPieces>	<b210>
Trade category code	PR.3.10	<TradeCategory>	<b384>

DATA ELEMENT		XML REFERENCE NAME	TAG
Product form <i>(continued)</i>			
Product content type code (R)	PR.3.11	<ProductContentType>	<b385>
Contained item composite (R)		<ContainedItem>	
Contained item ISBN-10	PR.3.12	<ISBN>	<b004>
Contained item EAN.UCC-13 number	PR.3.13	<EAN13>	<b005>
Product identifier composite (R)		<ProductIdentifier>	
Product identifier type code	PR.3.14	<ProductIDType>	<b221>
Identifier type name	PR.3.15	<IDTypeName>	<b233>
Identifier value	PR.3.16	<IDValue>	<b244>
<i>End of product identifier composite</i>			
Contained item product form code	PR.3.17	<ProductForm>	<b012>
Contained item product form detail (R)	PR.3.18	<ProductFormDetail>	<b333>
Contained item product form feature composite (R)		<ProductFormFeature>	
Product form feature type	PR.3.19	<ProductFormFeatureType>	<b334>
Product form feature code	PR.3.20	<ProductFormFeatureCode>	<b335>
Product form feature description	PR.3.21	<ProductFormFeatureDescription>	<b336>
<i>End of contained item product form feature composite</i>			
Contained item book form detail (R)	PR.3.22	<BookFormDetail>	<b013>
Contained item packaging type code	PR.3.23	<ProductPackaging>	<b225>
Contained item product form description	PR.3.24	<ProductFormDescription>	<b014>
Contained item number of pieces	PR.3.25	<NumberOfPieces>	<b210>
Contained item trade category code	PR.3.26	<TradeCategory>	<b384>
Contained item content type code (R)	PR.3.27	<ProductContentType>	<b385>
Contained item quantity	PR.3.28	<ItemQuantity>	<b015>
<i>End of contained item composite</i>			
Product classification composite (R)		<ProductClassification>	
Product classification type code	PR.3.29	<ProductClassificationType>	<b274>
Product classification code	PR.3.30	<ProductClassificationCode>	<b275>
Percentage	PR.3.31	<Percent>	<b337>
<i>End of product classification composite</i>			
Epublication detail			
Epublication type code	PR.4.1	<EpubType>	<b211>
Epublication type version number	PR.4.2	<EpubTypeVersion>	<b212>
Epublication type description	PR.4.3	<EpubTypeDescription>	<b213>
Epublication format code	PR.4.4	<EpubFormat>	<b214>
Epublication format version number	PR.4.5	<EpubFormatVersion>	<b215>
Epublication format description	PR.4.6	<EpubFormatDescription>	<b216>
Epublication source format code	PR.4.7	<EpubSource>	<b278>
Epublication source format version no	PR.4.8	<EpubSourceVersion>	<b279>
Epublication source format description	PR.4.9	<EpubSourceDescription>	<b280>
Epublication type note	PR.4.10	<EpubTypeNote>	<b277>

DATA ELEMENT		XML REFERENCE NAME	TAG
Series			
<i>Series composite</i> (R)		<Series>	
ISSN of series	PR.5.1	<SeriesISSN>	<b016>
Publisher's series code	PR.5.2	<PublisherSeriesCode>	<b017>
<i>Series identifier composite</i> (R)		<SeriesIdentifier>	
Series identifier type code	PR.5.3	<SeriesIDType>	<b273>
Identifier type name	PR.5.4	<IDTypeName>	<b233>
Identifier value	PR.5.5	<IDValue>	<b244>
<i>End of series identifier composite</i>			
Series title	PR.5.6	<TitleOfSeries>	<b018>
<i>Title composite</i> (R)	[as in PR.7]	<Title>	
<i>Contributor composite</i> (R)	[as in PR.8]	<Contributor>	
Number within series	PR.5.7	<NumberWithinSeries>	<b019>
Year of annual	PR.5.8	<YearOfAnnual>	<b020>
<i>End of series composite</i>			
"No series" indicator (empty element)	PR.5.9	<NoSeries/>	<n338/>
Set			
<i>Set composite</i> (R)		<Set>	
ISBN of set	PR.6.1	<ISBNOfSet>	<b021>
EAN-13 number of set	PR.6.2	<EAN13OfSet>	<b022>
<i>Product identifier composite</i> (R)		<ProductIdentifier>	
Product identifier type code	PR.6.3	<ProductIDType>	<b221>
Identifier type name	PR.6.4	<IDTypeName>	<b233>
Identifier value	PR.6.5	<IDValue>	<b244>
<i>End of product identifier composite</i>			
Title of set	PR.6.6	<TitleOfSet>	<b023>
<i>Title composite</i> (R)	[as in PR.7]	<Title>	
Set part number	PR.6.7	<SetPartNumber>	<b024>
Set part title	PR.6.8	<SetPartTitle>	<b025>
Number within set (volume number)	PR.6.9	<ItemNumberWithinSet>	<b026>
Level sequence number	PR.6.10	<LevelSequenceNumber>	<b284>
Set item title	PR.6.11	<SetItemTitle>	<b281>
<i>End of set composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Title			
Text case flag	PR.7.1	<TextCaseFlag>	<b027>
Distinctive title of product	PR.7.2	<DistinctiveTitle>	<b028>
Title prefix	PR.7.3	<TitlePrefix>	<b030>
Title text without prefix	PR.7.4	<TitleWithoutPrefix>	<b031>
Subtitle of product	PR.7.5	<Subtitle>	<b029>
Translation-of title	PR.7.6	<TranslationOfTitle>	<b032>
Former title (R)	PR.7.7	<FormerTitle>	<b033>
<i>Title composite (R)</i>		<Title>	
Title type	PR.7.8	<TitleType>	<b202>
Abbreviated title length	PR.7.9	<AbbreviatedLength>	<b276>
Text case flag	PR.7.10	<TextCaseFlag>	<b027>
Title text	PR.7.11	<TitleText>	<b203>
Title prefix	PR.7.12	<TitlePrefix>	<b030>
Title text without prefix	PR.7.13	<TitleWithoutPrefix>	<b031>
Subtitle	PR.7.14	<Subtitle>	<b029>
<i>End of title composite</i>			
<i>Work identifier composite (R)</i>		<WorkIdentifier>	
Work identifier type code	PR.7.15	<WorkIDType>	<b201>
Identifier type name	PR.7.16	<IDTypeName>	<b233>
Identifier value	PR.7.17	<IDValue>	<b244>
<i>End of work identifier composite</i>			
<i>Website composite (R)</i>		<Website>	
Website role	PR.7.18	<WebsiteRole>	<b367>
Website description	PR.7.19	<WebsiteDescription>	<b294>
Website link	PR.7.20	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Thesis type code	PR.7.21	<ThesisType>	<b368>
Thesis presented to	PR.7.22	<ThesisPresentedTo>	<b369>
Year of thesis	PR.7.23	<ThesisYear>	<b370>

DATA ELEMENT		XML REFERENCE NAME	TAG
Authorship			
<i>Contributor composite</i> (R)		<Contributor>	
Contributor sequence number	PR.8.1	<SequenceNumber>	<b034>
Contributor role code (R)	PR.8.2	<ContributorRole>	<b035>
Language from which translated (R)	PR.8.3	<LanguageCode>	<b252>
Contributor sequence number within role	PR.8.4	<SequenceNumberWithinRole>	<b340>
Person name	PR.8.5	<PersonName>	<b036>
Person name, inverted	PR.8.6	<PersonNameInverted>	<b037>
Person name part 1	PR.8.7	<TitlesBeforeNames>	<b038>
Person name part 2	PR.8.8	<NamesBeforeKey>	<b039>
Person name part 3	PR.8.9	<PrefixToKey>	<b247>
Person name part 4	PR.8.10	<KeyNames>	<b040>
Person name part 5	PR.8.11	<NamesAfterKey>	<b041>
Person name part 6	PR.8.12	<SuffixToKey>	<b248>
Person name part 7	PR.8.13	<LettersAfterNames>	<b042>
Person name part 8	PR.8.14	<TitlesAfterNames>	<b043>
<i>Person name identifier composite</i> (R)		<PersonNameIdentifier>	
Person name identifier type code	PR.8.15	<PersonNameIDType>	<b390>
Identifier type name	PR.8.16	<IDTypeName>	<b233>
Identifier value	PR.8.17	<IDValue>	<b244>
<i>End of person name identifier composite</i>			
<i>Name composite</i> (R)		<Name>	
Person name type	PR.8.18	<PersonNameType>	<b250>
Fields PR.8.5 to PR.8.17 are all available as part of the composite			
<i>End of name composite</i>			
<i>Person date composite</i> (R)		<PersonDate>	
Person date role code	PR.8.19	<PersonDateRole>	<b305>
Date format	PR.8.20	<DateFormat>	<j260>
Date	PR.8.21	<Date>	<b306>
<i>End of person date composite</i>			
Professional position	PR.8.22	<ProfessionalPosition>	<b045>
Affiliation	PR.8.23	<Affiliation>	<b046>
<i>Professional affiliation composite</i> (R)		<ProfessionalAffiliation>	
Professional position	PR.8.24	<ProfessionalPosition>	<b045>
Affiliation	PR.8.25	<Affiliation>	<b046>
<i>End of professional affiliation composite</i>			
Corporate contributor name	PR.8.26	<CorporateName>	<b047>
Biographical note	PR.8.27	<BiographicalNote>	<b044>
<i>Website composite</i> (R)		<Website>	
Website role	PR.8.28	<WebsiteRole>	<b367>

DATA ELEMENT		XML REFERENCE NAME	TAG
Authorship <i>(continued)</i>			
Website description	PR.8.29	<WebsiteDescription>	<b294>
Website link	PR.8.30	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Contributor description	PR.8.31	<ContributorDescription>	<b048>
Unnamed persons	PR.8.32	<UnnamedPersons>	<b249>
Country code (R)	PR.8.33	<CountryCode>	<b251>
Region code	PR.8.34	<RegionCode>	<b398>
<i>End of contributor composite</i>			
Contributor statement	PR.8.35	<ContributorStatement>	<b049>
"No authorship" indicator (empty element)	PR.8.36	<NoContributor/>	<n339/>
Conference			
Conference description	PR.9.1	<ConferenceDescription>	<b050>
Conference role	PR.9.2	<ConferenceRole>	<b051>
Conference name	PR.9.3	<ConferenceName>	<b052>
Conference number	PR.9.4	<ConferenceNumber>	<b053>
Conference date	PR.9.5	<ConferenceDate>	<b054>
Conference place	PR.9.6	<ConferencePlace>	<b055>
<i>Conference composite (R)</i>		<Conference>	
Conference role	PR.9.7	<ConferenceRole>	<b051>
Conference name	PR.9.8	<ConferenceName>	<b052>
Conference acronym	PR.9.9	<ConferenceAcronym>	<b341>
Conference number	PR.9.10	<ConferenceNumber>	<b053>
Conference thematic title	PR.9.11	<ConferenceTheme>	<b342>
Conference date	PR.9.12	<ConferenceDate>	<b054>
Conference place	PR.9.13	<ConferencePlace>	<b055>
<i>Conference sponsor composite (R)</i>		<ConferenceSponsor>	
<i>Conference sponsor identifier composite (R)</i>		<ConferenceSponsorIdentifier>	
Conference sponsor identifier type code	PR.9.14	<ConferenceSponsorIDType>	<b390>
Identifier type name	PR.9.15	<IDTypeName>	<b233>
Identifier value	PR.9.16	<IDValue>	<b244>
<i>End of conference sponsor identifier composite</i>			
Person name	PR.9.17	<PersonName>	<b036>
Corporate contributor name	PR.9.18	<CorporateName>	<b047>
<i>End of conference sponsor composite</i>			
<i>Website composite (R)</i>		<Website>	
Website role	PR.9.19	<WebsiteRole>	<b367>
Website description	PR.9.20	<WebsiteDescription>	<b294>
Website link	PR.9.21	<WebsiteLink>	<b295>
<i>End of website composite</i>			
<i>End of conference composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Edition			
Edition type code (R)	PR.10.1	<EditionTypeCode>	<b056>
Edition number	PR.10.2	<EditionNumber>	<b057>
Edition version number	PR.10.3	<EditionVersionNumber>	<b217>
Edition statement	PR.10.4	<EditionStatement>	<b058>
"No edition" indicator (empty element)	PR.10.5	<NoEdition/>	<n386/>
<i>Religious text composite</i>		<ReligiousText>	
<i>Bible composite</i>		<Bible>	
Bible contents (R)	PR.10.6	<BibleContents>	<b352>
Bible version (R)	PR.10.7	<BibleVersion>	<b353>
Study Bible type	PR.10.8	<StudyBibleType>	<b389>
Bible purpose (R)	PR.10.9	<BiblePurpose>	<b354>
Bible text organization	PR.10.10	<BibleTextOrganization>	<b355>
Bible reference location	PR.10.11	<BibleReferenceLocation>	<b356>
Bible text feature (R)	PR.10.12	<BibleTextFeature>	<b357>
<i>End of Bible composite</i>			
Religious text Identifier	PR.10.13	<ReligiousTextIdentifier>	<b376>
<i>Religious text feature composite (R)</i>		<ReligiousTextFeature>	
Religious text feature type	PR.10.14	<ReligiousTextFeatureType>	<b358>
Religious text feature code	PR.10.15	<ReligiousTextFeatureCode>	<b359>
Religious text feature description	PR.10.16	<ReligiousTextFeatureDescription>	<b360>
<i>End of religious text feature composite</i>			
<i>End of religious text composite</i>			
Language			
Language of text (R)	PR.11.1	<LanguageOfText>	<b059>
Original language (of translation)	PR.11.2	<OriginalLanguage>	<b060>
<i>Language composite (R)</i>		<Language>	
Language role	PR.11.3	<LanguageRole>	<b253>
Language code	PR.11.4	<LanguageCode>	<b252>
Country code	PR.11.5	<CountryCode>	<b251>
<i>End of language composite</i>			
Extents and other content			
Number of pages	PR.12.1	<NumberOfPages>	<b061>
Number of pages, roman	PR.12.2	<PagesRoman>	<b254>
Number of pages, Arabic	PR.12.3	<PagesArabic>	<b255>
<i>Extent composite (R)</i>		<Extent>	
Extent type code	PR.12.4	<ExtentType>	<b218>
Extent value	PR.12.5	<ExtentValue>	<b219>
Extent unit	PR.12.6	<ExtentUnit>	<b220>
<i>End of extent composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Extents and other content <i>(continued)</i>			
Number of illustrations	PR.12.7	<NumberOfIllustrations>	<b125>
Illustrations and other content note	PR.12.8	<IllustrationsNote>	<b062>
<i>Illustrations and other content composite</i> (R)		<Illustrations>	
Illustration or other content type code	PR.12.9	<IllustrationType>	<b256>
Illustration or other content type description	PR.12.10	<IllustrationTypeDescription>	<361>
Number of illustrations	PR.12.11	<Number>	<b257>
<i>End of illustrations and other content composite</i>			
Map scale (R)	PR.12.12	<MapScale>	<b063>
Subject			
BISAC main subject category	PR.13.1	<BASICMainSubject> ¹	<b064>
BISAC subject category version no	PR.13.2	<BASICVersion>	<b200>
BIC main subject category	PR.13.3	<BICMainSubject>	<b065>
BIC subject category version number	PR.13.4	<BICVersion>	<b066>
<i>Main-subject composite</i> (R)		<MainSubject>	
Main subject scheme identifier	PR.13.5	<MainSubjectSchemeIdentifier>	<b191>
Subject scheme version no	PR.13.6	<SubjectSchemeVersion>	<b068>
Subject code	PR.13.7	<SubjectCode>	<b069>
Subject heading text	PR.13.8	<SubjectHeadingText>	<b070>
<i>End of main-subject composite</i>			
<i>Additional-subject composite</i> (R)		<Subject>	
Additional subject scheme identifier	PR.13.9	<SubjectSchemeIdentifier>	<b067>
Proprietary subject scheme name	PR.13.10	<SubjectSchemeName>	<b171>
Additional subject scheme version no	PR.13.11	<SubjectSchemeVersion>	<b068>
Additional subject code	PR.13.13	<SubjectCode>	<b069>
Additional subject heading text	PR.13.13	<SubjectHeadingText>	<b070>
<i>End of additional-subject composite</i>			
<i>Person-as-subject composite</i> (R)		<PersonAsSubject>	
Person name		<PersonName>	<b036>
Person name, inverted		<PersonNameInverted>	<b037>
Person name part 1		<TitlesBeforeNames>	<b038>
Person name part 2		<NamesBeforeKey>	<b039>
Person name part 3		<PrefixToKey>	<b247>
Person name part 4		<KeyNames>	<b040>
Person name part 5		<NamesAfterKey>	<b041>
Person name part 6		<SuffixToKey>	<b248>
Person name part 7		<LettersAfterNames>	<b042>
Person name part 8		<TitlesAfterNames>	<b043>

¹ These element names were assigned when "BISAC" was officially known as "BASIC", and cannot now be changed.

DATA ELEMENT		XML REFERENCE NAME	TAG
Subject <i>(continued)</i>			
<i>Person name identifier composite</i> (R)		<PersonNameIdentifier>	
Person name identifier type code		<PersonNameIDType>	<b390>
Identifier type name		<IDTypeName>	<b233>
Identifier value		<IDValue>	<b244>
<i>End of person name identifier composite</i>			
<i>End of person-as-subject composite</i>			
Corporate body as subject (R)	PR.13.14	<CorporateBodyAsSubject>	<b071>
Place as subject (R)	PR.13.15	<PlaceAsSubject>	<b072>
Audience			
Audience code (R)	PR.14.1	<AudienceCode>	<b073>
<i>Audience composite</i> (R)		<Audience>	
Audience code type	PR.14.2	<AudienceCodeType>	<b204>
Audience code type name	PR.14.3	<AudienceCodeTypeName>	<b205>
Audience code value	PR.14.4	<AudienceCodeValue>	<b206>
<i>End of audience composite</i>			
US school Grade(s)	PR.14.5	<USSchoolGrades>	<b189>
Interest age(s)	PR.14.6	<InterestAge>	<b190>
<i>Audience range composite</i> (R)		<AudienceRange>	
Audience "numeric range" qualifier	PR.14.7	<AudienceRangeQualifier>	<b074>
Audience "numeric range" precision	PR.14.8	<AudienceRangePrecision>	<b075>
Audience "numeric range" value	PR.14.9	<AudienceRangeValue>	<b076>
<i>End of audience range composite</i>			
Audience description	PR.14.10	<AudienceDescription>	<b207>
<i>Complexity composite</i> (R)		<Complexity>	
Complexity scheme identifier	PR.14.11	<ComplexitySchemeIdentifier>	<b077>
Complexity code	PR.14.12	<ComplexityCode>	<b078>
<i>End of complexity composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Descriptions and other supporting text			
Annotation	PR.15.1	<Annotation>	<d100>
Main description	PR.15.2	<MainDescription>	<d101>
<i>Other-text composite (R)</i>		<othertext>	
Other text type code	PR.15.3	<TextTypeCode>	<d102>
Other text format	PR.15.4	<TextFormat>	<d103>
Other text	PR.15.5	<Text>	<d104>
Other text link type	PR.15.6	<TextLinkType>	<d105>
Other text link	PR.15.7	<TextLink>	<d106>
Author of other text	PR.15.8	<TextAuthor>	<d107>
Corporate source of other text	PR.15.9	<TextSourceCorporate>	<b374>
Title of source of other text	PR.15.10	<TextSourceTitle>	<d108>
Date of publication of other text	PR.15.11	<TextPublicationDate>	<d109>
Text valid from date	PR.15.12	<StartDate>	<b324>
Text valid until date	PR.15.13	<EndDate>	<b325>
<i>End of other-text composite</i>			
Review quote (R)	PR.15.14	<ReviewQuote>	<e110>
Links to image/audio/video files			
Front cover image file format code	PR.16.1	<CoverImageFormatCode>	<f111>
Front cover image file link type code	PR.16.2	<CoverImageLinkTypeCode>	<f112>
Front cover image file link	PR.16.3	<CoverImageLink>	<f113>
<i>Image/audio/video-file composite (R)</i>		<MediaFile>	
Image/audio/video file type code	PR.16.4	<MediaFileTypeCode>	<f114>
Image/audio/video file format code	PR.16.5	<MediaFileFormatCode>	<f115>
Image resolution	PR.16.6	<ImageResolution>	<f259>
Image/audio/video file link type	PR.16.7	<MediaFileLinkTypeCode>	<f116>
Image/audio/video file link	PR.16.8	<MediaFileLink>	<f117>
Text accompanying download	PR.16.9	<TextWithDownload>	<f118>
Download caption	PR.16.10	<DownloadCaption>	<f119>
Download credit	PR.16.11	<DownloadCredit>	<f120>
Download copyright notice	PR.16.12	<DownloadCopyrightNotice>	<f121>
Download terms	PR.16.13	<DownloadTerms>	<f122>
Media file date	PR.16.14	<MediaFileDate>	<f373>
<i>End of image/audio/video-file composite</i>			
<i>Product website composite (R)</i>		<ProductWebsite>	
Website purpose	PR.16.15	<WebsiteRole>	<b367>
Product website description	PR.16.16	<ProductWebsiteDescription>	<f170>
Link to product website	PR.16.17	<ProductWebsiteLink>	<f123>
<i>End of product website composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Prizes			
Prizes or awards description	PR.17.1	<PrizesDescription>	<g124>
<i>Prize-or-award composite</i> (R)		<Prize>	
Prize or award name	PR.17.2	<PrizeName>	<g126>
Prize or award year	PR.17.3	<PrizeYear>	<g127>
Prize or award country	PR.17.4	<PrizeCountry>	<g128>
Prize or award achievement code	PR.17.5	<PrizeCode>	<g129>
Prize or award jury	PR.17.6	<PrizeJury>	<g343>
<i>End of prize-or-award composite</i>			
Content items			
<i>Content item composite</i> (R)		<ContentItem>	
Level sequence number	PR.18.1	<LevelSequenceNumber>	<b284>
<i>Text item composite</i>		<TextItem>	
Text item type code	PR.18.2	<TextItemType>	<b290>
<i>Text item identifier composite</i> (R)		<TextItemIdentifier>	
Text item identifier type code	PR.18.3	<TextItemIDType>	<b285>
Identifier type name	PR.18.4	<IDTypeName>	<b233>
Identifier value	PR.18.5	<IDValue>	<b244>
<i>End of text item identifier composite</i>			
First page number	PR.18.6	<FirstPageNumber>	<b286>
Last page number	PR.18.7	<LastPageNumber>	<b287>
<i>Page run composite</i> (R)		<PageRun>	
First page number	PR.18.8	<FirstPageNumber>	<b286>
Last page number	PR.18.9	<LastPageNumber>	<b287>
<i>End of page run composite</i>			
Number of pages	PR.18.10	<NumberOfPages>	<b061>
<i>End of text item composite</i>			
<i>Website composite</i> (R)		<Website>	
Website role	PR.18.11	<WebsiteRole>	<b367>
Website description	PR.18.12	<WebsiteDescription>	<b294>
Website link	PR.18.13	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Component type name	PR.18.14	<ComponentTypeName>	<b288>
Component number	PR.18.15	<ComponentNumber>	<b289>
Component title	PR.18.16	<Distinctive Title>	<b028>
<i>Title composite</i> (R)	[as in PR.7]	<Title>	
<i>Work identifier composite</i> (R)	[as in PR.7]	<WorkIdentifier>	
<i>Contributor composite</i> (R)	[as in PR.8]	<Contributor>	
Contributor statement	PR.18.17	<ContributorStatement>	<b049>

DATA ELEMENT		XML REFERENCE NAME	TAG
Content items <i>(continued)</i>			
<i>Subject composite</i> (R) [as in PR.13]		<Subject>	
<i>Person as subject composite</i> (R) [as in PR.13]		<PersonAsSubject>	
Corporate body as subject (R)	PR.18.18	<CorporateBodyAsSubject>	<b071>
Place as subject (R)	PR.18.19	<PlaceAsSubject>	<b072>
<i>Other text composite</i> (R) [as in PR.15]		<OtherText>	
<i>Media file composite</i> (R) [as in PR.16]		<MediaFile>	
<i>End of content item composite</i>			
Publisher			
Imprint or brand name	PR.19.1	<ImprintName>	<b079>
<i>Imprint or brand composite</i> (R)		<Imprint>	
Name code type	PR.19.2	<NameCodeType>	<b241>
Name code type name	PR.19.3	<NameCodeTypeName>	<b242>
Name code value	PR.19.4	<NameCodeValue>	<b243>
Imprint or brand name	PR.19.5	<ImprintName>	<b079>
<i>End of imprint or brand composite</i>			
Publisher name	PR.19.6	<PublisherName>	<b081>
<i>Publisher composite</i> (R)		<Publisher>	
Publishing role code	PR.19.7	<PublishingRole>	<b291>
Name code type	PR.19.8	<NameCodeType>	<b241>
Name code type name	PR.19.9	<NameCodeTypeName>	<b242>
Name code value	PR.19.10	<NameCodeValue>	<b243>
Publisher name	PR.19.11	<PublisherName>	<b081>
<i>Website composite</i> (R)		<Website>	
Website role	PR.19.12	<WebsiteRole>	<b367>
Website description	PR.19.13	<WebsiteDescription>	<b294>
Website link	PR.19.14	<WebsiteLink>	<b295>
<i>End of website composite</i>			
<i>End of publisher composite</i>			
City or town of publication (R)	PR.19.16	<CityOfPublication>	<b209>
Country of publication	PR.19.17	<CountryOfPublication>	<b083>
Co-publisher (R)	PR.19.18	<CopublisherName>	<b084>
Sponsor (R)	PR.19.19	<SponsorName>	<b085>
Publisher of original-language version	PR.19.20	<OriginalPublisherName>	<b240>

DATA ELEMENT		XML REFERENCE NAME	TAG
Publishing status and dates, and copyright			
Publishing status	PR.20.1	<PublishingStatus>	<b394>
Publishing status note	PR.20.2	<PublishingStatusNote>	<b395>
Announcement date	PR.20.3	<AnnouncementDate>	<b086>
Trade announcement date	PR.20.4	<TradeAnnouncementDate>	<b362>
Publication date	PR.20.5	<PublicationDate>	<b003>
<i>Copyright statement composite (R)</i>		<CopyrightStatement>	
Copyright year (R)	PR.20.6	<CopyrightYear>	<b087>
<i>Copyright owner composite (R)</i>		<CopyrightOwner>	
<i>Copyright owner identifier composite</i>		<CopyrightOwnerIdentifier>	
Copyright owner identifier type code	PR.20.7	<CopyrightOwnerIDType>	<b392>
Identifier type name	PR.20.8	<IDTypeName>	<b233>
Identifier value	PR.20.9	<IDValue>	<b244>
<i>End of copyright owner identifier composite</i>			
Person name	PR.20.10	<PersonName>	<b036>
Corporate contributor name	PR.20.11	<CorporateName>	<b047>
<i>End of copyright owner composite</i>			
<i>End of copyright statement composite</i>			
Copyright year	PR.20.12	<CopyrightYear>	<b087>
Year first published	PR.20.13	<YearFirstPublished>	<b088>
Territorial rights and other sales restrictions			
<i>Sale rights composite (R)</i>		<SaleRights>	
Sale rights type code	PR.21.1	<SaleRightsType>	<b089>
Rights country (R)	PR.21.2	<RightsCountry>	<b090>
Rights territory	PR.21.3	<RightsTerritory>	<b388>
Rights region (R)	PR.21.4	<RightsRegion>	<b091>
<i>End of sale rights composite</i>			
<i>Not-for-sale composite (R)</i>		<NotForSale>	
Rights country (R)	PR.21.5	<RightsCountry>	<b090>
Rights territory	PR.21.6	<RightsTerritory>	<b388>
Equivalent product ISBN-10	PR.21.7	<ISBN>	<b004>
Equivalent product EAN.UCC-13 number	PR.21.8	<EAN13>	<b005>
<i>Product identifier composite (R)</i>		<ProductIdentifier>	
Product identifier type code	PR.21.9	<ProductIDType>	<b221>
Identifier type name	PR.21.10	<IDTypeName>	<b233>
Identifier value	PR.21.11	<IDValue>	<b244>
<i>End of product identifier composite</i>			
Equivalent product publisher name	PR.21.12	<PublisherName>	<b081>
<i>End of not-for-sale composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Territorial rights and other sales restrictions <i>(continued)</i>			
<i>Sales restriction composite (R)</i>		<SalesRestriction>	
Sales restriction type code	PR.21.13	<SalesRestrictionType>	<b381>
<i>Sales outlet composite (R)</i>		<SalesOutlet>	
<i>Sales outlet identifier composite</i>		<SalesOutletIdentifier>	
Sales outlet identifier type code	PR.21.14	<SalesOutletIDType>	<b393>
Identifier type name	PR.21.15	<IDTypeName>	<b233>
Identifier value	PR.21.16	<IDValue>	<b244>
<i>End of sales outlet identifier composite</i>			
Sales outlet name	PR.21.17	<SalesOutletName>	<b382>
<i>End of sales outlet composite</i>			
<i>End of sales restriction composite</i>			
Dimensions			
<i>Measure composite (R)</i>		<Measure>	
Measure type code	PR.22.1	<MeasureTypeCode>	<c093>
Measurement	PR.22.2	<Measurement>	<c094>
Measure unit code	PR.22.3	<MeasureUnitCode>	<c095>
<i>End of measure composite</i>			
Overall height	PR.22.4	<Height>	<c096>
Overall width	PR.22.5	<Width>	<c097>
Overall thickness	PR.22.6	<Thickness>	<c098>
Unit weight	PR.22.7	<Weight>	<c099>
Dimensions statement	PR.22.8	<Dimensions>	<c258>
Related products			
Replaced-by ISBN	PR.23.1	<ReplacedByISBN>	<h130>
Replaced-by EAN-13 number	PR.23.2	<ReplacedByEAN13>	<h131>
Alternative format ISBN	PR.23.3	<AlternativeFormatISBN>	<h132>
Alternative format EAN-13 number	PR.23.4	<AlternativeFormatEAN13>	<h133>
Other alternative product ISBN	PR.23.5	<AlternativeProductISBN>	<h163>
Other alternative product EAN-13 no	PR.23.6	<AlternativeProductEAN13>	<h164>
<i>Related product composite (R)</i>		<RelatedProduct>	
Relation code	PR.23.7	<RelationCode>	<h208>
Related product ISBN-10	PR.23.8	<ISBN>	<b004>
Related product EAN.UCC-13 number	PR.23.9	<EAN13>	<b005>
<i>Product identifier composite (R)</i>		<ProductIdentifier>	
Product identifier type code	PR.23.10	<ProductIDType>	<b221>
Identifier type name	PR.23.11	<IDTypeName>	<b233>
Identifier value	PR.23.12	<IDValue>	<b244>
<i>End of product identifier composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Related products <i>(continued)</i>			
<i>Website composite (R)</i>		<Website>	
Website role	PR.23.13	<WebsiteRole>	<b367>
Website description	PR.23.14	<WebsiteDescription>	<b294>
Website link	PR.23.15	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Related product form code	PR.23.16	<ProductForm>	<b012>
Related product form detail (R)	PR.23.17	<ProductFormDetail>	<b333>
<i>Related product form feature composite (R)</i>		<ProductFormFeature>	
Product form feature type	PR.23.18	<ProductFormFeatureType>	<b334>
Product form feature code	PR.23.19	<ProductFormFeatureCode>	<b335>
Product form feature description	PR.23.20	<ProductFormFeatureDescription>	<b336>
<i>End of related product form feature composite</i>			
Related product book form detail (R)	PR.23.21	<BookFormDetail>	<b013>
Related product packaging type code	PR.23.22	<ProductPackaging>	<b225>
Related product form description	PR.23.23	<ProductFormDescription>	<b014>
Related product number of pieces	PR.23.24	<NumberOfPieces>	<b210>
Related product trade category code	PR.23.25	<TradeCategory>	<b384>
Related product content type code (R)	PR.23.26	<ProductContentType>	<b385>
Epublication type code	PR.23.27	<EpubType>	<b211>
Epublication type version number	PR.23.28	<EpubTypeVersion>	<b212>
Epublication type description	PR.23.29	<EpubTypeDescription>	<b213>
Epublication format code	PR.23.30	<EpubFormat>	<b214>
Epublication format version number	PR.23.31	<EpubFormatVersion>	<b215>
Epublication format description	PR.23.32	<EpubFormatDescription>	<b216>
Epublication type note	PR.23.33	<EpubTypeNote>	<b277>
<i>End of related product composite</i>			
Out-of-print date	PR.23.34	<OutOfPrintDate>	<h134>

DATA ELEMENT		XML REFERENCE NAME	TAG
Supplier, availability and prices			
<i>Supply detail composite (R)</i>		<SupplyDetail>	
Supplier EAN location no	PR.24.1	<SupplierEANLocationNumber>	<j135>
Supplier SAN	PR.24.2	<SupplierSAN>	<j136>
<i>Supplier identifier composite (R)</i>		<SupplierIdentifier>	
Supplier identifier type code	PR.24.3	<SupplierIDType>	<j345>
Identifier type name	PR.24.4	<IDTypeName>	<b233>
Identifier value	PR.24.5	<IDValue>	<b244>
<i>End of supplier identifier composite</i>			
Supplier name	PR.24.6	<SupplierName>	<j137>
Supplier telephone number (R)	PR.24.7	<TelephoneNumber>	<j270>
Supplier fax number (R)	PR.24.8	<FaxNumber>	<j271>
Supplier email address (R)	PR.24.9	<EmailAddress>	<j272>
<i>Website composite (R)</i>		<Website>	
Website role	PR.24.10	<WebsiteRole>	<b367>
Website description	PR.24.11	<WebsiteDescription>	<b294>
Website link	PR.24.12	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Supplier role	PR.24.13	<SupplierRole>	<j292>
Supply-to country (R)	PR.24.14	<SupplyToCountry>	<j138>
Supply-to territory	PR.24.15	<SupplyToTerritory>	<j397>
Supply-to region (R)	PR.24.16	<SupplyToRegion>	<j139>
Supply-to country excluded (R)	PR.24.17	<SupplyToCountryExcluded>	<j140>
Supply restriction detail	PR.24.17A	<SupplyRestrictionDetail>	<j399>
Returns conditions code type	PR.24.18	<ReturnsCodeType>	<j268>
Returns conditions code	PR.24.19	<ReturnsCode>	<j269>
Last date for returns	PR.24.20	<LastDateForReturns>	<j387>
Availability status code	PR.24.21	<AvailabilityCode>	<j141>
Product availability	PR.24.22	<ProductAvailability>	<j396>
Intermediary availability code	PR.24.23	<IntermediaryAvailabilityCode>	<j348>
<i>New supplier composite</i>		<NewSupplier>	
New supplier EAN location no	PR.24.24	<SupplierEANLocationNumber>	<j135>
New supplier SAN	PR.24.25	<SupplierSAN>	<j136>
<i>Supplier identifier composite (R)</i>		<SupplierIdentifier>	
Supplier identifier type code	PR.24.26	<SupplierIDType>	<j345>
Identifier type name	PR.24.27	<IDTypeName>	<b233>
Identifier value	PR.24.28	<IDValue>	<b244>
<i>End of supplier identifier composite</i>			
New supplier name	PR.24.29	<SupplierName>	<j137>
New supplier telephone number (R)	PR.24.30	<TelephoneNumber>	<j270>
New supplier fax number (R)	PR.24.31	<FaxNumber>	<j271>

DATA ELEMENT		XML REFERENCE NAME	TAG
Supplier, availability and prices <i>(continued)</i>			
New supplier email address (R)	PR.24.32	<EmailAddress>	<j272>
Expected availability date format	PR.24.33	<DateFormat>	<j260>
Expected availability date	PR.24.34	<ExpectedShipDate>	<j142>
On sale date	PR.24.35	<OnSaleDate>	<j143>
Order time	PR.24.36	<OrderTime>	<j144>
<i>Stock quantity composite (R)</i>		<Stock>	
<i>Location identifier composite</i>		<LocationIdentifier>	
Location identifier type code	PR.24.37	<LocationIDType>	<j377>
Identifier type name	PR.24.38	<IDTypeName>	<b233>
Identifier value	PR.24.39	<IDValue>	<b244>
<i>End of location identifier composite</i>			
Location name	PR.24.40	<LocationName>	<j349>
Quantity on hand	PR.24.41	<OnHand>	<j350>
Quantity on order	PR.24.42	<OnOrder>	<j351>
Committed backorder quantity	PR.24.43	<CBO>	<j375>
<i>End of stock quantity composite</i>			
Pack or carton quantity	PR.24.44	<PackQuantity>	<j145>
Audience restriction flag	PR.24.45	<AudienceRestrictionFlag>	<j146>
Audience restriction note	PR.24.46	<AudienceRestrictionNote>	<j147>
Unpriced item type	PR.24.47	<UnpricedItemType>	<j192>
Price amount	PR.24.48	<PriceAmount>	<j151>
<i>Price composite (R)</i>		<Price>	
Price type code	PR.24.49	<PriceTypeCode>	<j148>
Price type qualifier	PR.24.50	<PriceQualifier>	<j261>
Price type description	PR.24.51	<PriceTypeDescription>	<j262>
Unit of pricing	PR.24.52	<PricePer>	<j239>
Minimum order quantity	PR.24.53	<MinimumOrderQuantity>	<j263>
<i>Batch bonus composite (R)</i>		<BatchBonus>	
Batch quantity	PR.24.54	<BatchQuantity>	<j264>
Free quantity	PR.24.55	<FreeQuantity>	<j265>
<i>End of batch bonus composite</i>			
Class of trade code	PR.24.56	<ClassOfTradeCode>	<j149>
BIC discount group code	PR.24.57	<BICDiscountGroupCode>	<j150>
<i>Discount code composite (R)</i>		<DiscountCoded>	
Discount code type	PR.24.58	<DiscountCodeType>	<j363>
Discount code type name	PR.24.59	<DiscountCodeTypeName>	<j378>
Discount code value	PR.24.60	<DiscountCode>	<j364>
<i>End of discount code composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Supplier, availability and prices (continued)			
Discount percentage	PR.24.61	<DiscountPercent>	<j267>
Price status	PR.24.62	<PriceStatus>	<j266>
Price amount	PR.24.63	<PriceAmount>	<j151>
Currency code	PR.24.64	<CurrencyCode>	<j152>
Country code (R)	PR.24.65	<CountryCode>	<b251>
Tax rate 1, coded	PR.24.66	<TaxRateCode1>	<j153>
Tax rate 1, percent	PR.24.67	<TaxRatePercent1>	<j154>
Amount of price taxable at tax rate 1	PR.24.68	<TaxableAmount1>	<j155>
Tax amount at tax rate 1	PR.24.69	<TaxAmount1>	<j156>
Tax rate 2, coded	PR.24.70	<TaxRateCode2>	<j157>
Tax rate 2, percent	PR.24.71	<TaxRatePercent2>	<j158>
Amount of price taxable at tax rate 2	PR.24.72	<TaxableAmount2>	<j159>
Tax amount at tax rate 2	PR.24.73	<TaxAmount2>	<j160>
Price effective from	PR.24.74	<PriceEffectiveFrom>	<j161>
Price effective until	PR.24.75	<PriceEffectiveUntil>	<j162>
End of price composite			
Reissue composite		<Reissue>	
Reissue date	PR.24.76	<ReissueDate>	<j365>
Reissue description	PR.24.77	<ReissueDescription>	<j366>
Price composite (R) [as in PR.24 above]		<Price>	
Media file composite (R) [as in PR.16]		<MediaFile>	
End of reissue composite			
End of supply detail composite			

DATA ELEMENT		XML REFERENCE NAME	TAG
Market representation			
<i>Market representation composite (R)</i>		<MarketRepresentation>	
<i>Agent identifier composite (R)</i>		<AgentIdentifier>	
Agent identifier type	PR.25.1	<AgentIDType>	<j400>
Identifier type name	PR.25.2	<IDTypeName>	<b233>
Identifier value	PR.25.3	<IDValue>	<b244>
<i>End of agent identifier composite</i>			
Agent name	PR.25.4	<AgentName>	<j401>
Agent telephone number (R)	PR.25.5	<TelephoneNumber>	<j270>
Agent fax number (R)	PR.25.6	<FaxNumber>	<j271>
Agent email address (R)	PR.25.7	<EmailAddress>	<j272>
<i>Website composite (R)</i>		<Website>	
Website role	PR.25.8	<WebsiteRole>	<b367>
Website description	PR.25.9	<WebsiteDescription>	<b294>
Website link	PR.25.10	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Agent role	PR.25.11	<AgentRole>	<j402>
Market country codes	PR.25.12	<MarketCountry>	<j403>
Market territory codes	PR.25.13	<MarketTerritory>	<j404>
Market country excluded	PR.25.14	<MarketCountryExcluded>	<j405>
Market restriction detail	PR.25.15	<MarketRestrictionDetail>	<j406>
Market publishing status	PR.25.16	<MarketPublishingStatus>	<j407>
<i>Market date composite (R)</i>		<MarketDate>	
Market date role	PR.25.17	<MarketDateRole>	<j408>
Date format	PR.25.18	<DateFormat>	<j260>
Date	PR.25.19	<Date>	<b306>
<i>End of market date composite</i>			
<i>End of market representation composite</i>			
Sales promotion information			
Promotion campaign information	PR.26.1	<PromotionCampaign>	<k165>
Promotion contact details	PR.26.2	<PromotionContact>	<k166>
Initial print run	PR.26.3	<InitialPrintRun>	<k167>
Copies sold	PR.26.4	<CopiesSold>	<k168>
Book Club adoption	PR.26.5	<BookClubAdoption>	<k169>

6. Main Series record

Since the specification of the Main Series record refers to the Product record specification for most of the elements used, the tables in this section carry detailed cross-references to the Product record.

DATA ELEMENT		XML REFERENCE NAME	TAG
Group MS.1 Record reference number, type and source: as Group PR.1			
Record reference number	PR.1.1	<RecordReference>	<a001>
Notification or update type code	PR.1.2	<NotificationType>	<a002>
Reason for deletion code	PR.1.3	<DeletionCode>	<a198>
Reason for deletion text	PR.1.4	<DeletionText>	<a199>
Record source type code	PR.1.5	<RecordSourceType>	<a194>
Record source identifier type	PR.1.6	<RecordSourceIdentifierType>	<a195>
Record source identifier	PR.1.7	<RecordSourceIdentifier>	<a196>
Record source name	PR.1.8	<RecordSourceName>	<a197>
Group MS.2 Main series identifiers			
<i>Series identifier composite:</i> as in Group PR.5 (R)		<SeriesIdentifier>	
Series identifier type code	PR.5.3	<SeriesIDType>	<b273>
Identifier type name	PR.5.4	<IDTypeName>	<b233>
Identifier value	PR.5.5	<IDValue>	<b244>
<i>End of series identifier composite</i>			
Group MS.3 Main series title			
<i>Title composite:</i> as in Group PR.7 (R)		<Title>	
Title type	PR.7.8	<TitleType>	<b202>
Abbreviated title length	PR.7.9	<AbbreviatedLength>	<b276>
Text case flag	PR.7.10	<TextCaseFlag>	<b027>
Title text	PR.7.11	<TitleText>	<b203>
Title prefix	PR.7.12	<TitlePrefix>	<b030>
Title text without prefix	PR.7.13	<TitleWithoutPrefix>	<b031>
Subtitle	PR.7.14	<Subtitle>	<b029>
<i>End of title composite</i>			
Group MS.4 Main series contributors			
<i>Contributor composite:</i> as in Group PR.8 (R)		<Contributor>	
Contributor sequence number	PR.8.1	<SequenceNumber>	<b034>
Contributor role code (R)	PR.8.2	<ContributorRole>	<b035>
Language from which translated	PR.8.3	<LanguageCode>	<b252>
Contributor sequence number within role	PR.8.4	<SequenceNumberWithinRole>	<b340>
Person name	PR.8.5	<PersonName>	<b036>
Person name, inverted	PR.8.6	<PersonNameInverted>	<b037>
Person name part 1	PR.8.7	<TitlesBeforeNames>	<b038>
Person name part 2	PR.8.8	<NamesBeforeKey>	<b039>
Person name part 3	PR.8.9	<PrefixToKey>	<b247>

DATA ELEMENT		XML REFERENCE NAME	TAG
Main Series contributors <i>(continued)</i>			
Person name part 4	PR.8.10	<KeyNames>	<b040>
Person name part 5	PR.8.11	<NamesAfterKey>	<b041>
Person name part 6	PR.8.12	<SuffixToKey>	<b248>
Person name part 7	PR.8.13	<LettersAfterNames>	<b042>
Person name part 8	PR.8.14	<TitlesAfterNames>	<b043>
<i>Person name identifier composite (R)</i>		<PersonNameIdentifier>	
Person name identifier type code	PR.8.15	<PersonNameIDType>	<b390>
Identifier type name	PR.8.16	<IDTypeName>	<b233>
Identifier value	PR.8.17	<IDValue>	<b244>
<i>End of person name identifier composite</i>			
<i>Name composite (R)</i>		<Name>	
Person name type	PR.8.18	<PersonNameType>	<b250>
Fields PR.8.5 to PR.8.17 are all available as part of the composite			
<i>End of name composite</i>			
<i>Person date composite (R)</i>		<PersonDate>	
Person date role code	PR.8.19	<PersonDateRole>	<b305>
Date format	PR.8.20	<IDTypeName>	<j260>
Date	PR.8.21	<IDValue>	<b306>
<i>End of person date composite</i>			
Professional position	PR.8.22	<ProfessionalPosition>	<b045>
Affiliation	PR.8.23	<Affiliation>	<b046>
<i>Professional affiliation composite (R)</i>		<ProfessionalAffiliation>	
Professional position	PR.8.24	<ProfessionalPosition>	<b045>
Affiliation	PR.8.25	<Affiliation>	<b046>
<i>End of professional affiliation composite</i>			
Corporate contributor name	PR.8.26	<CorporateName>	<b047>
Biographical note	PR.8.27	<BiographicalNote>	<b044>
<i>Website composite (R)</i>		<Website>	
Website role	PR.8.28	<WebsiteRole>	<b367>
Website description	PR.8.29	<WebsiteDescription>	<b294>
Website link	PR.8.30	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Contributor description	PR.8.31	<ContributorDescription>	<b048>
Unnamed persons	PR.8.32	<UnnamedPersons>	<b249>
Country code (R)	PR.8.33	<CountryCode>	<b251>
Region code	PR.8.34	<RegionCode>	<b398>
<i>End of contributor composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Group MS.5 Main series text elements			
<i>Other-text composite</i> : as in Group PR.15 (R)		<OtherText>	
Other text type code	PR.15.3	<TextTypeCode>	<d102>
Other text format	PR.15.4	<TextFormat>	<d103>
Other text	PR.15.5	<Text>	<d104>
Other text link type	PR.15.6	<TextLinkType>	<d105>
Other text link	PR.15.7	<TextLink>	<d106>
Author of other text	PR.15.8	<TextAuthor>	<d107>
Corporate source of other text	PR.15.9	<TextSourceCorporate>	<b374>
Title of source of other text	PR.15.10	<TextSourceTitle>	<d108>
Date of publication of other text	PR.15.11	<TextPublicationDate>	<d109>
Text valid from date	PR.15.12	<StartDate>	<b324>
Text valid until date	PR.15.13	<EndDate>	<b325>
<i>End of other-text composite</i>			
Group MS.6 Main series publisher elements			
<i>Publisher composite</i> : as in Group PR.19 (R)		<Publisher>	
Publishing role code	PR.19.7	<PublishingRole>	<b291>
Name code type	PR.19.8	<NameCodeType>	<b241>
Name code type name	PR.19.9	<NameCodeTypeName>	<b242>
Name code value	PR.19.10	<NameCodeValue>	<b243>
Publisher name	PR.19.11	<PublisherName>	<b081>
<i>Website composite (R)</i>		<Website>	
Website role	PR.19.12	<WebsiteRole>	<b367>
Website description	PR.19.13	<WebsiteDescription>	<b294>
Website link	PR.19.14	<WebsiteLink>	<b295>
<i>End of website composite</i>			
<i>End of publisher composite</i>			
Group MS.7 Subordinate entries			
Number of subordinate entries	MS.7.1	<SubordinateEntries>	<a245>

7. Subseries record

Since the specification of the Subseries record refers to the Product record specification for most of the elements used, the tables in this section carry detailed cross-references to the Product record.

DATA ELEMENT		XML REFERENCE NAME	TAG
Group SS.1 Record reference number, type and source: as Group PR.1			
Record reference number	PR.1.1	<RecordReference>	<a001>
Notification or update type code	PR.1.2	<NotificationType>	<a002>
Reason for deletion code	PR.1.3	<DeletionCode>	<a198>
Reason for deletion text	PR.1.4	<DeletionText>	<a199>
Record source type code	PR.1.5	<RecordSourceType>	<a194>
Record source identifier type	PR.1.6	<RecordSourceIdentifierType>	<a195>
Record source identifier	PR.1.7	<RecordSourceIdentifier>	<a196>
Record source name	PR.1.8	<RecordSourceName>	<a197>
Group SS.2 Subseries identifiers			
<i>Series identifier composite: as in Group PR.5 (R)</i>		<SeriesIdentifier>	
Series identifier type code	PR.5.3	<SeriesIDType>	<b273>
Identifier type name	PR.5.4	<IDTypeName>	<b233>
Identifier value	PR.5.5	<IDValue>	<b244>
<i>End of series identifier composite</i>			
<i>Parent series identifier composite</i>		<ParentIdentifier>	
Series identifier type code	SS.2.1	<SeriesIDType>	<b273>
Identifier type name	SS.2.2	<IDTypeName>	<b233>
Identifier value	SS.2.3	<IDValue>	<b244>
<i>End of parent series identifier composite</i>			
Group SS.3 Subseries volume or part detail			
Level sequence number	SS.3.1	<LevelSequenceNumber>	<b284>
Series part name	SS.3.2	<SectionName>	<b282>
Number within series	SS.3.3	<NumberWithinSeries>	<b019>
Group SS.4 Subseries title			
<i>Title composite: as in Group PR.7 (R)</i>		<Title>	
Title type	PR.7.8	<TitleType>	<b202>
Abbreviated title length	PR.7.9	<AbbreviatedLength>	<b276>
Text case flag	PR.7.10	<TextCaseFlag>	<b027>
Title text	PR.7.11	<TitleText>	<b203>
Title prefix	PR.7.12	<TitlePrefix>	<b030>
Title text without prefix	PR.7.13	<TitleWithoutPrefix>	<b031>
Subtitle	PR.7.14	<Subtitle>	<b029>
<i>End of title composite</i>			

DATA ELEMENT		XML REFERENCE NAME	TAG
Group SS.5 Subseries contributors			
<i>Contributor composite:</i> as in Group PR.8 (R)		<Contributor>	
Contributor sequence number	PR.8.1	<SequenceNumber>	<b034>
Contributor role code (R)	PR.8.2	<ContributorRole>	<b035>
Language from which translated	PR.8.3	<LanguageCode>	<b252>
Contributor sequence number within role	PR.8.4	<SequenceNumberWithinRole>	<b340>
Person name	PR.8.5	<PersonName>	<b036>
Person name, inverted	PR.8.6	<PersonNameInverted>	<b037>
Person name part 1	PR.8.7	<TitlesBeforeNames>	<b038>
Person name part 2	PR.8.8	<NamesBeforeKey>	<b039>
Person name part 3	PR.8.9	<PrefixToKey>	<b247>
Person name part 4	PR.8.10	<KeyNames>	<b040>
Person name part 5	PR.8.11	<NamesAfterKey>	<b041>
Person name part 6	PR.8.12	<SuffixToKey>	<b248>
Person name part 7	PR.8.13	<LettersAfterNames>	<b042>
Person name part 8	PR.8.14	<TitlesAfterNames>	<b043>
<i>Person name identifier composite (R)</i>		<PersonNameIdentifier>	
Person name identifier type code	PR.8.15	<PersonNameIDType>	<b390>
Identifier type name	PR.8.16	<IDTypeName>	<b233>
Identifier value	PR.8.17	<IDValue>	<b244>
<i>End of person name identifier composite</i>			
<i>Name composite (R)</i>		<Name>	
Person name type	PR.8.18	<PersonNameType>	<b250>
Fields PR.8.5 to PR.8.17 are all available as part of the composite			
<i>End of name composite</i>			
<i>Person date composite (R)</i>		<PersonDate>	
Person date role code	PR.8.19	<PersonDateRole>	<b305>
Date format	PR.8.20	<IDTypeName>	<j260>
Date	PR.8.21	<IDValue>	<b306>
<i>End of person date composite</i>			
Professional position	PR.8.22	<ProfessionalPosition>	<b045>
Affiliation	PR.8.23	<Affiliation>	<b046>
<i>Professional affiliation composite (R)</i>		<ProfessionalAffiliation>	
Professional position	PR.8.24	<ProfessionalPosition>	<b045>
Affiliation	PR.8.25	<Affiliation>	<b046>
<i>End of professional affiliation composite</i>			
Corporate contributor name	PR.8.26	<CorporateName>	<b047>
Biographical note	PR.8.27	<BiographicalNote>	<b044>

DATA ELEMENT		XML REFERENCE NAME	TAG
Subseries contributors <i>(continued)</i>			
<i>Website composite</i> (R)		<Website>	
Website role	PR.8.28	<WebsiteRole>	<b367>
Website description	PR.8.29	<WebsiteDescription>	<b294>
Website link	PR.8.30	<WebsiteLink>	<b295>
<i>End of website composite</i>			
Contributor description	PR.8.31	<ContributorDescription>	<b048>
Unnamed persons	PR.8.32	<UnnamedPersons>	<b249>
Country code (R)	PR.8.33	<CountryCode>	<b251>
Region code	PR.8.34	<RegionCode>	<b398>
<i>End of contributor composite</i>			
Group SS.6 Subseries text elements			
<i>Other-text composite:</i> as in Group PR.15 (R)		<othertext>	
Other text type code	PR.15.3	<TextTypeCode>	<d102>
Other text format	PR.15.4	<TextFormat>	<d103>
Other text	PR.15.5	<Text>	<d104>
Other text link type	PR.15.6	<TextLinkType>	<d105>
Other text link	PR.15.7	<TextLink>	<d106>
Author of other text	PR.15.8	<TextAuthor>	<d107>
Corporate source of other text	PR.15.9	<TextSourceCorporate>	<b374>
Title of source of other text	PR.15.10	<TextSourceTitle>	<d108>
Date of publication of other text	PR.15.11	<TextPublicationDate>	<d109>
Text valid from date	PR.15.12	<StartDate>	<b324>
Text valid until date	PR.15.13	<EndDate>	<b325>
<i>End of other-text composite</i>			
Group SS.7 Subseries publisher elements			
<i>Publisher composite:</i> as in Group PR.19 (R)		<Publisher>	
Publishing role code	PR.19.7	<PublishingRole>	<b291>
Name code type	PR.19.8	<NameCodeType>	<b241>
Name code type name	PR.19.9	<NameCodeTypeName>	<b242>
Name code value	PR.19.10	<NameCodeValue>	<b243>
Publisher name	PR.19.11	<PublisherName>	<b081>
<i>Website composite</i> (R)		<Website>	
Website role	PR.19.12	<WebsiteRole>	<b367>
Website description	PR.19.13	<WebsiteDescription>	<b294>
Website link	PR.19.14	<WebsiteLink>	<b295>
<i>End of website composite</i>			
<i>End of publisher composite</i>			
Group SS.8 Subordinate entries			
Number of subordinate entries	SS.8.1	<SubordinateEntries>	<a245>