


Adv. Macro: Heterogenous Agent Models

Jeppe Druedahl & Patrick Moran 2023







■ Teachers: Jeppe Druedahl & Patrick Moran (& Jacob Røpke)

- Teachers: Jeppe Druedahl & Patrick Moran (& Jacob Røpke)
- Central economic questions:
  - 1. What explains the level and dynamics of heterogeneity/inequality?
  - 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
  - 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?

- Teachers: Jeppe Druedahl & Patrick Moran (& Jacob Røpke)
- Central economic questions:
  - 1. What explains the level and dynamics of heterogeneity/inequality?
  - 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
  - 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?
- Central technical method: Programming in Python

Prerequisite: Intro. to Programming and Numerical Analysis

**Complicated:** Close to the research frontier

- Teachers: Jeppe Druedahl & Patrick Moran (& Jacob Røpke)
- Central economic questions:
  - 1. What explains the level and dynamics of heterogeneity/inequality?
  - 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
  - 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?
- Central technical method: Programming in Python
   Prerequisite: Intro. to Programming and Numerical Analysis
   Complicated: Close to the research frontier
- Plan for today:
  - 1. More about the course
  - 2. Consumption-saving models
  - 3. Numerical dynamic programming

### Model components:

- 1. Optimizing individual agents (households + firms)
- 2. Idiosyncratic and aggregate risk
- 3. Information flows (who knows what when  $\Rightarrow$  often everything)
- 4. Market clearing (Walras vs. search-and-match)

### Model components:

- 1. Optimizing individual agents (households + firms)
- 2. Idiosyncratic and aggregate risk
- 3. Information flows (who knows what when  $\Rightarrow$  often everything)
- 4. Market clearing (Walras vs. search-and-match)

### Insurance/markets:

 ${\it Complete} 
ightarrow {\it idiosyncratic}$  risk insured away  $\sim$  representative agent  ${\it Incomplete} 
ightarrow$  agents need to  ${\it self-insure}$ 

### Model components:

- 1. Optimizing individual agents (households + firms)
- 2. Idiosyncratic and aggregate risk
- 3. Information flows (who knows what when  $\Rightarrow$  often everything)
- 4. Market clearing (Walras vs. search-and-match)

### Insurance/markets:

 $Complete 
ightarrow idiosyncratic risk insured away \sim representative agent Incomplete 
ightarrow$  agents need to self-insure

### Heterogeneity:

Ex ante in preferences, abilities etc.

Ex post after realization of idiosyncratic shocks

### Model components:

- 1. Optimizing individual agents (households + firms)
- 2. Idiosyncratic and aggregate risk
- 3. Information flows (who knows what when  $\Rightarrow$  often everything)
- 4. Market clearing (Walras vs. search-and-match)

### Insurance/markets:

 $Complete 
ightarrow idiosyncratic risk insured away \sim representative agent Incomplete 
ightarrow$  agents need to self-insure

### Heterogeneity:

Ex ante in preferences, abilities etc.
Ex post after realization of idiosyncratic shocks

■ HANC: Heterogeneous Agent *Neo-Classical* model (Aiyagari-Bewley-Hugget-Imrohoroglu or Standard Incomplete Market model)

### Model components:

- 1. Optimizing individual agents (households + firms)
- 2. Idiosyncratic and aggregate risk
- 3. Information flows (who knows what when  $\Rightarrow$  often everything)
- 4. Market clearing (Walras vs. search-and-match)

### Insurance/markets:

 $Complete 
ightarrow idiosyncratic risk insured away \sim representative agent Incomplete 
ightarrow agents need to self-insure$ 

### Heterogeneity:

Ex ante in preferences, abilities etc.
Ex post after realization of idiosyncratic shocks

- HANC: Heterogeneous Agent Neo-Classical model (Aiyagari-Bewley-Hugget-Imrohoroglu or Standard Incomplete Market model)
- HANK: Heterogeneous Agent New Keynesian model (i.e. include price and wage setting frictions)

- **Lectures:** Thursday 10-13
  - ~2 hours of »normal« lecture
  - $\sim$ 1 hour of active problem solving (no exercise classes)

- Lectures: Thursday 10-13
  - ~2 hours of »normal« lecture
  - ~1 hour of active problem solving (no exercise classes)

#### Content:

- 1. Explanation of computational methods
- 2. Discussion of research papers
- Examples of code for central mechanisms (you should run the notebook codes simultaneously)

- Lectures: Thursday 10-13
  - ~2 hours of »normal« lecture
  - ~1 hour of active problem solving (no exercise classes)

#### Content:

- 1. Explanation of computational methods
- 2. Discussion of research papers
- Examples of code for central mechanisms (you should run the notebook codes simultaneously)

#### Material:

Web: sites.google.com/view/numeconcph-advmacrohet/ Git: github.com/numeconcopenhagen/adv-macro-het

- Lectures: Thursday 10-13
  - ~2 hours of »normal« lecture
  - ~1 hour of active problem solving (no exercise classes)

#### Content:

- 1. Explanation of computational methods
- 2. Discussion of research papers
- Examples of code for central mechanisms (you should run the notebook codes simultaneously)

### Material:

Web: sites.google.com/view/numeconcph-advmacrohet/ Git: github.com/numeconcopenhagen/adv-macro-het

#### Code:

- 1. We provide code you will build upon
- 2. Based on the GEModelTools package

Individual assignments (hand-in on Absalon)

- Individual assignments (hand-in on Absalon)
  - 1. Assignment I

Deadline: 6th of October (must be approved before exam)

- Individual assignments (hand-in on Absalon)
  - 1. Assignment I

Deadline: 6th of October (must be approved before exam)

2. Assignment II

<u>Deadline</u>: 24th of November (*must be approved before exam*)

Individual assignments (hand-in on Absalon)

1. Assignment I

Deadline: 6th of October (must be approved before exam)

2. Assignment II

Deadline: 24th of November (must be approved before exam)

3. **Assignment III** with essay on a relevant model extension of own choice and a simple implementation

Deadline for proposal: 8th of December

Deadline for peer feedback: 14th of December (exam requirement)

Individual assignments (hand-in on Absalon)

1. Assignment I

Deadline: 6th of October (must be approved before exam)

2. Assignment II

Deadline: 24th of November (must be approved before exam)

3. **Assignment III** with essay on a relevant model extension of own choice and a simple implementation

Deadline for proposal: 8th of December

Deadline for peer feedback: 14th of December (exam requirement)

All feedback can be used to improve assignments before the exam

- Individual assignments (hand-in on Absalon)
  - 1. Assignment I

<u>Deadline</u>: 6th of October (must be approved before exam)

2. Assignment II

Deadline: 24th of November (must be approved before exam)

3. **Assignment III** with essay on a relevant model extension of own choice and a simple implementation

Deadline for proposal: 8th of December

Deadline for peer feedback: 14th of December (exam requirement)

- All feedback can be used to improve assignments before the exam
- Exam:
  - 1. Hand-in 3×assignments
  - 2. 48 hour take-home: Programming of new extension
    - + analysis of model + interpretation of results

### **Python**

- Assumed knowledge: From Introduction to Programming and Numerical Analysis you are assumed to know the basics of
  - 1.1 Python
  - 1.2 VSCode
  - 1.3 git
- 2. Updated Python: Install (or re-install) newest Anaconda
- 3. Packages: pip install quantecon, EconModel, consav
- 4. GEMoodel tools:
  - 4.1 Clone the GEModelTools repository
  - 4.2 Locate repository in command prompt
  - 4.3 Run pip install -e .

# Course plan

See CoursePlan.pdf in repository

# Knowledge

- 1. Account for, formulate and interpret precautionary saving models
- 2. Account for stochastic and non-stochastic simulation methods
- Account for, formulate and interpret general equilibrium models with ex ante and ex post heterogeneity, idiosyncratic and aggregate risk, and with and without pricing frictions
- 4. Discuss the difference between the stationary equilibrium, the transition path and the dynamic equilibrium
- Discuss the relationship between various equilibrium concepts and their solution methods
- Identify and account for methods for analyzing the dynamic distributional effects of long-run policy (e.g. taxation and social security) and short-run policy (e.g. monetary and fiscal policy)

### Skills

- 1. Solve precautionary saving problems with dynamic programming and simulate behavior with stochastic and non-stochastic techniques
- 2. Solve general equilibrium models with ex ante and ex post heterogeneity, idiosyncratic and aggregate risk, and with and without pricing frictions (stationary equilibrium, transition path, dynamic equilibrium)
- 3. Analyze dynamics of income and wealth inequality
- 4. Analyze transitional and permanent structural changes (e.g. inequality trends and the long-run decline in the interest rate)
- Analyze the dynamic distributional effects of long-run policy (e.g. taxation and social security) and short-run policy (e.g. monetary and fiscal policy)

# Competencies

- Independently formulate, discuss and assess research on both the causes and effects of heterogeneity and risk for both long-run and short-run outcomes
- Discuss and assess the importance of how heterogeneity and risk is modeled for questions about both long-run and short-run dynamics

# History of heterogeneous agent macro

- 1. Heathcote et al. (2009), »Quantitative Macroeconomics with Heterogeneous Households«
- 2. Kaplan and Violante (2018), »Microeconomic Heterogeneity and Macroeconomic Shocks«
- 3. Cherrier et al. (2023), »Household Heterogeneity in Macroeconomic Models: A Historical Perspective«

**Consumption-Saving** 

### **Generations of models**

- 1. Permanent income hypothesis (Friedman, 1957) or life-cycle model (Modigliani and Brumburg, 1954)
- Buffer-stock consumption model (Deaton, 1991, 1992; Carroll, 1992, 1997)
- Multiple-asset buffer-stock consumption models (e.g. Kaplan and Violante (2014))

# Consumption-saving

$$v_0 = \max_{\{c_t\}_{t=0}^{T-1}} \sum_{t=0}^{T-1} \beta^t u(c_t)$$
 s.t.  $a_t = (1+r)a_{t-1} + wz_t - c_t$   $a_{T-1} \ge 0$ 

#### Variables:

Consumption:  $c_t$ 

Productivity:  $z_t$ 

End-of-period savings:  $a_t$  (no debt at death)

### Parameters:

Discount factor:  $\beta$ 

Wage: w

Interest rate: r (define  $R \equiv 1 + r$  as interest factor)

### It is a static problem

$$v_0 = \max_{\{c_t\}_{t=0}^{T-1}} \sum_{t=0}^{T-1} \beta^t u(c_t)$$
 s.t.  $a_t = (1+r)a_{t-1} + wz_t - c_t$   $a_{T-1} \geq 0$ 

- It is a static problem:
  - 1. **Information:**  $z_t$  is known for all t at t = 0
  - 2. **Target:** Discounted utility,  $\sum_{t=0}^{T-1} \beta^t u(c_t)$
  - 3. **Behavior:** Choose  $c_0, c_1, \ldots, c_{T-1}$  simultaneously
  - 4. **Solution:** Sequence of consumption *choices*  $c_0^*, c_1^*, \dots, c_{T-1}^*$

### **IBC**

Substitution implies Intertemporal Budget Constraint (IBC)

$$a_{T-1} = Ra_{T-2} + wz_{T-1} - c_{T-1}$$

$$= R^2 a_{T-3} + Rwz_{T-2} - Rc_{T-2} + wz_{T-1} - c_{T-1}$$

$$= R^T a_{-1} + \sum_{t=0}^{T-1} R^{T-1-t} (wz_t - c_t)$$

### **IBC**

Substitution implies Intertemporal Budget Constraint (IBC)

$$a_{T-1} = Ra_{T-2} + wz_{T-1} - c_{T-1}$$

$$= R^2 a_{T-3} + Rwz_{T-2} - Rc_{T-2} + wz_{T-1} - c_{T-1}$$

$$= R^T a_{-1} + \sum_{t=0}^{T-1} R^{T-1-t} (wz_t - c_t)$$

• Use **terminal condition**  $a_{T-1} = 0$  (equality due utility max.)

$$R^{-(T-1)}a_{T-1} = 0 \Leftrightarrow s_0 + h_0 - \sum_{t=0}^{T-1} R^{-t}c_t = 0$$

where  $s_0 \equiv Ra_{-1}$  (after-interest assets) and  $h_0 \equiv \sum_{t=0}^{T-1} R^{-t} w z_t$  (human capital)

# **FOC** and **Euler-equation**

$$\mathcal{L} = \sum_{t=0}^{T-1} \beta^t u(c_t) + \lambda \left[ \sum_{t=0}^{T-1} R^{-t} c_t - s_0 - h_0 \right]$$

First order conditions:

$$\forall t: 0 = \beta^t u'(c_t) - \lambda (1+r)^{-t} \Leftrightarrow u'(c_t) = -\lambda (\beta R)^{-t}$$

• **Euler-equation** for  $k \in \{1, 2, \dots\}$ :

$$\frac{u'(c_t)}{u'(c_{t+k})} = \frac{-\lambda (\beta R)^{-t}}{-\lambda (\beta R)^{-(t+k)}} = (\beta R)^k$$

# Consumption choice

• CRRA:  $u(c_t) = \frac{c_t^{1-\sigma}}{1-\sigma}$  imply Euler-equation

$$\frac{c_0^{-\sigma}}{c_t^{-\sigma}} = (\beta R)^t \Leftrightarrow c_t = (\beta R)^{\frac{t}{\sigma}} c_0$$

Insert Euler into IBC to get consumption choice

$$\sum_{t=0}^{T-1} R^{-t} (\beta R)^{t/\sigma} c_0 = s_0 + h_0 \Leftrightarrow$$

$$c_0^* = \frac{1 - (\beta R)^{1/\sigma} R^{-1}}{1 - ((\beta R)^{1/\sigma} R^{-1})^T} (s_0 + h_0)$$

### Infinite horizon

■ Infinite horizon for  $(\beta R)^{1/\sigma}R^{-1} < 1$ : Let  $T \to \infty$  to get

$$c_0^* = \left(1 - \frac{(\beta R)^{1/\sigma}}{R}\right)(s_0 + h_0)$$

- Interesting properties are e.g.:
  - 1. Interest rate sensitivity:  $\frac{\partial c_0}{\partial r}$
  - 2. MPC of permanent income change:  $\frac{\partial c_0}{\partial w}$
  - 3. MPC of future income:  $\frac{\partial c_0}{\partial z_t}$ 4. MPC of windfall income:  $\frac{\partial c_0}{\partial s_0}$ 
    - MPC of windfall income:  $\frac{\partial c_0}{\partial s_0}$ Small when  $\beta R \approx 1$  and  $1 - R^{-1} \approx r \Rightarrow \frac{\partial c_0}{\partial s_0} \approx r$
- No borrowing constraints or uncertainty
- Other simplifications: No age life-cycle, bequests etc.

# Initial liquidity/borrowing constraint

Implied period 0 savings are:

$$a_0 = Ra_{-1} + wz_0 - c_0$$

- Borrowing constraint:  $a_0 \ge -w \cdot b$
- Maximum consumption:  $\overline{c}_0 = Ra_{-1} + wz_0 + wb$
- Optimal consumption: Constrained or unconstrained.

$$c_0^* = \min \left\{ \overline{c}_0, \left(1 - rac{(eta R)^{1/\sigma}}{R} 
ight) (s_0 + h_0) 
ight\}$$

- **Empirical realism.** Incl. high MPC of constrained.
- Technical issue: Borrowing constraints further in the future complicates the analytical solution considerably.

### Uncertainty and always borrowing constraint

$$egin{aligned} v_0(z_0,a_{-1}) &= \max_{\{c_t\}_{t=0}^\infty} \mathbb{E}_0\left[\sum_{t=0}^\infty eta^t u(c_t)
ight] \ & ext{s.t.} \ a_t &= (1+r)a_{t-1} + wz_t - c_t \ z_{t+1} &\sim \mathcal{Z}(z_t) \ a_t &\geq -wb \ \lim_{t o \infty} (1+r)^{-t} a_t &\geq 0 \quad ext{[No-Ponzi game]} \end{aligned}$$

- Stochastic income from 1st order Markov-process, Z
- A true dynamic problem:
  - 1. **Information:**  $z_t$  is revealed period-by-period
  - 2. **Target:** Expected discounted utility,  $\mathbb{E}_0\left[\sum_{t=0}^{\infty} \beta^t u(c_t)\right]$
  - 3. **Behavior:** Choose  $c_t$  sequentially as information is revealed
  - 4. **Solution:** Sequence of consumption functions,  $c_t^*(z_t, a_{t-1})$

#### **IBC**

Substitution still implies:

$$R^{-(T-1)}a_{T-1} = 0 \Leftrightarrow s_0 + h_0 - \sum_{t=0}^{T-1} R^{-t}c_t = 0$$

- What if  $T \to \infty$ ? We must have  $\lim_{T \to \infty} R^{-(T-1)} a_{T-1} = 0$ 
  - 1.  $\lim_{T\to\infty} R^{-(T-1)}a_{T-1} > 0$ : Consumption can be increased
  - 2.  $\lim_{T\to\infty} R^{-(T-1)}a_{T-1} < 0$ : Violates No-Ponzi game condition
- For  $T \to \infty$  we have the **IBC**:

$$\sum_{t=0}^{\infty} R^{-t} c_t = Ra_{-1} + \sum_{t=0}^{\infty} R^{-t} w z_t$$

# Natural borrowing limit

• Denote minimum possible productivity by  $\underline{z}$ 

### **Natural borrowing limit**

- Denote minimum possible productivity by <u>z</u>
- Consumption must be non-negative ⇒ interest payments must be less than minimum income

$$c_t \ge 0 \Rightarrow r(-a_t) \le w\underline{z} \Leftrightarrow a_t \ge -\frac{w\underline{z}}{r}$$

If debt was larger it would in the worst case  $(\forall z_t = \underline{z})$  grow without bound even with zero consumption  $(\forall c_t = 0)$ 

$$a_0 = -\frac{w\underline{z}}{r} - \Delta$$

$$a_1 = (1+r)a_0 + w\underline{z} = a_0 - (1+r)\Delta$$

$$a_2 = (1+r)a_1 + w\underline{z} = a_0 - (1+r)^2\Delta$$

$$\vdots$$

### **Natural borrowing limit**

- Denote minimum possible productivity by <u>z</u>
- Consumption must be non-negative ⇒ interest payments must be less than minimum income

$$c_t \ge 0 \Rightarrow r(-a_t) \le w\underline{z} \Leftrightarrow a_t \ge -\frac{w\underline{z}}{r}$$

If debt was larger it would in the worst case  $(\forall z_t = \underline{z})$  grow without bound even with zero consumption  $(\forall c_t = 0)$ 

$$a_0 = -\frac{w\underline{z}}{r} - \Delta$$
  
 $a_1 = (1+r)a_0 + w\underline{z} = a_0 - (1+r)\Delta$   
 $a_2 = (1+r)a_1 + w\underline{z} = a_0 - (1+r)^2\Delta$   
:

Natural borrowing constraint:  $a_t \ge \underline{a} = -w \min \left\{ b, \frac{z}{r} \right\}$ 

# **Euler-equation from variation argument**

- Case I: If  $u'(c_t) > \beta R \mathbb{E}_t [u'(c_{t+1})]$ : Increase  $c_t$  by marginal  $\Delta > 0$ , and lower  $c_{t+1}$  by  $R\Delta$ 
  - 1. **Feasible:** Yes, if  $a_t > \underline{a}$
  - 2. Utility change:  $u'(c_t) + \beta(-R)\mathbb{E}_t[u'(c_{t+1})] > 0$

# **Euler-equation from variation argument**

- Case I: If  $u'(c_t) > \beta R \mathbb{E}_t [u'(c_{t+1})]$ : Increase  $c_t$  by marginal  $\Delta > 0$ , and lower  $c_{t+1}$  by  $R\Delta$ 
  - 1. **Feasible:** Yes, if  $a_t > \underline{a}$
  - 2. Utility change:  $u'(c_t) + \beta(-R)\mathbb{E}_t[u'(c_{t+1})] > 0$
- Case II: If  $u'(c_t) < \beta R \mathbb{E}_t [u'(c_{t+1})]$ : Lower  $c_t$  by marginal  $\Delta > 0$ , and increase  $c_{t+1}$  by  $R\Delta$ 
  - 1. Feasible: Yes (always)
  - 2. Utility change:  $u'(c_t) + \beta R \mathbb{E}_t \left[ u'(c_{t+1}) \right] > 0$

# **Euler-equation from variation argument**

- Case I: If  $u'(c_t) > \beta R \mathbb{E}_t [u'(c_{t+1})]$ : Increase  $c_t$  by marginal  $\Delta > 0$ , and lower  $c_{t+1}$  by  $R\Delta$ 
  - 1. **Feasible:** Yes, if  $a_t > \underline{a}$
  - 2. Utility change:  $u'(c_t) + \beta(-R) \mathbb{E}_t [u'(c_{t+1})] > 0$
- Case II: If  $u'(c_t) < \beta R \mathbb{E}_t [u'(c_{t+1})]$ : Lower  $c_t$  by marginal  $\Delta > 0$ , and increase  $c_{t+1}$  by  $R\Delta$ 
  - 1. Feasible: Yes (always)
  - 2. Utility change:  $u'(c_t) + \beta R \mathbb{E}_t \left[ u'(c_{t+1}) \right] > 0$
- Conclusion: By contradiction
  - 1. Constrained:  $a_t = \underline{a}$  and  $u'(c_t) \ge \beta R \mathbb{E}_t [u'(c_{t+1})]$ , or
  - 2. Unconstrained:  $a_t > \underline{a}$  and  $u'(c_t) = \beta R \mathbb{E}_t \left[ u'(c_{t+1}) \right]$

# Special case I: Quadratic utility

- Quadratic utility:  $u(c_t) = -\frac{1}{2}(\overline{c} c)^2$  with  $\beta R = 1$  and »large«  $\overline{c}$
- Euler-equation: Consumption = expected future consumptio,n

$$(\overline{c} - c_t) = \mathbb{E}_t \left[ (\overline{c} - c_{t+k}) \right] \Leftrightarrow c_t = \mathbb{E}_t \left[ c_{t+k} \right]$$

Use IBC in expectation to get consumption function:

$$\sum_{t=0}^{\infty} R^{-t} \mathbb{E}_0 \left[ c_t \right] = R a_{-1} + \sum_{t=0}^{\infty} R^{-t} w \mathbb{E}_0 \left[ z_t \right] \Rightarrow$$

$$c^*(z_t, a_{t-1}) = c_0 = ra_{-1} + \frac{r}{R} \sum_{t=0}^{T} R^{-t} w \mathbb{E}_0[z_t]$$

where we formally disregard the borrowing constraint

• **Certainty equivalence:** Only expected income matter.

# Special case II: CARA utility

- CARA utility:  $u(c_t) = -\frac{1}{\alpha}e^{-\alpha c}$
- Productivity is absolute random walk:

$$z_t = z_{t-1} + \psi_t$$
$$\psi_t \sim \mathcal{N}(0, \sigma_{\psi}^2)$$

Consumption function (see proof):

$$c^*(a_{t-1}, z_t) = ra_{t-1} + wz_t - \frac{\log(\beta R)^{\frac{1}{\alpha}} + \alpha \frac{\sigma_{\psi}^2}{2}}{r^2}$$

where we formally disregard the borrowing constraint

■ **Precautionary saving:**  $\sigma_{\psi}^2 \uparrow$  implies  $c_t^* \downarrow$  for given  $z_t$  and  $a_{t-1}$   $\Rightarrow$  accumulation of buffer-stock

#### **Further resources**

- 1. Lecture notes by Christopher Carroll
- 2. Lecture notes by Pierre-Olivier Gourinchas
- 3. The Economics of Consumption, Jappelli and Pistaferri (2017)
- »Liquidity constraints and precautionary saving« Carroll, Holm, Kimball (JET, 2021)
- Theoretical Foundations of Buffer Stock Saving« Carroll (QE, forthcomming)

• In words: An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)

- In words: An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)
- In math:

- In words: An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)
- In math:
  - 1. Value function,  $v_t$ : Defined recursively from

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
  
s.t.  $a_t = (1+r)a_{t-1} + wz_t - c_t \ge \underline{a}$ 

with  $v_T(\bullet) = 0$ .

- In words: An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)
- In math:
  - 1. Value function,  $v_t$ : Defined recursively from

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
  
s.t.  $a_t = (1+r)a_{t-1} + wz_t - c_t \ge \underline{a}$ 

with 
$$v_T(\bullet) = 0$$
.

2. **Policy function,**  $c_t^*$ : Is the same as

$$c_t^*(z_t, a_{t-1}) = \arg\max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
  
s.t.  $a_t = (1+r)a_{t-1} + wz_t - c_t \ge \underline{a}$ 

#### Vocabulary

$$v_{t}(z_{t}, a_{t-1}) = \max_{c_{t}} u(c_{t}) + \beta \mathbb{E}_{t}[v_{t+1}(z_{t+1}, a_{t})]$$
s.t.  $a_{t} = (1+r)a_{t-1} + wz_{t} - c_{t} \ge \underline{a}$ 

- 1. State variables:  $z_t$  and  $a_{t-1}$
- 2. Control variable:  $c_t$
- 3. Continuation value:  $\beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$
- 4. **Parameters:** r, w, and stuff in  $u(\bullet)$

**Note:** Straightforward to extend to more goods, more assets or other states, more complex uncertainty, bounded rationality etc.

#### Infinite horizon: $T \to \infty$ ?

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
  
s.t.  $a_t = (1+r)a_{t-1} + wz_t - c_t \ge \underline{a}$ 

- Contraction mapping result: If  $\beta$  is low enough (strong enough impatience) then the value and policy functions converge to  $v(z_t, a_{t-1})$  and  $c^*(z_t, a_{t-1})$  for large enough T
- Maximum upper limit for  $\beta$ :  $\frac{1}{1+r}$
- In practice:
  - 1. Make arbitrary initial guess (e.g.  $v_{t+1} = 0$ )
  - 2. Solve backwards until value and policy functions does not change anymore (given some tolerance)

**Numerical solution** 

# Timing of shocks

• **Realization of shocks:** First in the period before choices are made

# Timing of shocks

- **Realization of shocks:** First in the period before choices are made
- Beginning-of-period value function (before realization):

$$\underline{v}_t(z_{t-1}, a_{t-1}) = \mathbb{E}_{t-1}[v_t(z_t, a_{t-1})]$$

# Timing of shocks

- Realization of shocks: First in the period before choices are made
- Beginning-of-period value function (before realization):

$$\underline{v}_t(z_{t-1}, a_{t-1}) = \mathbb{E}_{t-1}[v_t(z_t, a_{t-1})]$$

End-of-period value function (after realization):

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \underline{v}_{t+1}(z_t, a_t)$$
  
s.t.  $a_t = (1+r)a_{t-1} + wz_t - c_t \ge \underline{a}$ 

# Discretization and linear interpolation

■ **Discretization:** All state variables belong to discrete sets  $\equiv$  *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$
  
 $a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#_a-1}\}$   
 $a^0 = \underline{a}$ 

# Discretization and linear interpolation

Discretization: All state variables belong to discrete sets ≡ grids,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$
  
 $a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#_a-1}\}$   
 $a^0 = \underline{a}$ 

- Transition probabilities:  $\pi_{i_z...i_z} = \Pr[z_t = z^{i_z} \,|\, z_{t-1} = z^{i_{z-1}}]$ 

### Discretization and linear interpolation


• **Discretization:** All state variables belong to discrete sets  $\equiv$  *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$
  
 $a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#_a-1}\}$   
 $a^0 = \underline{a}$ 

- Transition probabilities:  $\pi_{i_z,i_z} = \Pr[z_t = z^{i_z} \mid z_{t-1} = z^{i_{z-1}}]$
- Linear interpolation (function approximation):
  - 1. Assume  $\underline{v}_{t+1}$  is known on  $\mathcal{G}_z \times \mathcal{G}_a$  (tensor product)
  - 2. Evaluate  $\underline{v}_{t+1}(z^{i_z}, a)$  for arbitrary a by

$$\begin{split} \underline{\breve{v}}_{t+1}(z^{i_z},a) &= \underline{v}_{t+1}(z^{i_z},a^\iota) + \omega(a-a^\iota) \\ \omega &\equiv \frac{v_{t+1}(z^{i_z},a^{\iota+1}) - v_{t+1}(z^{i_z},a^\iota)}{a^{\iota+1}-a^\iota} \\ \iota &\equiv \mathsf{largest}\ \emph{i}_a \in \{0,1,\ldots,\#_a-2\} \ \mathsf{such\ that}\ \emph{a}^{i_a} \leq \emph{a} \end{split}$$

#### **Grids**



#### **Deriving transition probabilities**


Specification: Assume

$$\begin{split} z_t &= \tilde{z}_t \xi_t, \ \log \xi_t \sim \mathcal{N}(\mu_\xi, \sigma_\xi) \\ \log \tilde{z}_{t+1} &= \rho_z \log \tilde{z}_t + \psi_{t+1}, \ \psi_{t+1} \sim \mathcal{N}(\mu_\psi, \sigma_\psi) \end{split}$$

where  $\mu_{\xi}$  and  $\mu_{\psi}$  ensures  $\mathbb{E}[\xi_t]=1$ ,  $\mathbb{E}[ ilde{z}_t]=1$  and  $\mathbb{E}[z_t]=1$ 

- **Discretization of**  $\tilde{z}_t$ : Derive  $\mathcal{G}_{\tilde{z}}$  and  $\pi_{i_{\tilde{z}_-},i_{\tilde{z}}}$  given  $\rho_z$  and  $\sigma_\psi$  (using a method such as Tauchen (1986) or Rouwenhorst (1995))
- **Discretization of**  $\xi_t$ : Derive  $\mathcal{G}_{\xi}$  and  $\pi_{i_{\xi-},i_{\xi}}$  given  $\sigma_{\xi}$  (using Gauss-Hermite quadrature, see next slides)
- Combined: Derive  $\mathcal{G}_z = \mathcal{G}_{\tilde{\mathbf{z}}} \times \mathcal{G}_{\xi}$  (tensor product) and use independence of  $\tilde{\mathbf{z}}_t$  and  $\xi_t$  to get transition probabilities  $\pi_{i_z,i_z}$  (kronecker product)

#### Transition probability matrix



#### Extra: Gauss-Hermite I

General problem: How can we calculate

$$\mathbb{E}\left[f(x)\right] = \int f(x)g(x)dx$$

- $f: \mathbb{R} \to \mathbb{R}$  some function
- g(x) is the probability distribution function (PDF) for x
- General solution: Turn it into a discrete sum

$$\mathbb{E}\left[f(x)\right] \approx \sum_{i=1}^{S} \omega_i f(x_i)$$

• How to choose S and the nodes  $(x_i)$  and weights  $(\omega_i)$ ? Answer: Guassian quadrature

#### Extra: Gauss-Hermite II

Gauss-Hermite quadrature uses that

$$\int_{-\infty}^{\infty} f(x)e^{-x^2}dx = \sum_{i=1}^{S} \omega_i f(x_i) + \frac{S!\sqrt{\pi}}{s^S(2S)!}f^{(2S)}(\epsilon)$$

for some  $\epsilon$  and where the  $(x_i, \omega_i)$ 's can be easily found

• Well behaved function: For  $S \to \infty$  we have

$$\int_{-\infty}^{\infty} f(x)e^{-x^2}dx \approx \sum_{i=1}^{S} \omega_i f(x_i)$$

**Example:** Random normal variable,  $Y \sim \mathcal{N}(\mu, \sigma^2)$ , so that

$$\mathbb{E}[f(Y)] = \frac{1}{\sqrt{2\pi}\sigma} \int_{-\infty}^{\infty} f(y) e^{-\frac{(y-\mu)^2}{2\sigma^2}} dy$$
$$\approx \frac{1}{\sqrt{\pi}} \sum_{i=1}^{S} \omega_i f(\sqrt{2}\sigma x_i + \mu)$$

Beginning-of-period value function:

$$\underline{v}_{t}(z^{i_{z-}}, a^{i_{a-}}) = \sum_{i_{z}=0}^{\#_{z}-1} \pi_{i_{z-}, i_{z}} v_{t}(z^{i_{z}}, a^{i_{a-}})$$

Beginning-of-period value function:

$$\underline{v}_t(z^{i_{z-}}, a^{i_{z-}}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_{z-}, i_z} v_t(z^{i_z}, a^{i_{z-}})$$

End-of-period value-of-choice:

$$egin{aligned} v_t(z^{i_z},a^{i_{a-}}) &= \max_{c_t} v_t(z^{i_z},a^{i_{a-}}|c_t) \ & ext{with } c_t \in [0,(1+r)a^{i_{a-}}+wz^{i_z}+\underline{a}] \end{aligned}$$
  $egin{aligned} v_t(z^{i_z},a^{i_{a-}}|c_t) &= u(c_t) + reve{v}_{t+1}(z^{i_z},a_t) \ & ext{with } a_t &= (1+r)a^{i_{a-}}+wz^{i_z}-c_t \end{aligned}$ 

Beginning-of-period value function:

$$\underline{v}_t(z^{i_{z-}}, a^{i_{z-}}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_{z-}, i_z} v_t(z^{i_z}, a^{i_{z-}})$$

End-of-period value-of-choice:

$$egin{aligned} v_t(z^{i_z},a^{i_{s-}}) &= \max_{c_t} v_t(z^{i_z},a^{i_{s-}}|c_t) \ & ext{with } c_t \in [0,(1+r)a^{i_{s-}}+wz^{i_z}+\underline{a}] \end{aligned}$$
  $egin{aligned} v_t(z^{i_z},a^{i_{s-}}|c_t) &= u(c_t) + reve{v}_{t+1}(z^{i_z},a_t) \ & ext{with } a_t &= (1+r)a^{i_{s-}}+wz^{i_z}-c_t \end{aligned}$ 

• Inner loop: For each grid point in  $\mathcal{G}_z \times \mathcal{G}_a$  find  $c_t^*(z_t, a_{t-1})$  and therefore  $v_t(z_t, a_{t-1})$  with a numerical optimizer

Beginning-of-period value function:


$$\underline{v}_t(z^{i_{z-}}, a^{i_{z-}}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_{z-}, i_z} v_t(z^{i_z}, a^{i_{z-}})$$

End-of-period value-of-choice:

$$egin{aligned} v_t(z^{i_z}, a^{i_{3-}}) &= \max_{c_t} v_t(z^{i_z}, a^{i_{3-}}|c_t) \ & ext{with } c_t \in [0, (1+r)a^{i_{3-}} + wz^{i_z} + \underline{a}] \end{aligned}$$
  $egin{aligned} v_t(z^{i_z}, a^{i_{3-}}|c_t) &= u(c_t) + reve{v}_{t+1}(z^{i_z}, a_t) \end{aligned}$  with  $a_t = (1+r)a^{i_{3-}} + wz^{i_z} - c_t$ 


- Inner loop: For each grid point in  $\mathcal{G}_z \times \mathcal{G}_a$  find  $c_t^*(z_t, a_{t-1})$  and therefore  $v_t(z_t, a_{t-1})$  with a numerical optimizer
- Outer loop: Backwards from t = T 1 (note  $\underline{v}_T = 0$ , or known)

# Convergence (t = T - 1 - k)



with 
$$z_t = 0.87$$

### Converged policy functions



#### Precautionary saving:

- 1. Consumption lower than without risk (same slope for  $a_{t-1} o \infty$ )
- 2. Especially at low savings ( $\rightarrow$  concave function in  $a_{t-1}$ )

**Buffer-stock target:**  $a_t = a_{t-1}$  for constant income *realizations* 

#### **Numerical Monte Carlo simulation**

■ Initial distribution: Draw  $z_{i,-1}$  and  $a_{i,-1}$  for  $i \in \{0,1,\ldots,N-1\}$ 

#### **Numerical Monte Carlo simulation**

- Initial distribution: Draw  $z_{i,-1}$  and  $a_{i,-1}$  for  $i \in \{0,1,\ldots,N-1\}$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Draw  $z_{it}$  given transition probabilities
  - 2. Use linear interpolation to evaluate

$$c_{it} = \breve{c}_{t}^{*}(z_{it}, a_{it-1})$$
  
 $a_{it} = (1+r)a_{it-1} + wz_{it} - c_{it}$ 

#### **Numerical Monte Carlo simulation**

- Initial distribution: Draw  $z_{i,-1}$  and  $a_{i,-1}$  for  $i \in \{0,1,\ldots,N-1\}$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Draw  $z_{it}$  given transition probabilities
  - 2. Use linear interpolation to evaluate

$$c_{it} = \breve{c}_{t}^{*}(z_{it}, a_{it-1})$$
  
 $a_{it} = (1+r)a_{it-1} + wz_{it} - c_{it}$ 

- Review:
  - Pro: Simple to implement
  - Con: Computationally costly and introduces randomness

■ Initial distribution: Choose  $\underline{D}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$ 

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv \textit{histogram}$
- **Simulation:** Forwards in time from t = 0 and in each time period

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_z = 0}^{\#_z - 1} \pi_{i_z, i_z} \underline{D}_t(z^{i_z}, a^{i_{a-}})$$

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#_z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

2. Initial zero mass: Set  $\underline{\mathbf{D}}_{t+1}(z^{i_z}, a^{i_a}) = 0$  for all  $i_z$  and  $i_a$ 

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#_z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

- 2. Initial zero mass: Set  $\underline{\mathbf{D}}_{t+1}(z^{i_z}, a^{i_a}) = 0$  for all  $i_z$  and  $i_a$
- 3. Distribute endogenous mass: For each  $i_z$  and  $i_{a-}$  do

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#_z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

- 2. Initial zero mass: Set  $\underline{\mathbf{D}}_{t+1}(z^{i_z}, a^{i_a}) = 0$  for all  $i_z$  and  $i_a$
- 3. Distribute endogenous mass: For each  $i_z$  and  $i_{a-}$  do
  - 3.1 Find  $\iota \equiv \text{largest } i_a \in \{0,1,\ldots,\#_a-2\}$  such that  $a^{i_a} \leq a_t^*(z^{i_z},a^{i_a-})$

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_z = 0}^{\#_z - 1} \pi_{i_z, i_z} \underline{D}_t(z^{i_z}, a^{i_{a-}})$$

- 2. Initial zero mass: Set  $\underline{\mathbf{D}}_{t+1}(z^{i_z}, a^{i_a}) = 0$  for all  $i_z$  and  $i_a$
- 3. Distribute endogenous mass: For each  $i_z$  and  $i_{a-}$  do
  - 3.1 Find  $\iota \equiv \text{largest } i_a \in \{0,1,\ldots,\#_a-2\} \text{ such that } a^{i_a} \leq a_t^*(z^{i_z},a^{i_a-})$
  - 3.2 Calculate  $\omega=rac{a^{\iota+1}-a^*(z^{i_z},a^{\prime a-})}{a^{\iota+1}-a^{\iota}}\in[0,1]$

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_z = 0}^{\#_z - 1} \pi_{i_z, i_z} \underline{D}_t(z^{i_z}, a^{i_{a-}})$$

- 2. Initial zero mass: Set  $\underline{\mathbf{D}}_{t+1}(z^{i_z}, a^{i_a}) = 0$  for all  $i_z$  and  $i_a$
- 3. Distribute endogenous mass: For each  $i_z$  and  $i_{a-}$  do
  - 3.1 Find  $\iota \equiv$  largest  $i_a \in \{0,1,\ldots,\#_a-2\}$  such that  $a^{i_a} \leq a_t^*(z^{i_z},a^{i_{a-}})$
  - 3.2 Calculate  $\omega=rac{a^{\iota+1}-a^*(z^{i_z},a^{i_{\vartheta-}})}{a^{\iota+1}-a^{\iota}}\in[0,1]$
  - 3.3 Increment  $\underline{m{D}}_{t+1}(z^{i_z},a^\iota)$  with  $\omega m{D}_t(z^{i_z},a^{i_{\vartheta-}})$

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv histogram$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_z = 0}^{\#_z - 1} \pi_{i_z, i_z} \underline{D}_t(z^{i_z}, a^{i_{a-}})$$

- 2. Initial zero mass: Set  $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$  for all  $i_z$  and  $i_a$
- 3. Distribute endogenous mass: For each  $i_z$  and  $i_{a-}$  do
  - 3.1 Find  $\iota \equiv$  largest  $i_a \in \{0,1,\ldots,\#_a-2\}$  such that  $a^{i_a} \leq a_t^*(z^{i_z},a^{i_{a-}})$
  - 3.2 Calculate  $\omega=rac{a^{\iota+1}-a^*(z^{i_z},a^{i_{a^-}})}{a^{\iota+1}-a^{\iota}}\in[0,1]$
  - 3.3 Increment  $\underline{\boldsymbol{D}}_{t+1}(\boldsymbol{z}^{i_z}, \boldsymbol{a}^{\iota})$  with  $\omega \boldsymbol{D}_t(\boldsymbol{z}^{i_z}, \boldsymbol{a}^{i_{a-}})$
  - 3.4 Increment  $\underline{m{D}}_{t+1}(z^{i_z},a^{\iota+1})$  with  $(1-\omega)m{D}_t(z^{i_z},a^{i_{a-}})$

- Initial distribution: Choose  $\underline{\mathcal{D}}_0(z_{-1}, a_{-1})$ , which is defined on  $\mathcal{G}_z \times \mathcal{G}_a$  and sum to  $1 \equiv \textit{histogram}$
- **Simulation:** Forwards in time from t = 0 and in each time period
  - 1. Distribute stochastic mass: For each  $i_z$  and  $i_{a-}$  calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_z = 0}^{\#_z - 1} \pi_{i_z, i_z} \underline{D}_t(z^{i_z}, a^{i_{a-}})$$

- 2. Initial zero mass: Set  $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$  for all  $i_z$  and  $i_a$
- 3. Distribute endogenous mass: For each  $i_z$  and  $i_{a-}$  do

3.1 Find 
$$\iota \equiv$$
 largest  $i_a \in \{0,1,\ldots,\#_a-2\}$  such that  $a^{i_a} \leq a_t^*(z^{i_z},a^{i_{a-}})$ 

3.2 Calculate 
$$\omega=rac{a^{\iota+1}-a^*(z^{j_z},a^{j_a-})}{a^{\iota+1}-a^{\iota}}\in[0,1]$$

- 3.3 Increment  $\underline{\boldsymbol{D}}_{t+1}(z^{i_z},a^{\iota})$  with  $\omega \boldsymbol{D}_t(z^{i_z},a^{i_{a-}})$
- 3.4 Increment  $\underline{\boldsymbol{D}}_{t+1}(z^{i_z}, a^{i+1})$  with  $(1-\omega)\boldsymbol{D}_t(z^{i_z}, a^{i_{a-1}})$
- Review:
  - 1. Pro: Computationally efficient and no randomness
  - 2. Con: Introduces a non-continuous distribution

# Small example

- Grids:  $\mathcal{G}_z = \{\underline{z}, \overline{z}\}$  and  $\mathcal{G}_a = \{0, 1\}$
- Transition matrix:  $\pi_{0,0} = \pi_{1,1} = 0.5$
- Policy function:
  - Low income:  $a^*(\underline{z},0) = a^*(\underline{z},1) = 0$
  - High income: Let  $a^*(\overline{z},0)=0.5$  and  $a^*(\overline{z},1)=1$
- Initial distribution:  $\underline{D}_0(z_{it}, a_{it-1}) = \begin{cases} 1 & \text{if } z_{it} = \underline{z} \text{ and } a_{it} = 0 \\ 0 & \text{else} \end{cases}$
- Task: Calculate by hand the transitions to


$$D_0, \underline{D}_1, D_1, \dots$$

See simple simple\_histogram\_simulation.xlsx


#### **Infinite horizon:** $T \to \infty$ ?

- Initial guess: Can be arbitrary.
  - 1. Everyone in one grid point, or
  - 2. Ergodic distribution of  $z_{it}$  and everyone has zero savings,
- Convergence: Simulate forward until the distribution does not change anymore (given some tolerance)

# **Converged CDF of savings**



## **MPCs**



#### Side-note: Matrix formulation

The histogram method can be written in matrix form:

$$oldsymbol{D}_t = \Pi_z' \underline{oldsymbol{D}}_t \ \underline{oldsymbol{D}}_{t+1} = \Lambda_t' oldsymbol{D}_t$$

where

 $\underline{\boldsymbol{D}}_t$  is vector of length  $\#_z \times \#_a$ 

 ${m D}_t$  is vector of length  $\#_{\it z} imes \#_{\it a}$ 

 $\Pi_z'$  is derived from the  $\pi_{i_z,i_z}$ 's

 $\Lambda'_t$  is derived from the  $\iota$ 's and  $\omega$ 's

- Note: Example shown in notebook
- Further details: Young (2010), Tan (2020),
   Ocampo and Robinson (2022)

# EGM

Alternative to VFI using Euler, i.e.  $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$ :

1. Calculate post-decision marginal value of cash:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z_+}=0}^{\#_z-1} \pi_{i_z, i_{z_+}} c_+ (z^{i_{z_+}}, a^{i_a})^{-\sigma}$$

Alternative to VFI using Euler, i.e.  $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$ :

1. Calculate post-decision marginal value of cash:

$$q(z^{i_z}, a^{i_s}) = \sum_{i_{z_+}=0}^{\#_z-1} \pi_{i_z, i_{z_+}} c_+ (z^{i_{z_+}}, a^{i_s})^{-\sigma}$$

2. Invert Euler-equation:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

Alternative to VFI using Euler, i.e.  $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$ :

1. Calculate post-decision marginal value of cash:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z_+}=0}^{\#_z-1} \pi_{i_z, i_{z_+}} c_+ (z^{i_{z_+}}, a^{i_a})^{-\sigma}$$

2. Invert Euler-equation:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

3. Endogenous cash-on-hand:

$$m(z^{i_z}, a^{i_a}) = a^{i_a} + c(z^{i_z}, a^{i_a})$$

Alternative to VFI using Euler, i.e.  $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$ :

1. Calculate post-decision marginal value of cash:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z_+}=0}^{\#_z-1} \pi_{i_z, i_{z_+}} c_+ (z^{i_{z_+}}, a^{i_a})^{-\sigma}$$

2. Invert Euler-equation:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

3. Endogenous cash-on-hand:

$$m(z^{i_z}, a^{i_a}) = a^{i_a} + c(z^{i_z}, a^{i_a})$$

4. Consumption function: Calculate  $m=(1+r)a^{i_3-}+wz^{i_2}$ If  $m \leq m(z^{i_2},a^0)$  constraint binds:  $c^*(z^{i_2},a^{i_3-})=m+\underline{a}$ Else:  $c^*(z^{i_2},a^{i_3-})=$  interpolate  $m(z^{i_2},:)$  to  $c(z^{i_2},:)$  at m

**Practice** 

### In practice

- **EconModel:** Go through notebook 01. Using the EconModelClass (except part on C++)
- ConSay: Look at the 04. Tools folder.
- Todays notebook: Consumption-Saving Model show implementation of solution and simulation methods.

**Summary** 

# Summary and next week

#### Today:

- 1. Introduction to course
- 2. Consumption-saving models
- 3. Numerical dynamic programming
- Next week: Stationary equilibrium
- Homework:
  - 1. Work on: Familiarize your self with today's code
  - 2. Read: Aiyagari (1994),