Customizing Plot Legends


Plot legends give meaning to a visualization, assigning meaning to the various plot elements.

We previously saw how to create a simple legend;

here we'll take a look at **customizing the placement and aesthetics** of the legend in Matplotlib.

The simplest legend can be created with the plt.legend command, which automatically creates a legend for any labeled plot elements (see the following figure):


```
In [ ]: import matplotlib.pyplot as plt
plt.style.use('seaborn-whitegrid')
```



But there are many ways we might want to **customize** such a legend.

For example, we can specify the **location** and turn on the frame (see the following figure):


```
In [ ]: ax.legend(loc='upper left', frameon=True)
    fig
```



We can use the ncol command to specify the **number of** columns in the legend, as shown in the following figure:

```
In [ ]: ax.legend(loc='lower center', ncol=2)
    fig
```






And we can use

```
a rounded box ( fancybox )

or add a shadow,

change the transparency (alpha value) of the frame,

or change the padding around the text (see the following figure):
```



Choosing Elements for the Legend

As we have already seen, by default the legend includes **all labeled elements** from the plot.


If this is not what is desired, we can fine-tune which elements and labels **appear** in the legend by using the objects returned by plot commands.

plt.plot is able to **create** multiple lines at once, and returns a list of created line instances.

Passing any of these to plt.legend will tell it which to identify, along with the labels we'd like to specify (see the following figure):

```
In [ ]: y = np.sin(x[:, np.newaxis] + np.pi * np.arange(0, 2, 0.5))
lines = plt.plot(x, y)


# lines is a list of plt.Line2D instances
plt.legend(lines[:2], ['first', 'second'], frameon=True);
```



In practice it is **clearer** to use the first method, **applying labels to the plot elements** you'd like to show on the legend (see the following figure):

```
In [ ]: plt.plot(x, y[:, 0], label='first')
  plt.plot(x, y[:, 1], label='second')
```

```
plt.plot(x, y[:, 2:])
plt.legend(frameon=True);
```



Notice that the legend ignores all elements without a label attribute set.

Legend for Size of Points

Sometimes the legend **defaults are not sufficient** for the given visualization.

For example, perhaps you're using the size of points to mark certain features of the data, and want to create a legend reflecting this.

Here is an example where we'll use the size of points to indicate **populations of California cities.**

We'd like a legend that specifies the scale of the sizes of the points,

and we'll accomplish this by plotting some labeled data with no entries (see the following figure):

```
In [ ]: # Uncomment to download the data
# url = ('https://raw.githubusercontent.com/jakevdp/PythonDat
# 'master/notebooks/data/california_cities.csv')
# !cd data && curl -0 {url}
```

```
In [ ]: import pandas as pd
        cities = pd.read csv('data/california cities.csv')
        # Extract the data we're interested in
        lat, lon = cities['latd'], cities['longd']
        population, area = cities['population total'], cities['area t
        # Scatter the points, using size and color but no label
        plt.scatter(lon, lat, label=None,
                    c=np.log10(population), cmap='viridis',
                    s=area, linewidth=0, alpha=0.5)
        plt.axis('equal')
        plt.xlabel('longitude')
        plt.ylabel('latitude')
        plt.colorbar(label='log$_{10}$(population)')
        plt.clim(3, 7)
        # Here we create a legend:
        # we'll plot empty lists with the desired size and label
        for area in [100, 300, 500]:
            plt.scatter([], [], c='k', alpha=0.3, s=area,
                         label=str(area) + ' km$^2$')
        plt.legend(scatterpoints=1, frameon=False, labelspacing=1, ti
```

plt.title('California Cities: Area and Population');

