
Snatch

Bertrand Cadet · 22 October 2026 at 16:48 · 18 lift(s)

Date	Mvt	Pause	Load	%	Result	Score	Peak V	Max H	Backward	Forward	Catch	Drop	Arms	Tilt
22/10/2026, 16:48	Sn.	Yes	30	30	Made	70	2,48	93 %	9,6	17,3	-0,7	7,0	13,4	1,0°
22/10/2026, 16:48	Sn.	No	40	40	Made	66	1,80	93 %	10,0	17,8	-3,3	18,9	18,5	1,6°
22/10/2026, 16:49	Sn.	Yes	30	30	Made	70	2,62	91 %	13,3	18,7	-4,3	10,9	6,7	1,6°
22/10/2026, 16:50	Sn.	Yes	30	30	Made	70	2,68	96 %	11,2	19,5	-1,7	7,9	13,2	2,7°
22/10/2026, 16:51	Sn.	No	30	30	Made	66	2,42	89 %	6,4	20,1	-7,5	19,2	8,6	1,2°
22/10/2026, 16:52	Sn.	No	30	30	Made	70	2,51	91 %	8,6	19,7	-4,9	12,3	5,7	1,6°
22/10/2026, 16:54	Sn.	No	30	30	Made	69	2,33	92 %	6,1	17,4	-3,2	16,8	13,5	1,7°
22/10/2026, 16:54	Sn.	No	50	50	Made	70	2,11	92 %	6,1	17,4	-1,4	10,1	18,5	1,9°
22/10/2026, 16:58	Sn.	No	30	30	Made	70	2,25	86 %	8,4	19,2	-2,3	10,7	4,8	1,6°
22/10/2026, 17:00	Sn.	No	30	30	Made	70	2,36	91 %	7,5	19,8	-1,1	14,4	11,4	3,0°
22/10/2026, 17:02	Sn.	No	40	40	Made	70	2,41	93 %	7,1	19,0	-1,1	14,2	9,2	1,2°
22/10/2026, 17:06	Sn.	No	40	40	Made	70	2,36	92 %	9,3	16,2	-4,6	12,3	9,8	1,4°
22/10/2026, 17:07	Sn.	No	40	40	Made	70	2,31	92 %	8,1	16,3	-5,2	9,4	11,0	1,8°
22/10/2026, 17:11	Sn.	No	50	50	Made	70	2,09	89 %	3,7	14,3	-0,4	9,8	16,9	2,6°
22/10/2026, 17:16	Sn.	No	50	50	Made	87	2,47	87 %	9,3	9,5	-12,1	7,7	3,3	0,6°
22/10/2026, 17:16	Sn.	No	50	50	Made	87	2,29	87 %	9,4	9,6	-12,8	9,6	11,6	2,4°
22/10/2026, 17:18	Sn.	No	60	60	Made	70	2,11	86 %	11,8	15,9	-9,6	11,6	12,1	1,6°
22/10/2026, 17:22	Sn.	No	60	60	Made	70	1,95	83 %	11,7	15,8	-10,9	11,0	13,3	0,9°

LiftMetrics

Overlaid bar paths



● start · △ finish · 10 cm grid, same scale horizontally and vertically.

16:48 · 30 kg
16:48 · 40 kg
16:49 · 30 kg
16:50 · 30 kg
16:51 · 30 kg
16:52 · 30 kg
16:54 · 30 kg
16:54 · 50 kg
16:58 · 30 kg
17:00 · 30 kg
17:02 · 40 kg
17:06 · 40 kg
17:07 · 40 kg
17:11 · 50 kg
17:16 · 50 kg
17:16 · 50 kg
17:18 · 60 kg
17:22 · 60 kg

How to read these numbers

Goal · to do	Target range for each measurement (adjustable in Settings › Goals). Green = within range · orange = outside but within tolerance · red = beyond. “increase / decrease by X” = gap to close to get back in range.
Overlaid bar paths	All the session's lifts for the movement, from lift-off to the catch, in the same frame of reference (bar start = 0) and the same direction. Color by load, from blue (lighter) to red (heavier); if the loads are almost all the same, by lift order (first in blue, last in red). The legend gives each lift's time and load.
Mvt	Sn. = snatch. Pause: lift with at least one stop on the way up.
%	Load as % of the lift's 1RM valid on the lift's date (Athletes tab).
Score /100	Bar path quality, independent of load. Points: second-pull forward displacement 30, catch position 20, first-pull backward displacement 15, drop under the bar 15, bar tilt 10, bar path type 10. Each criterion earns full points within its range, half at the tolerance limit, then decreases to 0. An unmeasured criterion is left out of the calculation. Color: green from 80, orange from 60 to 79, red below 60.
Green / orange / red colors	Green = on target · orange = slightly outside (within tolerance) · red = to correct. The ranges for each measurement are given below.
Distance sign	Horizontal distances are measured from the start line (vertical through the bar at lift-off): + = in front of the line (away from the athlete), – = behind (toward the athlete).
Peak V	Maximum vertical velocity of the bar, reached at the end of the second pull (m/s). Measured by the sensor if present, otherwise from the video.
Max H	Maximum height of the plate center from the floor (cm), or as % of the athlete's height if entered.
Backward (first pull)	Distance the bar comes back toward the athlete between lift-off and its rearmost point. Snatch: goal ≥ 3 cm, orange up to 3 cm outside, red beyond.
Forward (second pull)	Distance the bar travels forward between its rearmost and its foremost point (bar “thrown” away from the body). Snatch: goal ≤ 6 cm, orange up to 4 cm outside, red beyond.
Catch	Horizontal position of the bar at the catch relative to the start line. Snatch: goal ≤ 2 cm, orange up to 3 cm outside, red beyond.
Drop	Drop under the bar: max height – catch height (the bar comes down before being caught). Snatch: goal ≤ 16 cm, orange up to 6 cm outside, red beyond.
Arms (arm contribution)	Actual max height – height the bar would have reached if released at peak velocity ($h(V) + v^2/2g$). Measures what the arm pull adds after the extension.
Tilt	Maximum bar tilt measured by the sensor (one side higher than the other), in degrees. Snatch: goal ≤ 3 °, orange up to 2 ° outside, red beyond.

LiftMetrics