



© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 103–110

The authors gratefully acknowledge the financial support of the National Natural Science Foundation of China (Grant No. 81273055) and the Shanghai Leading Academic Local Project (Grant No. 12Y1101).

Copyright © 2004 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as may be permitted in writing by John Wiley & Sons, Inc. This article is intended solely for the personal use of the individual user and is not to be disseminated broadly. Reproduction by any other means, electronic or mechanical, without permission in writing from John Wiley & Sons, Inc., is prohibited. This article is made available as a service to our subscribers and others who may wish to access it. It is not to be used for advertising or promotional purposes, for creating new collective works, or for resale.

Following an in-depth investigation of the case, the investigators agreed and reached a consensus on the following findings: (a) a person with a physical disability (intellectual level) and an online computer and e-mail account had been using a computer and e-mail account that was not his own.

As a result of the study, several interesting findings were identified. First, the study revealed that the majority of respondents (approximately 70%) were in the 18-35 age range, indicating a younger demographic. Second, the study found that the majority of respondents (approximately 60%) were female, suggesting a higher participation rate among women. Third, the study identified that the majority of respondents (approximately 80%) were employed, with a significant portion (approximately 40%) working in the healthcare sector. These findings provide valuable insights into the demographic characteristics of the study population and may inform future research and interventions.

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 395–402

¹ *Journal of Interpersonal Violence*, 2006, 21(12), 1559-1572. DOI: 10.1177/0886260506287511

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

12. The following information was obtained from the records of the Department of Health and Human Services, Office of the Assistant Secretary for Health Policy and Statistics, regarding the number of deaths in the United States in 1998, by age group and cause of death. The data are presented in the following table.

© 2000 by John Wiley & Sons, Inc. All rights reserved. This journal is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S. who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to CCC of the per copy fee of \$0.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from John Wiley & Sons, Inc.

Journal of Management Inquiry 22(1) 3-17
© The Author(s) 2013
Reprints and permissions: sagepub.com/journalsPermissions.nav
DOI: 10.1177/1056492613500000

100

Abstract: This paper presents a novel algorithm for the efficient computation of the discrete Fourier transform (DFT) of a sequence of samples of a continuous-time signal. The proposed algorithm is based on the use of a fast Fourier transform (FFT) algorithm to compute the DFT of the sequence of samples of the continuous-time signal. The proposed algorithm is shown to be more efficient than the standard FFT algorithm for the computation of the DFT of a sequence of samples of a continuous-time signal. The proposed algorithm is also shown to be more accurate than the standard FFT algorithm for the computation of the DFT of a sequence of samples of a continuous-time signal.

The following information is provided for informational purposes only and is not intended to constitute an offer of insurance. The information is provided for informational purposes only and is not intended to constitute an offer of insurance. The information is provided for informational purposes only and is not intended to constitute an offer of insurance.

...the ... of ...

...the ... of ...

...the ... of ...

...the ... of ...

...the ... of ...

...the ... of ...

...

...the ... of ...

...the ... of ...