CSC 108H1 F 2017 Midterm Test
Duration — 50 minutes
Aids allowed: none

UTORid: └──┴──┴──┴──┴──┴──┴──┘

Last Name: _____   **First Name:** _____

Lecture Section: **(circle one)**:   L0101 (MWF10)   L0201 (MWF11)
Instructor: Jacqueline Smith   Jen Campbell

---

*Do **not** turn this page until you have received the signal to start.*
(Please fill out the identification section above, **write your name on the back of the test**, and read the instructions below.)
Good Luck!

This midterm is double-sided, and consists of 6 questions and a list of function/method descriptions. *When you receive the signal to start, please make sure that your copy is complete.*

- Comments are not required except where indicated, although they may help us mark your answers.

- No error checking is required: assume all user input and all argument values are valid.

- If you use any space for rough work, indicate clearly what you want marked.

- Do not remove any pages from the exam booklet.

- You may use a pencil; however, work written in pencil will not be considered for remarking.

1: _____/ 6

2: _____/ 2

3: _____/ 3

4: _____/ 4

5: _____/ 5

6: _____/ 3

TOTAL: _____/23

Question 1. [6 marks]

Beside each code fragment in the table below, write what is printed when the code fragment is executed. If the code would cause an error, write ERROR and give a brief explanation.

Code	Output or Cause of Error
```python s = 'two' v = int(s) print(v) ```	
```python x = '1' + 2 print(x) ```	
```python list1 = [1, 2, 3, 4] element = list1[1:][1] print(element) ```	
```python L = ['a', 'b'] L = L.append('c') print(L) ```	
```python for value in range(7, 2, -2): print(value) ```	
```python result = 'banana'.find('an', 2) print(result) ```	

Question 2.   [2 MARKS]

Complete the docstring examples with arguments that will cause the function calls to return the values shown.

```python
def midterm_function(s1: str, s2: str) -> bool:
    """
    Precondition: len(s1) >= 1 and len(s2) >= 1

    >>> midterm_function(              ,              )
    True
    >>> midterm_function(              ,              )
    False
    """

    return s1[0].isdigit() and s2[-1].isalpha()
```

Question 3.   [3 MARKS]

Step 1 of the Function Design Recipe (docstring examples) has been completed for the function `repeat_first_letter`. Complete steps 2 and 3 of the Function Design Recipe: Fill in the function header (including the type contract) and write a good description.

Do not write the function body. Do not include preconditions.

```python
def repeat_first_letter

    """

    >>> repeat_first_letter('abc', 2)
    'aabc'
    >>> repeat_first_letter('', 5)
    ''
    >>> repeat_first_letter('CS', 4)
    'CCCCS'
    """

    # DO NOT WRITE THE BODY OF THIS FUNCTION
```

Question 4.   [4 marks]

Complete the following function according to its docstring.

```
def practice_time(age: int, beginner: bool) -> int:
    """Return the practice time (in minutes) for a player of the given age
    who may or may not be a beginner player, according to the practice
    times in the following table:

    age of player              practice time for a beginner player
    -------------              -----------------------------------
    under 6 years              30 minutes
    6 to 8 years, inclusive    50 minutes
    over 8 years               75 minutes

    Add 15 minutes to the practice time for a player who is not a beginner.

    Precondition: age >= 0

    >>> practice_time(8, True)
    50
    >>> practice_time(9, True)
    75
    >>> practice_time(7, False)
    65
    """
```

Question 5.   [5 marks]

Complete the following function according to its docstring.

```python
def has_letter_cases(s: str) -> bool:
    """Return True if and only if s contains at least one lowercase letter
    and at least one uppercase letter.

    >>> has_letter_cases('abcDEF')
    True
    >>> has_letter_cases('abc123')
    False
    >>> has_letter_cases('ABCXYZ')
    False
    """
```

Question 6.   [3 MARKS]

Fill in the box with the while loop condition required for the function to work as described in its docstring.

```python
def find_first_fluffy(msg: str) -> int:
    """Return the index of the first fluffy character (f, l, u, y) in msg,
    or the length of msg if it does not contain any fluffy characters.
    Fluffy characters are those that appear in the word 'fluffy'.

    >>> find_first_fluffy('firefly')
    0
    >>> find_first_fluffy('cats')
    4
    >>> find_first_fluffy('Fully')
    1
    """

    i = 0

    while                                                              :

        i = i + 1
    return i
```

[Use the space below for rough work. This page will not be marked unless you clearly indicate the part of your work that you want us to mark.]

Short Python function/method descriptions:

```
__builtins__:
  int(x: object) -> int
    Convert x to an integer, if possible. A floating point argument will be truncated towards zero.
  len(x: object) -> int
    Return the length of list, tuple, or string x.
  print(values: object) -> None
    Prints the values.
  range([start: int], stop: int, [step: int]) -> list-like-object of int
    Return the integers starting with start and ending with stop - 1 with step
    specifying the amount to increment (or decrement).  If start is not specified,
    the sequence starts at 0.  If step is not specified, the values are incremented by 1.
  str(x: object) -> str
    Return an object converted to its string representation, if possible.
str:
  x in s -> bool
    Produce True if and only if string x is in string s.
  S.count(sub: str[, start: int[, end: int]]) -> int
    Return the number of non-overlapping occurrences of substring sub in string S[start:end].
    Optional arguments start and end are interpreted as in slice notation.
  S.find(sub: str[,i: int]) -> int
    Return the lowest index in S (starting at S[i], if i is given) where the
    string sub is found or -1 if sub does not occur in S.
  S.isalpha() -> bool
    Return True if and only if all characters in S are alphabetic
    and there is at least one character in S.
  S.isalnum() -> bool
    Return True if and only if all characters in S are alphanumeric
    and there is at least one character is S.
  S.isdigit() -> bool
    Return True if and only if all characters in S are digits
    and there is at least one character in S.
  S.islower() -> bool
    Return True if and only if all cased characters in S are lowercase
    and there is at least one cased character in S.
  S.isupper() -> bool
    Return True if and only if all cased characters in S are uppercase
    and there is at least one cased character in S.
  S.lower() -> str
    Return a copy of the string S converted to lowercase.
  S.replace(old: str, new: str) -> str
    Return a copy of string S with all occurrences of the string old replaced with the string new.
  S.upper() -> str
    Return a copy of the string S converted to uppercase.
list:
  x in L -> bool
    Produce True if and only if object x is in list L
  L.append(item: object) -> None
    Append item to end of list L.
  L.extend(items: iterable) -> None
    Extend list L by appending elements from items. Strings and lists are
    iterables whose elements are characters and list items respectively.
```