



A)



B)



results/

[Copy S3 URI](#)

Objects

Properties

Objects (6)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

☐	Name	Type	Last modified	Size	Storage class
☐	aligned/	Folder	-	-	-
☐	annotated/	Folder	-	-	-
☐	qc/	Folder	-	-	-
☐	raw/	Folder	-	-	-
☐	snpeff/	Folder	-	-	-
☐	variants/	Folder	-	-	-

C)

SnpEff: Variant analysis

Contents

- [Summary](#)
- [Variant rate by chromosome](#)
- [Variants by type](#)
- [Number of variants by impact](#)
- [Number of variants by functional class](#)
- [Number of variants by annotation](#)
- [Quality histogram](#)
- [InDel length histogram](#)
- [Base variant table](#)
- [Transition vs transversions \(ts/tv\)](#)
- [Allele frequency](#)
- [Allele Count](#)
- [Codon change table](#)
- [Amino acid change table](#)
- [Chromosome variants plots](#)
- [Details by gene](#)

Summary

Genome	reference_db
Date	2026-02-07 00:31
SnpEff version	SnpEff 5.4a (build 2025-11-25 12:22), by Pablo Cingolani
Command line arguments	SnpEff -stats results/snpEff/snpEff.html reference_db results/variants/filtered_variants.vcf
Warnings	363
Errors	0
Number of lines (input file)	565
Number of variants (before filter)	565
Number of non-variants	0

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<?xml version="1.0" encoding="UTF-8" ?>
<Error>
  <Code>AccessDenied</Code>
  <Message>Access Denied</Message>
  <RequestId>CB8KK6M78FN7KH3</RequestId>
  <HostId>7D0Lpa3JkgSpdrMc13TbnovYhMSht7A00F21E5pcPStnNq8rVnu6ZB4wmpIxpviCB13NkpLwJyn8</HostId>
</Error>
```

D)

Amazon S3 > Buckets > abrar-lab-2-bucket > Lifecycle configuration > Create lifecycle rule

Transition current versions of objects between storage classes

Choose transitions to move current versions of objects between storage classes based on your use case scenario and performance access requirements. These transitions start from when the objects are created and are consecutively applied. [Learn more](#)

Choose storage class transitions

Standard-IA

Days after object creation

90

Remove

Add transition

Review transition and expiration actions

Current version actions

Day 0

Objects uploaded

↓

Day 90

Objects move to Standard-IA

Noncurrent versions actions

Day 0

No actions defined.

Cancel

Create rule

The rule "S3 Infrequent Access" has been successfully added and the lifecycle configuration has been updated. It may take some time for the configuration to be updated. Refresh the lifecycle rules list if changes to the configuration aren't displayed.

Lifecycle configuration

To manage your objects so that they are stored cost effectively throughout their lifecycle, configure their lifecycle. A lifecycle configuration is a set of rules that define actions that Amazon S3 applies to a group of objects. Lifecycle rules run once per day.

Default minimum object size for transitions

All storage classes 128K

Lifecycle rules (1)							
Use lifecycle rules to define actions you want Amazon S3 to take during an object's lifetime such as transitioning objects to another storage class, archiving them, or deleting them after a specified period of time. Learn more							
Find lifecycle rules by name							
Lifecycle rule name	Status	Scope	Current version actions	Noncurrent versions ac...	Expired object delete ...	Incomplete multipart u...	
S3 Infrequent Access	Enabled	Entire bucket	Transition to Standard-IA	-	-	-	

E)

