



Current Rate of Bytes Received

System	Current Rate (kB/s)
cattle-monitoring-system	713
kube-system	508
cilium-monitoring	66.9
cattle-system	29.1
longhorn-system	16.1
cattle-fleet-system	7.11
cattle-fleet-local-system	5.74
sock-shop	1.69
falco	1.33
cert-manager	579

Current Rate of Bytes Transmitted

System	Current Rate (kB/s)
cattle-monitoring-system	921
kube-system	699
sock-shop	8.04
cattle-system	7.53
cilium-monitoring	5.91
longhorn-system	3.06
cattle-fleet-system	2.73
cattle-fleet-local-system	1.47
cert-manager	496
falco	237

- ✓ **Average Bandwidth**



	min	max	avg	current
cattle-fleet-local-system	1.28 kB/s	3.01 kB/s	1.48 kB/s	1.47 kB/s
cattle-fleet-system	2.57 kB/s	3.58 kB/s	2.70 kB/s	2.73 kB/s
cattle-monitoring-system	836 kB/s	1.62 MB/s	1.02 MB/s	921 kB/s
cattle-system	6.86 kB/s	12.7 kB/s	7.70 kB/s	7.53 kB/s
cert-manager	359 B/s	549 B/s	459 B/s	496 B/s
cilium-monitoring	4.57 kB/s	7.25 kB/s	5.96 kB/s	5.91 kB/s
default	0 B/s	149 B/s	1.10 B/s	10.6 B/s
falco	205 B/s	289 B/s	248 B/s	237 B/s
kube-system	549 kB/s	1.15 MB/s	733 kB/s	699 kB/s
longhorn-system	2.90 kB/s	3.46 kB/s	3.07 kB/s	3.06 kB/s

	min	max	avg	current
cattle-fleet-local-system	7.33 p/s	21.9 p/s	9.12 p/s	8.56 p/s
cattle-fleet-system	14.4 p/s	16.4 p/s	15.1 p/s	15.2 p/s
cattle-monitoring-system	972 p/s	1.55 k/p/s	1.16 k/p/s	1.04 k/p/s
cattle-system	38.8 p/s	75.3 p/s	42.7 p/s	40.7 p/s
cert-manager	2.44 p/s	4.17 p/s	3.02 p/s	3.16 p/s
cilium-monitoring	17.1 p/s	27.4 p/s	22.2 p/s	21.7 p/s



default	0 p/s	2.15 p/s	0.0107 p/s	0.0567 p/s
falco	2.46 p/s	3.26 p/s	2.85 p/s	2.76 p/s
kube-system	628 p/s	1.16 kp/s	825 p/s	772 p/s
longhorn-system	28.5 p/s	33.7 p/s	30.3 p/s	30.3 p/s

Errors

