June 16, 2016

Alexander Branborg abran13@student.aau.dk Arash Michael Aami Kjær ams13@student.aau.dk Mathias Claus Jensen mcje13@student.aau.dk Mikael Vind Mikkelsen mvmi12@student.aau.dk

Department of Computer Science
Aalborg University
Denmark





Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduct

Arash

Desilent

Fredicate

Why are they usefu

Alternative Implementa

Evaluatio

Hvordan evaluerede SkiRaff?

Alternativ

Konklusion

Introduction

Arash

Predicates

Why are they useful?
Usage/Implementation
Alternative Implementation

Evaluation

Hvordan evaluerede vi SkiRaff? Alternativer

Konklusion

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicate

Usage/Implementation

Alternative Implementati

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Hvad vil vi?

▶ Vi vil lave et framework som kan hjælpe ETL programmører med at teste deres systemer



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful?

Alternative Implementat

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Det nuværende marked

Department of Computer Science Aalborg University



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Det nuværende marked

- ► Table comparisons
 - ▶ e.g. AnyDBTest
 - Pro: Folk kan lave assertions omkring stort set alt
 - ▶ Con: Kræver meget kodning, hvor man nemt kan lave fejl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Predicates

Why are they usefu

Usage/Implementation
Alternative Implementation

Evaluation

Hvordan evaluerede v

Alternative

Konklusio

Det nuværende marked

- ► Table comparisons
 - ▶ e.g. AnyDBTest
 - Pro: Folk kan lave assertions omkring stort set alt
 - Con: Kræver meget kodning, hvor man nemt kan lave fejl
- GUI baseret testing
 - ▶ e.g. QuerySurge
 - ▶ Pro: Kræver ikke meget kode
 - ► Con: GUI baseret og kan hurtigt blive kompleks.



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful

Alternative Implementati

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Kriterier til vores framework

Department of Computer Science Aalborg University



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicate

Why are they useful

Usage/Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Kriterier til vores framework

- ► Frameworket skal kunne bruges til automation af tests
 - Da agilt er vejen frem og automation af tests er en hjørne sten deri

Alexander Branborg, Arash Michael Aami Kjær, Mathias Claus Jensen,

Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful Lisage/implementati

Alternative Implementation

Evaluation

Hvordan evaluerede SkiRaff?

Alternative

Konklusion

Kriterier til vores framework

- ► Frameworket skal kunne bruges til automation af tests
 - Da agilt er vejen frem og automation af tests er en hjørne sten deri
- Frameworket skal mindske det krævede kode som skal skrives for at udføre ens tests
 - Mindre test kode leder som udgangspunkt til mindre bugs i ens tests
 - Nuværende test software kræver typisk meget kode i form af at sætte tables op

Alexander Branborg, Arash Michael Aami Kjær, Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Prodicato

Why are they usefu

Usage/Implementation
Alternative Implementation

Evaluation

Hvordan evaluerede SkiRaff?

Alternative

Konklusion

Kriterier til vores framework

- ► Frameworket skal kunne bruges til automation af tests
 - Da agilt er vejen frem og automation af tests er en hjørne sten deri
- Frameworket skal mindske det krævede kode som skal skrives for at udføre ens tests
 - Mindre test kode leder som udgangspunkt til mindre bugs i ens tests
 - Nuværende test software kræver typisk meget kode i form af at sætte tables op
- Det skal være kode orienteret
 - ► Samme filosofi som pygrametl



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful?

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Department of Computer Science Aalborg University Denmark



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful?

Alternative Implementa

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

SkiRaff

► Et framework til at teste ETL programmer



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicate

Why are they useful

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

SkiRaff

- ► Et framework til at teste ETL programmer
- Man laver assertions om ens populated DW ved hjælp af Predicates
 - Disse Predicates modelere typiske ting som man vil teste for og kan tilpasses til ens DW



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Predicates

Usage/Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusio

SkiRaff

- Et framework til at teste ETL programmer
- Man laver assertions om ens populated DW ved hjælp af Predicates
 - Disse Predicates modelere typiske ting som man vil teste for og kan tilpasses til ens DW
- Kan lave funktionelle tests på et system niveau
 - Pro: Vi tester systemet som en helhed, og kan fange fejl som er skyldet af at flere komponeneter interagere med hinanden
 - Con: Gør at det er svært at finde ud af præcis hvor fejl opstår



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Alasii

Predicate

Why are they useful?
Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusio

SkiRaff

- Et framework til at teste ETL programmer
- Man laver assertions om ens populated DW ved hjælp af Predicates
 - Disse Predicates modelere typiske ting som man vil teste for og kan tilpasses til ens DW
- Kan lave funktionelle tests på et system niveau
 - Pro: Vi tester systemet som en helhed, og kan fange fejl som er skyldet af at flere komponeneter interagere med hinanden
 - Con: Gør at det er svært at finde ud af præcis hvor fejl opstår
- Funktionalitet til at man kan udskifte data kilder til test data kilder
 - ► Hvis man bruger pygrametl



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

7110011

Predicate

Why are they useful?
Usage/Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusio

SkiRaff

- Et framework til at teste ETL programmer
- Man laver assertions om ens populated DW ved hjælp af Predicates
 - Disse Predicates modelere typiske ting som man vil teste for og kan tilpasses til ens DW
- Kan lave funktionelle tests på et system niveau
 - Pro: Vi tester systemet som en helhed, og kan fange fejl som er skyldet af at flere komponeneter interagere med hinanden
 - Con: Gør at det er svært at finde ud af præcis hvor fejl opstår
- Funktionalitet til at man kan udskifte data kilder til test data kilder
 - Hvis man bruger pygrametl
- Bygget til at kunne samarbejde med pygrametl
 - Kan dog sagtens bruges uden

Department of Computer Science Aalborg University Denmark



Alexander Branborg, Arash Michael Aami Kiær.

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Predicate

Why are they useful?
Usage/Implementation

.

Hvordan evaluerede v SkiRaff?

Alternative

Konklusio

SkiRaff

- Et framework til at teste ETL programmer
- Man laver assertions om ens populated DW ved hjælp af Predicates
 - Disse Predicates modelere typiske ting som man vil teste for og kan tilpasses til ens DW
- Kan lave funktionelle tests på et system niveau
 - Pro: Vi tester systemet som en helhed, og kan fange fejl som er skyldet af at flere komponeneter interagere med hinanden
 - Con: Gør at det er svært at finde ud af præcis hvor fejl opstår
- Funktionalitet til at man kan udskifte data kilder til test data kilder
 - Hvis man bruger pygrametl
- Bygget til at kunne samarbejde med pygrametl
 - Kan dog sagtens bruges uden
- ► Kan bruges sammen med PEP249 compatible DBMS'er

Department of Computer Science Aalborg University Denmark



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Prodicato

Why are they useful

Alternative Implementation

Evaluatio

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Overview af frameworkets komponenter




Figure: Overview af SkiRaff



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful

Usage/Implementation

Alternative Implementati

Evaluatio

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Demo Af SkiRaff

Department of Computer Science Aalborg University Denmark



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introducti

Arash

Predicates

redicates
Why are they useful?

Usage/Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Arash



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introducti Arash

Predicates

Why are they peoful?

Usage/Implementation AI a511

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

- ► Arash 1
- ► Arash 2



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introducti

Arash

Predicates

Why are they useful?

Usage/Implementation AI a51

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

- ► Arash 1
- ► Arash 2
- ► Arash 3



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introducti

Arash

Predicates

Why are they useful?

Usage/Implementation AI a51

Evaluatio

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

- Arash 1
- ► Arash 2
- ► Arash 3
- ► Arash 4



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

IIIIIOuuciio

Predicates

Why are they useful?

Alternative Implementation

Evaluatio

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Why are they useful?

- ▶ Usage/Implementation
- ► Alternative Forms of Implementation

Department of Computer Science Aalborg University Denmark



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Deadleste

Why are they useful?

Usage/Implementation

_ . . .

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Systems level testing

Data loss

Department of Computer Science Aalborg University



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

IIIII Oddotic

. . . .

Why are they useful?

Usage/Implementati

Alternative Implementatio

Evaluation


Hvordan evaluerede SkiRaff?

Alternative

Konklusion

Systems level testing

- ► Data loss
- Source to target test



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

. . . .

Predicates

Why are they useful?

Alternative Implementation


Evaluation

Hvordan evaluerede SkiRaff?

Alternative

Konklusion

- Systems level testing
 - Data loss
- Source to target test



- Regression testing
- ► Business Rules



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduct

....

Arash

Why are they useful?

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede SkiRaff?

Alternativ

Konklusion

Predicates available in SKiRaff

- RowCountPredicate
- ColumnNotNullPredicate
- ▶ ReferentialIntegrityPredicate
 - ► FunctionalDependencyPredicate
 - SCDVersionPredicate
 - CompareTablePredicate
 - RuleRowPredicate
 - RuleColumnPredicate



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

.....

Arash

Predicates

Why are they useful?

Usage/Implementation

Evaluation

Hvordan evaluerede SkiRaff?

Alternativ

Konklusion

Predicates available in SKiRaff

- RowCountPredicate
- ColumnNotNullPredicate
- ► ReferentialIntegrityPredicate
 - ► FunctionalDependencyPredicate
 - SCDVersionPredicate
 - CompareTablePredicate
 - ► RuleRowPredicate
 - RuleColumnPredicate

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

IIIIIoductio

Arash

Predicates

Why are they usefu

Usage/Implementation

E. alication

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Functional Dependency - Why is it useful?

► A, B -> C

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Predicates

Why are they us

Usage/Implementation

_ . . .

Hvordan evaluerede SkiRaff?

Alternative

Konklusion

Functional Dependency - Why is it useful?

- ► A, B -> C
 - ▶ DW holds certain hierarchical properties

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

IIIII Oddociio

Arash

Predicate

Why are they usefu

Usage/Implementation

Alternative implemental

Evaluation

Hvordan evaluerede SkiRaff?

Alternativ

Konklusion

Setup:

```
FunctionalDependencyPredicate(table_name=['CountryDim','
AuthorDim'],alpha='city',beta='country')
```

SQL querie:

```
SELECT DISTINCT t1.country, t2.city
```

```
2 FROM countrydim NATURAL JOIN authordim AS t1, countrydim NATURAL JOIN authordim AS t2
```

3 WHERE t1.city = t2.city

```
4 AND t1.country <> t2.country
```



Predicates Implementation - Functional Dependency

SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Predicates

Why are they usefu

Usage/Implementation

Alternative Implementation

Evaluation

SkiRaff?

Konklusion

```
1 # Creates part of select statement to get keys
  select_alpha = ["t1." + str(a) for a in self.alpha]
  select_beta = ["t2." + str(b) for b in self.beta]
  select_sql = select_alpha + select_beta
   # SQL setup for the left side of the dependency in WHERE-
        clause
   alpha_sql_generator = ("_t1.{}_{t}1.{}_{t}2.{}_{t}".format(a, a)
                            for a in self.alpha)
8
   and alpha = '...AND...'. join(alpha sql generator)
   # SOL setup for the right side of the dependency in WHERE-
        clause
   beta_sql_generator = ("_{\sqcup}(t1.\{\}_{\sqcup}<>_{\sqcup}t2.\{\})_{\sqcup}".format(b, b)
                           for b in self.beta)
13
  or_beta = 'uORu'.join(beta_sql_generator)
```



Predicates Implementation - Functional Dependency

SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

111110000010

Arash

Predicates

Why are they useful

Usage/Implementation

Alternative implementation

Hvordan evaluered

Hvordan evaluerede SkiRaff?

711101110111

Konklusion

SQL querie:

```
SELECT DISTINCT t1.country, t2.city
FROM countrydim NATURAL JOIN authordim AS t1, countrydim
NATURAL JOIN authordim AS t2
WHERE t1.city = t2.city
AND t1.country <> t2.country
```



Predicates Implementation - Functional Dependency

SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

....

Arash

Predicates

Why are they use

Usage/Implementation

Alternative Implementation

Frankration .

Lvaluation

Hvordan evaluerede SkiRaff?

Alternative

Konklusion

```
cursor = dw rep.connection.cursor()
2 cursor.execute(lookup_sql)
  query_result = cursor.fetchall()
  cursor.close()
  # Create dict, so that attributes have names
  names = [t[0] for t in cursor.description]
  dict result = []
  for row in query_result:
      dict_result.append(dict(zip(names, row)))
11
  # If any rows were fetched. Assertion fails
12
  if not dict_result:
13
      self. result = True
14
```

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

IIIIIIouuctio

Arash

Fredicates

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Referential Integrity - Why is it useful?

► Most DBMS's have various referential integrity rules

Alexander Branborg. Arash Michael Aami Kiær.

Mathias Claus Jensen. Mikael Vind Mikkelsen

Usage/Implementation

Konklusion

Referential Integrity - Why is it useful?

- ▶ Most DBMS's have various referential integrity rules 18
 - Not removing the correct data from all tables

Alexander Branborg, Arash Michael Aami Kjær, Mathias Claus Jensen.

Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful?

Usage/Implementation

Alternative Implementation

Huordan avaluareda

Hvordan evaluerede SkiRaff?

Alternativer

Konklusion

Setup:

SQL querie:

```
SELECT *
FROM facttable
WHERE NOT EXISTS(
SELECT NULL FROM author_dim
WHERE facttable.aid = author_dim.aid
)
```



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

IIIIIOddctio

Arash

Predicates

Usage/Implementation

sage/Implementation

ternative implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

```
missing_keys = []
       # Maps table names to table_representations
3
       refs = {}
       for alpha, beta in self.refs.items():
6
           if isinstance(alpha, str):
7
                    a = dw_rep.get_data_representation(alpha)
8
           else:
9
               raise ValueError ('Expected string in refs , got
                    :... +
                                      str(type(x)))
           if isinstance (beta, str):
               b.append(dw_rep.get_data_representation(beta))
13
```



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

IIIII Oddictioi

Arash

Predicates

Usage/Implementation

Alternative Implementation

Hvordan evaluerede

Alternative

Konklusion

```
else:

for x in beta:

if isinstance(x, str):

b.append(dw_rep.

get_data_representation(x
))

else:

raise ValueError('Expected_string' + '

____in_refs,_got:_i' + str(type(x)))

refs[a] = tuple(b)

self.refs = refs
```



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Alasii

Tredicates

Usage/Implementation

Alternative Implementation

Hvordan evaluerede

Alternative

Konklusion

```
# If references not given. We check refs between all
       tables.
  if not self refs:
       self.refs = dw_rep.refs
3
4
   # Performs check for each pair of main table and foreign
       key table.
   for table, dims in self.refs.items():
       for dim in dims:
           kev = dim.kev
8
9
           # Check that each entry in main table has match
           if self.points_to_all:
12
               query result = referential check(table, dim,
                    key, dw_rep)
13
14
               if query result:
                    for row in query_result:
                        msg = '{}:..{}..in..{}..not..found..in..{}' \
16
                            .format(key, row[0], table.name,
                                 dim.name)
18
                        missing_keys.append(msg)
```

Department of Computer Science Aalborg University Denmark 34



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Industrial continue

......

Arash

Predicates

Usage/Implementation

Alternative Implementation

valuation

Hvordan evaluerede vi SkiRaff?

Alternativer

Konklusion

```
# Check that each entry in foreign key table has
                match
           if self.all_pointed_to:
                query_result = referential_check(dim, table,
3
                    kev. dw rep)
                if query_result:
                    for row in query_result:
6
                        msg = '{}:..{}..in...{}..not..found..in...{}' \
                             .format(key, row[0], dim.name,
                                  table . name)
                        missing_keys.append(msg)
9
10
11
      not missing_keys:
       self.__result__ = True
```

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introducti

. .

Prodicatos

Why are they useful

Usage/Implementation 24

sage/implementation 2

Hvordan evaluerede

Alternative

Konklusion

RuleRowPredicate - Why is it useful?

- Gives the user freedom to check for things our other predicate can't
- ► But with an easy setup

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduc

. .

Predicates

Why are they useful

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede

Alternative

Konklusio

RuleRowPredicate - Why is it useful?

- Gives the user freedom to check for things our other predicate can't
- ► But with an easy setup
- However slower than others due to the lack of SQL implementation

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Desilentes

1 realeates

Usage/Implementation

Alternative Implementatio

Evaluation

Hvordan evaluerede

Alternative

Konklusion

Setup:



26

6

args

constraint_args):

Predicates Implementation - RuleRowPredicate

SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Predicates

Why are they useful

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede SkiRaff?

Alternative

Konklusion

if len(func_args) != len(column_arg_names) + len(self.

arguments do not match""")

raise ValueError("""Number of columns and number of



Predicates Implementation - RuleRowPredicate

SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

to the design of

miroduotio

Arash

Predicate

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

```
# Iterates over each row, calling the constraint function
       upon it
  for row in dw_rep.iter_join(self.table_name):
       # Finds parameters. First attributes then additional
           params.
       arguments = []
       for name in column_arg_names:
6
7
           arguments.append(row[name])
8
       if self.constraint args:
9
           arguments.append(*self.constraint_args)
       # Runs function on parameters
12
       if not self.constraint_function(*arguments):
           wrong rows.append(row)
14
15
     not wrong_rows:
16
       self. result = True
17
```

Department of Computer Science Aalborg University Denmark

Alexander Branborg. Arash Michael Aami Kiær Mathias Claus Jensen

Mikael Vind Mikkelsen

Arash

Alternative Implementation

Konklusion

Now: SQL queries

```
def run(self, dw rep):
25
           pred_sql = \
26
                "..SELECT..COUNT(*).." + \
28
                "..FROM.." + "NATURAL..JOIN..".join(self.
                     table_name)
29
            cursor = dw_rep.connection.cursor()
30
            cursor.execute(pred_sql)
31
            query_result = cursor.fetchall()
32
            cursor.close()
33
34
35
            if query_result[0] == self.number_of_rows:
36
                self.__result__ = True
```

Alexander Branborg. Arash Michael Aami Kiær

Mathias Claus Jensen. Mikael Vind Mikkelsen

Arash

Alternative Implementation

Alternative: Representation objects in python

```
def run(self, dw rep):
21
           self.row_number = 0
           self.table = []
24
25
           for row in dw_rep.get_data_representation(self.
                table name):
               self.table.append(row)
               self.row_number += 1
28
           if len(self.table) == self.number_of_rows:
29
               self.__result__ = True
30
31
           else:
               self.__result__ = False
32
```



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

iiii oddolio

Arash Predicates

Why are they usefu

Usage/Implementation

Alternative Implementation

Evaluatio

Hvordan evaluerede vi SkiRaff?

Alternative

Konklusion

► SkiRaff vs. Manual

Department of Computer Science Aalborg University Denmark



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they useful

Alternative Implementation

Evaluatio

Hvordan evaluerede vi SkiRaff?

Alternative

Konklusion

SkiRaff vs. Manual

► Metrikker: Statements & Runtime

Department of Computer Science Aalborg University Denmark



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Predicates

Why are they useful?

Alternative Implementation

Evaluation

Hvordan evaluerede vi SkiRaff?

Alternative

Konklusion

SkiRaff vs. Manual

► Metrikker: Statements & Runtime

► ETL program: Håndhæver ikke data integritet

Department of Computer Science Aalborg University Departs



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Predicates

Why are they useful

Usage/Implementation
Alternative Implementation

Evaluatio

Hvordan evaluerede vi SkiRaff?

Alternative

Konklusion

- SkiRaff vs. Manual
- ► Metrikker: Statements & Runtime
- ► ETL program: Håndhæver ikke data integritet
- ▶ Test plan: Dækker alle SkiRaff predicates

Department of Computer Science Aalborg University Depmark



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicate

Why are they useful

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede vi SkiRaff?

Alternative

Konklusion

	SkiRaff	Manual
Number of statements	11 stmt	110 stmt
Execution Time	79.52 sec	79.44 sec
Setup		
Execution Time	18.02 sec	18.23 sec
Test Cases		
Execution Time Total	97.52 sec	97.67 sec

Figure: Results af evaluering med 10000 rækker i hver tabel udover CountryDim



Alexander Branborg, Arash Michael Aami Kiær.

Mathias Claus Jensen. Mikael Vind Mikkelsen

Arash

Predicates

Alternativer

Konklusion

Statiske

▶ Statements

32

Department of Computer Science Aalborg University Denmark



Alexander Branborg. Arash Michael Aami Kiær.

Mathias Claus Jensen. Mikael Vind Mikkelsen

Arash

Predicates

Alternativer

Konklusion

Statiske

- ▶ Statements
- ► Fog index

32

Department of Computer Science Aalborg University Denmark



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Predicates

Why are they usefu

Usage/Implementation

Evaluatio

Hvordan evaluerede v SkiRaff?

Alternativer

Konklusion

Statiske

- ▶ Statements
- ▶ Fog index
- ► Cyclomatic complexity

Department of Computer Science Aalborg University Depmark



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arash

Predicates

Why are they ye

Unage (Implemente)

Alternative Implementation

Evaluation

Hvordan evaluerede

Alternativer

Konklusion

Statiske

- ▶ Statements
- ► Fog index
- Cyclomatic complexity

Dynamiske

► Runtime



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

.....

7110011

Predicates

Why are they usefu

Alternative Implementation

Evaluation

Hvordan evaluerede v

Alternativer

Konklusion

Statiske

- ▶ Statements
- ▶ Fog index
- Cyclomatic complexity

Dynamiske

- ► Runtime
- Bug Count



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

.

Predicates

Why are they useful?

Alternative Implementati

Evaluatio

Hvordan evaluerede vi SkiRaff?

Alternativer

Konklusion

Udførsel

► Opskriv flere realistiske test planer

33

34

Department of Computer Science Aalborg University Denmark



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Predicates

Why are they useful

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternativer

Konklusion

Udførsel

- Opskriv flere realistiske test planer
- Få ekspert brugere til at implementere planer med forskellige værktøjer:
 - ▶ SkiRaff
 - Manuel
 - QuerySurge
 - AnyDBTest

33

Department of Computer Science Aalborg University Denmark



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Lancate area

B. C. C.

Why are they usefu

Usage/Implementation

Alternative Implementat

Evaluatio

Hvordan evaluerede

Alternativer

Konklusio

Udførsel

- Opskriv flere realistiske test planer
- Få ekspert brugere til at implementere planer med forskellige værktøjer:
 - ▶ SkiRaff
 - Manuel
 - ▶ QuerySurge
 - ▶ AnyDBTest
- Fokuser på implementations hastighed og udsagn



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduct

Arach

Predicates

Why are they useful

Usage/Implementation

Alternative Implementat

Hvordan evaluerede

SkiRaff?

Konklusio

Udførsel

- Opskriv flere realistiske test planer
- Få ekspert brugere til at implementere planer med forskellige værktøjer:
 - ▶ SkiRaff
 - Manuel
 - ► QuerySurge
 - ▶ AnyDBTest
- Fokuser på implementations hastighed og udsagn
- **Negativer**
 - ► Praktisk organisering



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

Arach

Predicates

Why are they usefu

Usage/Implementation

Alternative Implementa

Hyordan evaluerede

SkiRaff?

Konklusios

Udførsel

- Opskriv flere realistiske test planer
- Få ekspert brugere til at implementere planer med forskellige værktøjer:
 - ▶ SkiRaff
 - Manuel
 - ► QuerySurge
 - ▶ AnyDBTest
- ► Fokuser på implementations hastighed og udsagn
- [™]Negativer
 - ► Praktisk organisering
 - ► Kvalitativ data kan også være svær at evaluere



SkiRaff an ETL Testing Framework for pygrametl

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introducti

Arash

Predicate

Why are they useful

Alternative Implementation

Evaluation

Hvordan evaluerede

Alternativer

Konklusio

Udførsel

- Opskriv flere realistiske test planer
- Få ekspert brugere til at implementere planer med forskellige værktøjer:
 - ▶ SkiRaff
 - Manuel
 - ► QuerySurge
 - ▶ AnyDBTest
- ▶ Fokuser på implementations hastighed og udsagn

^{್ರ}Negativer

- ► Praktisk organisering
- Kvalitativ data kan også være svær at evaluere
- ► Store mængder data skal behandles



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduct

Arash

Predicate:

Why are they useful

Usage/implementation

Contrastes

Hvordan evaluerede SkiRaff?

Alternative

Konklusion

Hvad har vi lavet

► SkiRaff: Et framework til test af pygrametl programmer

Department of Computer Science Aalborg University



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

Arash

Prodicatos

Why are they useful

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Hvad har vi lavet

- ► SkiRaff: Et framework til test af pygrametl programmer
- Dækker mange forskellige test cases med predicate klasserne

Department of Computer Science Aalborg University



Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introductio

IIII Oddotio

Prodicatos

Why are they useful

Usage/Implementation

Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Hvad har vi lavet

- ► SkiRaff: Et framework til test af pygrametl programmer
- Dækker mange forskellige test cases med predicate klasserne
- ► Tests behøver færre linjer, men udføres med samme hastighed ift. manuel test

Department of Computer Science Aalborg University Depmark

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

111110000010

Prodicate

Why are they usefu

Usage/Implementation
Alternative Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Hvad har vi lavet

- SkiRaff: Et framework til test af pygrametl programmer
- Dækker mange forskellige test cases med predicate klasserne
- ► Tests behøver færre linjer, men udføres med samme hastighed ift. manuel test

Perspektiv

► Business Intelligence i moderne sammenhæng

Alexander Branborg, Arash Michael Aami Kjær,

Mathias Claus Jensen, Mikael Vind Mikkelsen

Introduction

.....

B. . . P. . . .

Why are they usefu

Usage/Implementation

Evaluation

Hvordan evaluerede v SkiRaff?

Alternative

Konklusion

Hvad har vi lavet

- ► SkiRaff: Et framework til test af pygrametl programmer
- Dækker mange forskellige test cases med predicate klasserne
- ► Tests behøver færre linjer, men udføres med samme hastighed ift. manuel test

Perspektiv

- ▶ Business Intelligence i moderne sammenhæng
 - ▶ SkiRaff og ETL udvikling

Thank you for using this theme!

