

Capture The Flag

Goal: Allow administrators to manage students and announcements.

School Request


"The list shouldn't just sit there."

Flag 1 — Prepare Your Mission

Objective: Create a new branch for today's challenge named `feature/event-binding`

Screenshot:

- The command used to create and switch to the new branch.



The screenshot shows the Visual Studio Code interface with a file explorer on the left, a code editor in the center, and a terminal at the bottom. The file explorer shows a project named 'MY-FIRST-ANGULAR-APP' with various files and folders. The code editor shows a TypeScript file named 'announcement-card.ts' with a class definition for 'AnnouncementCard'. The terminal shows the following commands and output:

```
Bybethie@Bybethie MINGW64 ~/Documents/ITFE403A_GRACIA/my-first-angular-app (feature/ngFor)
• $ git checkout -b feature/event-binding
Switched to a new branch 'feature/event-binding'

Bybethie@Bybethie MINGW64 ~/Documents/ITFE403A_GRACIA/my-first-angular-app (feature/event-binding)
• $ git status
On branch feature/event-binding
nothing to commit, working tree clean

Bybethie@Bybethie MINGW64 ~/Documents/ITFE403A_GRACIA/my-first-angular-app (feature/event-binding)
• $ git branch
feature/components
feature/event-binding
feature/interpolation
feature/ngFor
```

Flag 2 — Arm the Student Cards

Objective: Add action buttons to every Student Card.


Each student card should now contain three buttons:

- Favorite
- Edit
- Delete

Do not make them functional yet.

Screenshot:

- Student cards showing the three new buttons.



Flag 3 — Arm the Announcement Cards

Objective: Add action buttons to every Announcement Card.


Each announcement card should now contain:

- Pin
- Delete

Again, only add the buttons for now.

Screenshot:

- Announcement cards with both buttons visible.



Flag 4 — Wake Up the Buttons


Objective: Make your first button interactive using Angular event binding.


Choose one button (such as Favorite) and make it respond when clicked. (No logic yet)

Hint: Use Angular's (`click`) event binding.

Screenshot:

- The console or browser showing the button successfully triggered an action.
- Code for event binding






Flag 5 — Remove a Student



Objective: Make the Delete button remove a student from the list.

When Delete is clicked, that specific student should disappear immediately.

Screenshot:

- Before deleting a student.
- After deleting the student.
- Successful delete log/feedback
- Code for logic





Flag 6 — Crown a Star Student

Objective: Toggle a student's Favorite status.



Clicking Favorite should switch between two states.

Ideas:

- Empty star → Filled star
- Gray button → Yellow button
- Normal card → Highlighted card

Screenshot:

- One student before favoriting.
- The same student after favoriting.
- Code for states



```
src/app/components/announcement-card/announcement-card.ts:30:1
30 }
31
32 toggleFavorite(student: any) {
33   student.favorite = !student.favorite;
34   console.log(`${student.name} favorite set to ${student.favorite}`);
35 }
36
```

```
public/MyLogo.png
public/ProfilePic.jpg
src/app/components/announcement-card/announcement-card.html:22:1
22 <p>{{ student.course }} • {{ student.year }}</p>
23
24 <div class="card-actions">
25   <button
26     class="btn favorite-btn"
27     [class.active]="student.favorite"
28     (click)="toggleFavorite(student)">
29     {{ student.favorite ? '★ Favorited' : '★ Favorite' }}
30   </button>

```

Flag 7 — Control the Announcements


Objective: Make Announcement buttons functional.



Complete both actions:

- Pin should toggle the announcement's important status.
- Delete should remove the announcement from the list.

Screenshot:

- One announcement pinned.
- One announcement deleted.
- Code for logic





Flag 8 — Trigger Edit Mode

Objective: Prepare for future editing.

Clicking the Edit button should display which student is being edited.

Examples:

- Browser alert
- Console message
- On-screen text


Example output:

Editing Juan Dela Cruz

(No logic yet)

Screenshot:

- The edit action successfully displaying the selected student's name.
- Code for edit mode



Flag 9 — The Interactive UI

Objective: Your Student Portal should now respond to user actions without refreshing the page.



Checklist:

- Student cards have Favorite, Edit, and Delete buttons.

- Announcement cards have Pin and Delete buttons.
- Favorite toggles correctly.
- Students can be deleted.
- Announcements can be pinned.
- Announcements can be deleted.
- Edit identifies the selected student.

Screenshot:


- Your completed interactive Student Portal showing both Student Cards and Announcement Cards with working interactions.



Flag 10 — Commit Your Progress

📸 Final Flag Screenshot

- The entire completed browser UI for this activity
- Successful push to **feature/event-binding**



```
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git status
On branch feature/event-binding
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/app/components/announcement-card/announcement-card.css
        modified:   src/app/components/announcement-card/announcement-card.html
        modified:   src/app/components/announcement-card/announcement-card.ts

PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git add
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.spec.ts', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git commit -m "Feat: Activity Event Binding"
[feature/event-binding 66d726f] Feat: Activity Event Binding
 4 files changed, 185 insertions(+), 132 deletions(-)

PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git push origin feature/event-binding
Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (9/9), 2.83 KiB | 724.00 KiB/s, done.
Total 9 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
remote:
remote: Create a pull request for 'feature/event-binding' on GitHub by visiting:
remote:   https://github.com/Beth7254/ITFE403A_GRACIA/pull/new/feature/event-binding
remote:
To https://github.com/Beth7254/ITFE403A_GRACIA.git
 * [new branch]      feature/event-binding -> feature/event-binding
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git status
On branch feature/event-binding
nothing to commit, working tree clean
```

