

CTF 7 — Stop Putting Everything on One Screen

Goal: Introduce Angular routing and separate the Student Portal into dedicated pages.

School Request

"Each student deserves a dedicated page."

Today's mission introduces **Angular Router**. Instead of keeping the entire Student Portal on one screen, you'll create separate pages for the student list, student details, and adding a new student.

You'll also practice navigating between pages using Angular routes.

Flag 1 — Prepare Your Mission

Objective: Create a new branch for today's challenge.

Create and switch to a new Git branch.

Branch name:

feature/routing



Screenshot:

- The command used to create and switch to the new branch.

```
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA> cd my-first-angular-app
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git checkout -b feature/routing
Switched to a new branch 'feature/routing'
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git branch
feature/components
feature/conditional-ui
feature/event-binding
feature/interpolation
feature/ngFor
* feature/routing
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app>
```

Flag 2 — Build the Student List Page

Objective: Create a dedicated page for the student list.

Move your existing student list UI into a separate component/page.


Your page should display:

- Student cards
- Student information
- Active/Inactive status
- Existing actions

The Student List page will become the **main page** of the Student Portal.

Screenshot:

- Your Student List page displayed in the browser.



Flag 3 — Create the Student Detail Page

Objective: Create a separate page for viewing a student.

Create a new component for the Student Detail page.

For now, the page can display information such as:


- Student name
- Student ID
- Course

- Year level
- Status

You will later connect this page to a specific student.

Screenshot:

- Your Student Detail page displayed separately from the Student List.



Flag 4 — Create the Add Student Page

Objective: Create a dedicated page for adding students.

Create another component for:

Add Student

For this challenge, **do not create any form fields yet.**

The page can simply display:


Add Student

or

Add Student Page

Screenshot:

- The blank Add Student page displayed in the browser.



Flag 5 — Open the Portal Gate

Objective: Configure Angular Router.

Add routes for your three pages.

Your application should have routes similar to:

`/students`



`/students/:id`

`/students/add`

The exact route configuration may vary depending on your project structure.

Screenshot:

- Your route configuration showing the three routes.



Flag 6 — Navigate Without Reloading

Objective: Add navigation between pages.

Create navigation links or buttons that allow the user to move between:

- Student List
- Add Student
- Student Detail



Use Angular's router navigation instead of manually changing the browser URL.

Hint:

routerLink

Screenshot:

- Your navigation menu/buttons.
- The browser changes between pages without a full page reload.



Flag 7 — Give Every Student a Page

Objective: Navigate from a student card to its detail page.

Add a button or link to each student card.

Example:

View Student

When clicked, it should navigate to that student's detail route.

Example:

/students/1

/students/2

/students/3

You don't need to load different student data yet. The goal is to successfully navigate using a route parameter.


Hint:

:id



Screenshot:

- A student card with the View Student button.
- The resulting Student Detail URL/page.



Flag 8 — Build the Portal Navigation

Objective: Make the Student Portal feel like a multi-page application.

Your final navigation should allow users to move between:

Student List



Student Detail

Student List





Add Student

The Student List should remain accessible after navigating to other pages.



 **Screenshot:**

- Your complete navigation working between all three pages.





Student Detail



Flag 9 — Commit Your Progress

Final Flag Screenshot

- Successful push to **feature/routing**.

```
Problems Output Debug Console Terminal Ports Azure
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git status
On branch feature/routing
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   src/app/app.config.ts
    modified:   src/app/app.css
    modified:   src/app/app.html
    modified:   src/app/app.routes.ts
    modified:   src/app/components/announcement-card/announcement-card.css
    modified:   src/app/components/announcement-card/announcement-card.html
    modified:   src/app/components/announcement-card/announcement-card.ts
    modified:   src/app/components/footer/footer.css
    modified:   src/app/components/header/header.css
    modified:   src/app/components/header/header.html
    modified:   src/app/components/header/header.ts
    modified:   src/app/components/profile-card/profile-card.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    src/app/components/add-student/
    src/app/components/student-detail/

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git add .
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/header/header.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/header/header.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/add-student/add-student.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/add-student/add-student.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/add-student/add-student.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/student-detail/student-detail.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/student-detail/student-detail.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/student-detail/student-detail.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/student-list/student-list.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/student-list/student-list.ts', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git commit -m "Feat : Activity 6 Added some features"
[feature/routing d9215ab] Feat : Activity 6 Added some features
25 files changed, 1695 insertions(+), 433 deletions(-)
create mode 100644 src/app/components/add-student/add-student.css
create mode 100644 src/app/components/add-student/add-student.html
create mode 100644 src/app/components/add-student/add-student.spec.ts
create mode 100644 src/app/components/add-student/add-student.ts
create mode 100644 src/app/components/student-detail/student-detail.css
create mode 100644 src/app/components/student-detail/student-detail.html
create mode 100644 src/app/components/student-detail/student-detail.spec.ts
create mode 100644 src/app/components/student-detail/student-detail.ts
create mode 100644 src/app/components/student-list/student-list.css
create mode 100644 src/app/components/student-list/student-list.html
create mode 100644 src/app/components/student-list/student-list.spec.ts
create mode 100644 src/app/components/student-list/student-list.ts
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git push origin feature/routing
Enumerating objects: 58, done.
Counting objects: 100% (58/58), done.
Delta compression using up to 8 threads
Compressing objects: 100% (37/37), done.
Writing objects: 100% (37/37), 8.49 KiB | 1.06 MiB/s, done.
Total 37 (delta 12), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (12/12), completed with 8 local objects.
remote:
remote: Create a pull request for 'feature/routing' on GitHub by visiting:
remote:   https://github.com/Beth7254/ITFE403A_GRACIA/pull/new/feature/routing
remote:
To https://github.com/Beth7254/ITFE403A_GRACIA.git
 * [new branch]   feature/routing -> feature/routing
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app>
```

