

CTF 6 — Active or Inactive?

Goal: Display different UI depending on a student's status using Angular's conditional rendering.

School Request

"Some students are inactive."

Today's mission introduces `*ngIf`, one of Angular's most important directives. Instead of showing everything all the time, your Student Portal should decide what appears based on data.

You'll also prepare your app for real-world situations like empty lists and loading screens.

Flag 1 — Prepare Your Mission

Objective: Create a new branch for today's challenge.

Create and switch to a new Git branch.

Branch name:

`feature/conditional-ui`

Screenshot:

- The command used to create and switch to the new branch.

```
Bybethie@Bybethie MINGW64 ~/Documents/ITFE403A_GRACIA (main)
• $ git switch -c feature/conditional-ui
  Switched to a new branch 'feature/conditional-ui'

Bybethie@Bybethie MINGW64 ~/Documents/ITFE403A_GRACIA (feature/conditional-ui)
• $ git branch
  angular_activity
  feature/components
  * feature/conditional-ui
  main
```

Flag 2 — Give Students a Status

Objective: Add an `active` property to every student.

Each student object should now include a boolean status.

Example idea:

- `true`
- `false`

Make sure some students are active while others are inactive.

Screenshot:

- Your student data showing the new `active` property.

```
students = [  
  { name: 'Niel Jhon Celocia', course: 'BSIT', year: '4th Year', favorite: false, active: true },  
  { name: 'Jownie Ann Malate', course: 'BSIT', year: '4th Year', favorite: false, active: true },  
  { name: 'Bonna Mae Pitogo', course: 'BSIT', year: '4th Year', favorite: false, active: false },  
  { name: 'Kurt Wojtyle Rizal', course: 'BSIT', year: '4th Year', favorite: false, active: false },  
];
```

Flag 3 — Reveal Active Students


Objective: Display an "Active" badge only for active students.

Use Angular's `*ngIf` directive.

Hint: The badge should only appear when a student's status is `true`.

Screenshot:

- An active student displaying the badge.



Flag 4 — Expose Inactive Students

Objective: Show a different badge for inactive students.

If a student isn't active, display something like:

- Inactive
- Disabled
- Offline

Use Angular's `else` template with `*ngIf`.

Screenshot:

- One active student.
- One inactive student.

Student List

#1 Niel Jhon Celocia

Active

BSIT • 4th Year

☆ Favorite

✎ Edit

🗑 Delete

#2 Jownie Ann Malate

Active

BSIT • 4th Year

☆ Favorite

✎ Edit

🗑 Delete

#3 Bonna Mae Pitogo

Inactive

BSIT • 4th Year

☆ Favorite

✎ Edit

🗑 Delete

#4 Kurt Wojtyle Rizal

Inactive

BSIT • 4th Year

☆ Favorite

✎ Edit

🗑 Delete

Flag 5 — Lock Inactive Actions

Objective: Prevent inactive students from using actions.

Choose one action button such as:


- Edit
- Favorite
- Delete

Only show or enable that button when the student is active.

Hint: `*ngIf` can hide elements completely.

Screenshot:

- Active student with the button visible.
- Inactive student with the button hidden or disabled.



Flag 6 — Build an Empty State

Objective: Prepare for when there are no students.

If the student list becomes empty, display a friendly message instead of blank space.

Example ideas:


No students found.

Add your first student.

Hint: Check the array's length with `*ngIf`.

Screenshot:

- Student list before becoming empty.
- Empty-state message after removing all students.



Flag 7 — Simulate Loading

Objective: Create a fake loading screen.

Before displaying the Student Portal, show a loading message.

Ideas:

- Loading students...


- Spinner icon
- Skeleton cards

After changing the loading variable, the student list should appear.

Hint: Use a boolean variable with `*ngIf`.

Screenshot:

- Loading screen.
- Student Portal after loading.



•

Flag 8 — Mission Complete




Objective: Your Student Portal should now display different UI depending on its current state.

Checklist

- Students have an `active` property.
- Active students display an Active badge.
- Inactive students display an Inactive badge.
- At least one action changes based on student status.
- An empty-state message appears when no students exist.
- A loading screen appears before the student list.

Screenshot:

- Your completed Student Portal showing active and inactive students, conditional badges, loading state, and empty state working correctly.



Flag 9 — Commit Your Progress

Final Flag Screenshot

- Successful push to `feature/conditional-ui`

```
Problems  Output  Debug Console  Terminal  Ports  Azure
PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> ng serve

Component update sent to client(s).
● PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git status
On branch feature/event-binding
(use "git add <file>..." to update what will be committed)
   modified:   src/app/components/announcement-card/announcement-card.css
   modified:   src/app/components/announcement-card/announcement-card.html
   modified:   src/app/components/announcement-card/announcement-card.spec.ts
   modified:   src/app/components/announcement-card/announcement-card.ts

no changes added to commit (use "git add" and/or "git commit -a")
● PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git add .
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.ts', LF will be replaced by CRLF the next time Git touches it
● PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git switch -c feature/conditional-ui
● PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git status
On branch feature/conditional-ui
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/app/components/announcement-card/announcement-card.css
        modified:   src/app/components/announcement-card/announcement-card.html
        modified:   src/app/components/announcement-card/announcement-card.spec.ts
        modified:   src/app/components/announcement-card/announcement-card.ts

● PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git add .
● PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git commit -m "Feat: Activity 6"
[feature/conditional-ui d670eae] Feat: Activity 6
 4 files changed, 541 insertions(+), 124 deletions(-)
● PS C:\Users\Bybethie\Documents\ITFE403A_GRACIA\my-first-angular-app> git push -u origin feature/conditional-ui
Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
```