



Home / Masks Don't Work: A Review of Science Relevant to COVID-19 Social Policy

11

Jun  
2020

## Masks Don't Work: A Review of Science Relevant to COVID-19 Social Policy

By Denis G. Rancourt, PhD



Masks and respirators do not work.


There have been extensive randomized controlled trial (RCT) studies, and meta-analysis reviews of RCT studies, which all show that masks and respirators do not work to prevent respiratory influenza-like illnesses, or respiratory illnesses believed to be transmitted by droplets and aerosol particles.

Furthermore, the relevant known physics and biology, which I review, are such that masks and respirators should not work. It would be a paradox if masks and respirators worked, given what we know about viral

respiratory diseases: The main transmission path is long-residence-time aerosol particles ( $< 2.5 \mu\text{m}$ ), which are too fine to be blocked, and the minimum-infective dose is smaller than one aerosol particle.

The present paper about masks illustrates the degree to which governments, the mainstream media, and institutional propagandists can decide to operate in a science vacuum, or select only incomplete science that serves their interests. Such recklessness is also certainly the case with the current global lockdown of over 1 billion people, an unprecedented experiment in medical and political history.

(From [Words from the Publisher](#): "We pledge to publish all letters, guest commentaries, or studies refuting [Rancourt's] general premise that this mask-wearing culture and shaming could be more harmful than helpful. Please send your feedback to [info@rcreader.com](mailto:info@rcreader.com).") [UPDATE: August 12, 2020 [Still No Evidence Justifying Mandatory Masks](#)]



## Review of the Medical Literature

Here are key anchor points to the extensive scientific literature that establishes that wearing surgical masks and respirators (e.g., "N95") does not reduce the risk of contracting a verified illness:

**Jacobs, J. L. et al. (2009)** "Use of surgical face masks to reduce the incidence of the common cold among health care workers in Japan: A randomized controlled trial," *American Journal of Infection Control*, Volume 37, Issue 5, 417 – 419. <https://www.ncbi.nlm.nih.gov/pubmed/19216002>

N95-masked health-care workers (HCW) were significantly more likely to experience headaches. Face mask use in HCW was not demonstrated to provide benefit in terms of cold symptoms or getting colds.

**Cowling, B. et al. (2010)** "Face masks to prevent transmission of influenza virus: A systematic review," *Epidemiology and Infection*, 138(4), 449-456. <https://www.cambridge.org/core/journals/epidemiology-and-infection/article/face-masks-to-prevent-transmission-of-influenza-virus-a-systematic-review/64D368496EBDE0AFCC6639CCC9D8BC05>

None of the studies reviewed showed a benefit from wearing a mask, in either HCW or community members in households (H). See summary Tables 1 and 2 therein.

**bin-Reza et al. (2012)** "The use of masks and respirators to prevent transmission of influenza: a systematic review of the scientific evidence," *Influenza and Other Respiratory Viruses* 6(4), 257–267. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/j.1750-2659.2011.00307.x>


"There were 17 eligible studies. ... None of the studies established a conclusive relationship between mask/respirator use and protection against influenza infection."

**Smith, J.D. et al. (2016)** "Effectiveness of N95 respirators versus surgical masks in protecting health care workers from acute respiratory infection: a systematic review and meta-analysis," *CMAJ* Mar 2016

"We identified six clinical studies ... . In the meta-analysis of the clinical studies, we found no significant difference between N95 respirators and surgical masks in associated risk of (a) laboratory-confirmed respiratory infection, (b) influenza-like illness, or (c) reported work-place absenteeism."

**Offeddu, V. et al. (2017)** "Effectiveness of Masks and Respirators Against Respiratory Infections in Healthcare Workers: A Systematic Review and Meta-Analysis," *Clinical Infectious Diseases*, Volume 65, Issue 11, 1 December 2017, Pages 1934–1942, <https://academic.oup.com/cid/article/65/11/1934/4068747>

"Self-reported assessment of clinical outcomes was prone to bias. Evidence of a protective effect of masks or respirators against verified respiratory infection (VRI) was not statistically significant"; as per Fig. 2c therein:



**Radonovich, L.J. et al. (2019)** "N95 Respirators vs Medical Masks for Preventing Influenza Among Health Care Personnel: A Randomized Clinical Trial," *JAMA*. 2019; 322(9): 824–833.

<https://jamanetwork.com/journals/jama/fullarticle/2749214>

“Among 2862 randomized participants, 2371 completed the study and accounted for 5180 HCW-seasons. ... Among outpatient health care personnel, N95 respirators vs medical masks as worn by participants in this trial resulted in no significant difference in the incidence of laboratory-confirmed influenza.”

**Long, Y. et al. (2020)** “Effectiveness of N95 respirators versus surgical masks against influenza: A systematic review and meta-analysis,” *J Evid Based Med.* 2020; 1- 9.

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/jebm.12381>

“A total of six RCTs involving 9,171 participants were included. There were no statistically significant differences in preventing laboratory-confirmed influenza, laboratory-confirmed respiratory viral infections, laboratory-confirmed respiratory infection, and influenza-like illness using N95 respirators and surgical masks. Meta-analysis indicated a protective effect of N95 respirators against laboratory-confirmed bacterial colonization (RR = 0.58, 95% CI 0.43-0.78). The use of N95 respirators compared with surgical masks is not associated with a lower risk of laboratory-confirmed influenza.”

### **Conclusion Regarding That Masks Do Not Work**

No RCT study with verified outcome shows a benefit for HCW or community members in households to wearing a mask or respirator. There is no such study. There are no exceptions.

Likewise, no study exists that shows a benefit from a broad policy to wear masks in public (more on this below).

Furthermore, if there were any benefit to wearing a mask, because of the blocking power against droplets and aerosol particles, then there should be more benefit from wearing a respirator (N95) compared to a surgical mask, yet several large meta-analyses, and all the RCT, prove that there is no such relative benefit.

Masks and respirators do not work.

## **Precautionary Principle Turned on Its Head with Masks**

In light of the medical research, therefore, it is difficult to understand why public-health authorities are not consistently adamant about this established scientific result, since the distributed psychological, economic, and environmental harm from a broad recommendation to wear masks is significant, not to mention the unknown potential harm from concentration and distribution of pathogens on and from used masks. In this case, public authorities would be turning the precautionary principle on its head (see below).

## **Physics and Biology of Viral Respiratory Disease and of Why Masks Do Not Work**


In order to understand why masks cannot possibly work, we must review established knowledge about viral respiratory diseases, the mechanism of seasonal variation of excess deaths from pneumonia and influenza, the aerosol mechanism of infectious disease transmission, the physics and chemistry of aerosols, and the mechanism of the so-called minimum-infective-dose.

In addition to pandemics that can occur anytime, in the temperate latitudes there is an extra burden of respiratory-disease mortality that is seasonal, and that is caused by viruses. For example, see the review of influenza by Paules and Subbarao (2017). This has been known for a long time, and the seasonal pattern is exceedingly regular. *(Publisher's note: All links to source references to studies here forward are found at the end of this article.)*

For example, see Figure 1 of Viboud (2010), which has “Weekly time series of the ratio of deaths from pneumonia and influenza to all deaths, based on the 122 cities surveillance in the US (blue line). The red line represents the expected baseline ratio in the absence of influenza activity,” here:



### 122 cities weekly P&I mortality data



The seasonality of the phenomenon was largely not understood until a decade ago. Until recently, it was debated whether the pattern arose primarily because of seasonal change in virulence of the pathogens, or because of seasonal change in susceptibility of the host (such as from dry air causing tissue irritation, or diminished daylight causing vitamin deficiency or hormonal stress). For example, see Dowell (2001).

In a landmark study, Shaman et al. (2010) showed that the seasonal pattern of extra respiratory-disease mortality can be explained quantitatively on the sole basis of absolute humidity, and its direct controlling



impact on transmission of airborne pathogens.

Lowen et al. (2007) demonstrated the phenomenon of humidity-dependent airborne-virus virulence in actual disease transmission between guinea pigs, and discussed potential underlying mechanisms for the measured controlling effect of humidity.

The underlying mechanism is that the pathogen-laden aerosol particles or droplets are neutralized within a half-life that monotonically and significantly decreases with increasing ambient humidity. This is based on the seminal work of Harper (1961). Harper experimentally showed that viral-pathogen-carrying droplets were inactivated within shorter and shorter times, as ambient humidity was increased.

Harper argued that the viruses themselves were made inoperative by the humidity ("viable decay"), however, he admitted that the effect could be from humidity-enhanced physical removal or sedimentation of the droplets ("physical loss"): "Aerosol viabilities reported in this paper are based on the ratio of virus titre to radioactive count in suspension and cloud samples, and can be criticized on the ground that test and tracer materials were not physically identical."

The latter ("physical loss") seems more plausible to me, since humidity would have a universal physical effect of causing particle/droplet growth and sedimentation, and all tested viral pathogens have essentially the same humidity-driven "decay." Furthermore, it is difficult to understand how a virion (of all virus types) in a droplet would be molecularly or structurally attacked or damaged by an increase in ambient humidity. A "virion" is the complete, infective form of a virus outside a host cell, with a core of RNA or DNA and a capsid. The actual mechanism of such humidity-driven intra-droplet "viable decay" of a virion has not been explained or studied.

In any case, the explanation and model of Shaman et al. (2010) is not dependent on the particular mechanism of the humidity-driven decay of virions in aerosol/droplets. Shaman's quantitatively demonstrated model of seasonal regional viral epidemiology is valid for either mechanism (or combination of mechanisms), whether "viable decay" or "physical loss."

The breakthrough achieved by Shaman et al. is not merely some academic point. Rather, it has profound health-policy implications, which have been entirely ignored or overlooked in the current coronavirus pandemic.

In particular, Shaman's work necessarily implies that, rather than being a fixed number (dependent solely on the spatial-temporal structure of social interactions in a completely susceptible population, and on the viral strain), the epidemic's **basic reproduction number** ( $R_0$ ) is highly or predominantly dependent on ambient absolute humidity.

For a definition of  $R_0$ , see HealthKnowledge-UK (2020):  $R_0$  is "the average number of secondary infections produced by a typical case of an infection in a population where everyone is susceptible." The average  $R_0$  for influenza is said to be 1.28 (1.19–1.37); see the comprehensive review by Biggerstaff et al. (2014).

In fact, Shaman et al. showed that  $R_0$  must be understood to seasonally vary between humid-summer values of just larger than "1" and dry-winter values typically as large as "4" (for example, see their Table 2). In other words, the seasonal infectious viral respiratory diseases that plague temperate latitudes every year go from being intrinsically mildly contagious to virulently contagious, due simply to the bio-physical mode of transmission controlled by atmospheric humidity, irrespective of any other consideration.

Therefore, all the epidemiological mathematical modeling of the benefits of mediating policies (such as social distancing), which assumes humidity-independent  $R_0$  values, has a large likelihood of being of little value, on this basis alone. For studies about modeling and regarding mediation effects on the effective reproduction number, see Coburn (2009) and Tracht (2010).

To put it simply, the "second wave" of an epidemic is not a consequence of human sin regarding mask wearing and hand shaking. Rather, the "second wave" is an inescapable consequence of an air-dryness-driven many-fold increase in disease contagiousness, in a population that has not yet attained immunity.

If my view of the mechanism is correct (i.e., “physical loss”), then Shaman’s work further necessarily implies that the dryness-driven high transmissibility (large  $R_0$ ) arises from small aerosol particles fluidly suspended in the air; as opposed to large droplets that are quickly gravitationally removed from the air.

Such small aerosol particles fluidly suspended in air, of biological origin, are of every variety and are everywhere, including down to virion-sizes (Despres, 2012). It is not entirely unlikely that viruses can thereby be physically transported over inter-continental distances (e.g., Hammond, 1989).

More to the point, indoor airborne virus concentrations have been shown to exist (in day-care facilities, health centers, and on-board airplanes) primarily as aerosol particles of diameters smaller than  $2.5\text{ }\mu\text{m}$ , such as in the work of Yang et al. (2011):

“Half of the 16 samples were positive, and their total virus  $\sim 3$  concentrations ranged from 5800 to 37 000 genome copies  $\text{m}^{-3}$ . On average, 64 per cent of the viral genome copies were associated with fine particles smaller than  $2.5\text{ }\mu\text{m}$ , which can remain suspended for hours. Modeling of virus concentrations indoors suggested a source strength of  $1.6 \pm 1.2 \times 10^5$  genome copies  $\text{m}^{-3}$   $\text{air h}^{-1}$  and a deposition flux onto surfaces of  $13 \pm 7$  genome copies  $\text{m}^{-2}$   $\text{h}^{-1}$  by Brownian motion. Over one hour, the inhalation dose was estimated to be  $30 \pm 18$  median tissue culture infectious dose (TCID<sub>50</sub>), adequate to induce infection. These results provide quantitative support for the idea that the aerosol route could be an important mode of influenza transmission.”

Such small particles ( $< 2.5\text{ }\mu\text{m}$ ) are part of air fluidity, are not subject to gravitational sedimentation, and would not be stopped by long-range inertial impact. This means that the slightest (even momentary) facial misfit of a mask or respirator renders the design filtration norm of the mask or respirator entirely irrelevant. In any case, the filtration material itself of N95 (average pore size  $\sim 0.3\text{--}0.5\text{ }\mu\text{m}$ ) does not block virion penetration, not to mention surgical masks. For example, see Balazy et al. (2006).

Mask stoppage efficiency and host inhalation are only half of the equation, however, because the minimal infective dose (MID) must also be considered. For example, if a large number of pathogen-laden particles

must be delivered to the lung within a certain time for the illness to take hold, then partial blocking by any mask or cloth can be enough to make a significant difference.

On the other hand, if the MID is amply surpassed by the virions carried in a single aerosol particle able to evade mask-capture, then the mask is of no practical utility, which is the case.

Yezli and Otter (2011), in their review of the MID, point out relevant features:

1. Most respiratory viruses are as infective in humans as in tissue culture having optimal laboratory susceptibility
2. It is believed that a single virion can be enough to induce illness in the host
3. The 50-percent probability MID ("TCID50") has variably been found to be in the range 100–1000 virions
4. There are typically 10 to 3rd power – 10 to 7th power virions per aerolized influenza droplet with diameter 1  $\mu\text{m}$  – 10  $\mu\text{m}$
5. The 50-percent probability MID easily fits into a single (one) aerolized droplet
6. For further background:
7. A classic description of dose-response assessment is provided by Haas (1993).
8. Zwart et al. (2009) provided the first laboratory proof, in a virus-insect system, that the action of a single virion can be sufficient to cause disease.
9. Baccam et al. (2006) calculated from empirical data that, with influenza A in humans, "we estimate that after a delay of ~6 h, infected cells begin producing influenza virus and continue to do so for ~5 h. The average lifetime of infected cells is ~11 h, and the half-life of free infectious virus is ~3 h. We calculated the [in-body] basic reproductive number,  $R_0$ , which indicated that a single infected cell could produce ~22 new productive infections."
10. Brooke et al. (2013) showed that, contrary to prior modeling assumptions, although not all influenza-A-infected cells in the human body produce infectious progeny (virions), nonetheless, 90 percent of infected cell are significantly impacted, rather than simply surviving unharmed.

All of this to say that: if anything gets through (and it always does, irrespective of the mask), then you are going to be infected. Masks cannot possibly work. It is not surprising, therefore, that no bias-free study has

ever found a benefit from wearing a mask or respirator in this application.

Therefore, the studies that show partial stopping power of masks, or that show that masks can capture many large droplets produced by a sneezing or coughing mask-wearer, in light of the above-described features of the problem, are irrelevant. For example, such studies as these: Leung (2020), Davies (2013), Lai (2012), and Sande (2008).

### **Why There Can Never Be an Empirical Test of a Nation-Wide Mask-Wearing Policy**

As mentioned above, no study exists that shows a benefit from a broad policy to wear masks in public. There is good reason for this. It would be impossible to obtain unambiguous and bias-free results [because]:

1. Any benefit from mask-wearing would have to be a small effect, since undetected in controlled experiments, which would be swamped by the larger effects, notably the large effect from changing atmospheric humidity.
2. Mask compliance and mask adjustment habits would be unknown.
3. Mask-wearing is associated (correlated) with several other health behaviors; see Wada (2012).
4. The results would not be transferable, because of differing cultural habits.
5. Compliance is achieved by fear, and individuals can habituate to fear-based propaganda, and can have disparate basic responses.
6. Monitoring and compliance measurement are near-impossible, and subject to large errors.
7. Self-reporting (such as in surveys) is notoriously biased, because individuals have the self-interested belief that their efforts are useful.
8. Progression of the epidemic is not verified with reliable tests on large population samples, and generally relies on non-representative hospital visits or admissions.
9. Several different pathogens (viruses and strains of viruses) causing respiratory illness generally act together, in the same population and/or in individuals, and are not resolved, while having different epidemiological characteristics.

### **Unknown Aspects of Mask Wearing**

Many potential harms may arise from broad public policies to wear masks, and the following unanswered

questions arise:

1. Do used and loaded masks become sources of enhanced transmission, for the wearer and others?
2. Do masks become collectors and retainers of pathogens that the mask wearer would otherwise avoid when breathing without a mask?
3. Are large droplets captured by a mask atomized or aerolized into breathable components? Can virions escape an evaporating droplet stuck to a mask fiber?
4. What are the dangers of bacterial growth on a used and loaded mask?
5. How do pathogen-laden droplets interact with environmental dust and aerosols captured on the mask?
6. What are long-term health effects on HCW, such as headaches, arising from impeded breathing?
7. Are there negative social consequences to a masked society?
8. Are there negative psychological consequences to wearing a mask, as a fear-based behavioral modification?
9. What are the environmental consequences of mask manufacturing and disposal?
10. Do the masks shed fibers or substances that are harmful when inhaled?

## Conclusion

By making mask-wearing recommendations and policies for the general public, or by expressly condoning the practice, governments have both ignored the scientific evidence and done the opposite of following the precautionary principle.

In an absence of knowledge, governments should not make policies that have a hypothetical potential to cause harm. The government has an onus barrier before it instigates a broad social-engineering intervention, or allows corporations to exploit fear-based sentiments.

Furthermore, individuals should know that there is no known benefit arising from wearing a mask in a viral respiratory illness epidemic, and that scientific studies have shown that any benefit must be residually small, compared to other and determinative factors.

Otherwise, what is the point of publicly funded science?

The present paper about masks illustrates the degree to which governments, the mainstream media, and institutional propagandists can decide to operate in a science vacuum, or select only incomplete science that serves their interests. Such recklessness is also certainly the case with the current global lockdown of over 1 billion people, an unprecedented experiment in medical and political history.

*Denis G. Rancourt is a researcher at the Ontario Civil Liberties Association (OCLA.ca) and is formerly a tenured professor at the University of Ottawa, Canada. This paper was originally published at Rancourt's account on ResearchGate.net. As of June 5, 2020, this paper was removed from his profile by its administrators at [Researchgate.net/profile/D\\_Rancourt](https://www.researchgate.net/profile/D_Rancourt). At Rancourt's blog [ActivistTeacher.blogspot.com](https://activistteacher.blogspot.com), he recounts the notification and responses he received from ResearchGate.net and states, "This is censorship of my scientific work like I have never experienced before."*

*The original April 2020 white paper in .pdf format is available [here](#), complete with charts that have not been reprinted in the Reader print or web versions.*

**RELATED COMMENTARY:** [\*\*An Unprecedented Experiment: Sometimes You Just Gotta Wear the Stupid\*\*](#)

### **Endnotes:**

Baccam, P. et al. (2006) "Kinetics of Influenza A Virus Infection in Humans", *Journal of Virology* Jul 2006, 80 (15) 7590-7599; DOI: 10.1128/JVI.01623-05 <https://jvi.asm.org/content/80/15/7590>

Balazy et al. (2006) "Do N95 respirators provide 95% protection level against airborne viruses, and how adequate are surgical masks?", *American Journal of Infection Control*, Volume 34, Issue 2, March 2006, Pages 51-57. doi:10.1016/j.ajic.2005.08.018 <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.488.4644&rep=rep1&type=pdf>



Biggerstaff, M. et al. (2014) "Estimates of the reproduction number for seasonal, pandemic, and zoonotic influenza: a systematic review of the literature", *BMC Infect Dis* 14, 480 (2014). <https://doi.org/10.1186/1471-2334-14-480>

Brooke, C. B. et al. (2013) "Most Influenza A Virions Fail To Express at Least One Essential Viral Protein", *Journal of Virology* Feb 2013, 87 (6) 3155-3162; DOI: 10.1128/JVI.02284-12  
<https://jvi.asm.org/content/87/6/3155>

Coburn, B. J. et al. (2009) "Modeling influenza epidemics and pandemics: insights into the future of swine flu (H1N1)", *BMC Med* 7, 30. <https://doi.org/10.1186/1741-7015-7-30>

Davies, A. et al. (2013) "Testing the Efficacy of Homemade Masks: Would They Protect in an Influenza Pandemic?", *Disaster Medicine and Public Health Preparedness*, Available on CJO 2013  
doi:10.1017/dmp.2013.43 [http://journals.cambridge.org/abstract\\_S1935789313000438](http://journals.cambridge.org/abstract_S1935789313000438)

Despres, V. R. et al. (2012) "Primary biological aerosol particles in the atmosphere: a review", *Tellus B: Chemical and Physical Meteorology*, 64:1, 15598, DOI: 10.3402/tellusb.v64i0.15598  
<https://doi.org/10.3402/tellusb.v64i0.15598>

Dowell, S. F. (2001) "Seasonal variation in host susceptibility and cycles of certain infectious diseases", *Emerg Infect Dis*. 2001;7(3):369–374. doi:10.3201/eid0703.010301  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2631809/>

Hammond, G. W. et al. (1989) "Impact of Atmospheric Dispersion and Transport of Viral Aerosols on the Epidemiology of Influenza", *Reviews of Infectious Diseases*, Volume 11, Issue 3, May 1989, Pages 494–497,  
<https://doi.org/10.1093/clinids/11.3.494>

Haas, C.N. et al. (1993) "Risk Assessment of Virus in Drinking Water", *Risk Analysis*, 13: 545-552.  
doi:10.1111/j.1539-6924.1993.tb00013.x <https://doi.org/10.1111/j.1539-6924.1993.tb00013.x>

HealthKnowledge-UK (2020) "Charter 1a - Epidemiology: Epidemic theory (effective & basic reproduction numbers, epidemic thresholds) & techniques for analysis of infectious disease data (construction & use of epidemic curves, generation numbers, exceptional reporting & identification of significant clusters)", *HealthKnowledge.org.uk*, accessed on 2020-04-10. <https://www.healthknowledge.org.uk/public-health-textbook/research-methods/1a-epidemiology/epidemic-theory>

Lai, A. C. K. et al. (2012) "Effectiveness of facemasks to reduce exposure hazards for airborne infections among general populations", *J. R. Soc. Interface*. 9938–948 <http://doi.org/10.1098/rsif.2011.0537>

Leung, N.H.L. et al. (2020) "Respiratory virus shedding in exhaled breath and efficacy of face masks", *Nature Medicine* (2020). <https://doi.org/10.1038/s41591-020-0843-2>

Lowen, A. C. et al. (2007) "Influenza Virus Transmission Is Dependent on Relative Humidity and Temperature", *PLoS Pathog* 3(10): e151. <https://doi.org/10.1371/journal.ppat.0030151>

Paules, C. and Subbarao, S. (2017) "Influenza", *Lancet*, Seminar | Volume 390, ISSUE 10095, P697-708, August 12, 2017. [http://dx.doi.org/10.1016/S0140-6736\(17\)30129-0](http://dx.doi.org/10.1016/S0140-6736(17)30129-0)

Sande, van der, M. et al. (2008) "Professional and Home-Made Face Masks Reduce Exposure to Respiratory Infections among the General Population", *PLoS ONE* 3(7): e2618. doi:10.1371/journal.pone.0002618  
<https://doi.org/10.1371/journal.pone.0002618>

Shaman, J. et al. (2010) "Absolute Humidity and the Seasonal Onset of Influenza in the Continental United States", *PLoS Biol* 8(2): e1000316. <https://doi.org/10.1371/journal.pbio.1000316>

Tracht, S. M. et al. (2010) "Mathematical Modeling of the Effectiveness of Facemasks in Reducing the Spread of Novel Influenza A (H1N1)", *PLoS ONE* 5(2): e9018. doi:10.1371/journal.pone.0009018  
<https://doi.org/10.1371/journal.pone.0009018>

Viboud C. et al. (2010) "Preliminary Estimates of Mortality and Years of Life Lost Associated with the 2009 A/H1N1 Pandemic in the US and Comparison with Past Influenza Seasons", *PLoS Curr.* 2010; 2:RRN1153. Published 2010 Mar 20. doi:10.1371/currents.rrn1153  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2843747/>

Wada, K. et al. (2012) "Wearing face masks in public during the influenza season may reflect other positive hygiene practices in Japan", *BMC Public Health* 12, 1065 (2012). <https://doi.org/10.1186/1471-2458-12-1065>

Yang, W. et al. (2011) "Concentrations and size distributions of airborne influenza A viruses measured indoors at a health centre, a day-care centre and on aeroplanes", *Journal of the Royal Society, Interface.* 2011 Aug;8(61):1176-1184. DOI: 10.1098/rsif.2010.0686.  
<https://royalsocietypublishing.org/doi/10.1098/rsif.2010.0686>

Yezli, S., Otter, J.A. (2011) "Minimum Infective Dose of the Major Human Respiratory and Enteric Viruses Transmitted Through Food and the Environment", *Food Environ Virol* 3, 1–30.  
<https://doi.org/10.1007/s12560-011-9056-7>

Zwart, M. P. et al. (2009) "An experimental test of the independent action hypothesis in virus– insect pathosystems", *Proc. R. Soc. B.* 2762233–2242 <http://doi.org/10.1098/rspb.2009.0064>

## **SUPPORT THE RIVER CITIES' READER**

---

# **Help Keep the Reader Alive and Free Since '93!**

### Annual Support Levels

\$

### Monthly Support Levels

\$

### One Time Support

\$

**Support**



"We're the River Cities' Reader, and we've kept the Quad Cities' only independently owned newspaper alive and free since 1993. Now we find our ability to continue providing all the features you love **in serious jeopardy without the financial support of our readers.**

So please help the Reader keep going with your one-time, monthly, or annual support. With your financial support the Reader can continue providing uncensored, non-scripted, and independent journalism alongside the Quad Cities' area's most comprehensive cultural coverage." - Todd McGreevy, Publisher

## SUPPORT THE READER


---



With your one-time, monthly, or annual contribution, the *Reader* can continue providing uncensored, non-scripted, and independent journalism alongside the Quad Cities area's most comprehensive cultural coverage.

Alive & Free Since '93

## SPECIAL FEATURES



**COVID Curious?**  
**NEWS & COMMENTARY**

**The State of Things**  
**INSIDE A&E VENUES**

**Home Viewing**  
**MOVIE HIGHLIGHTS**

**DuTrac**  
Community Credit Union  
Take care of YOU!

Rates as low as  
**7.99% APR\***

The DuTrac Advantage: 0% intro rate on new credit cards. Credit subject to the 12 Month Introductory Period. After the Introductory Period, the Annual Percentage Rate (APR) will increase to the Standard Variable Rate (SVR) of 7.99% APR. The SVR is subject to change without notice. \*Not applicable to all credit cards. See website for details.

©2020 DuTrac Community Credit Union. All rights reserved. NCUA

## SUBSCRIBE

---

**Subscribe to our weekly e-mail updates, delivered to your inbox every Friday.**


You'll get a rundown of What's Happenin' along with your keys to the Quad Cities' culture.


**Subscribe**

## ON STANDS NOW

---







## LECTURES CALENDAR

Search

October 2020

S	M	T	W	T	F	S
27	28	29	30	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1	2	3	4	5	6	7

October 2020

DATE	TIME	EVENT	VENUE
<input type="checkbox"/> Oct 1	2pm	Zoom Event -- The Environmental Voter: The Path to a Just and Stable Climate	
<input type="checkbox"/> Oct 1	6:30pm	Virtual Event: Local History Program with Historian Gena Schantz	Davenport Public Library - Main Branch
<input type="checkbox"/> Oct 7	6:30pm	Virtual Event: Collaborate, Work, and Meet Remotely	Davenport Public Library - Main Branch
<input type="checkbox"/> Oct 15	6pm	Virtual Event: 3rd Thursday at Hoover's: Heroism and Humanity Behind German Lines	Davenport Public Library - Main Branch
<input type="checkbox"/> Oct 18	2pm	Virtual Presentation: The Journey to Mollie's War: WACs & WWII	German American Heritage Center
<input type="checkbox"/> Oct 19		Virtual Community Connections -- The Political Lincoln: Honest Abe on Campaigns & Elections	Bettendorf Public Library
<input type="checkbox"/> Oct 20		Virtual Community Connections -- The Political Lincoln: Honest Abe on Campaigns & Elections	Bettendorf Public Library
<input type="checkbox"/> Oct 21		Virtual Community Connections -- The Political Lincoln: Honest Abe on Campaigns & Elections	Bettendorf Public Library
<input type="checkbox"/> Oct 22		Virtual Community Connections -- The Political Lincoln: Honest Abe on Campaigns & Elections	Bettendorf Public Library
<input type="checkbox"/> Oct 22	2pm	Frieze Lecture Series	Rock Island Public Library - Downtown Library
<input type="checkbox"/> Oct 22	6pm	Virtual Event: Local Ghosts	Davenport Public Library - Main Branch
<input type="checkbox"/> Oct 23		Virtual Community Connections -- The Political Lincoln: Honest Abe on Campaigns & Elections	Bettendorf Public Library
<input type="checkbox"/> Oct 24		Virtual Community Connections -- The Political Lincoln: Honest Abe on Campaigns & Elections	Bettendorf Public Library
<input type="checkbox"/> Oct 25		Virtual Community Connections -- The Political Lincoln: Honest Abe on Campaigns & Elections	Bettendorf Public Library
<input type="checkbox"/> Oct 26	6:30pm	Virtual Event: Digital Skills for Everyday Tasks	Davenport Public Library - Main Branch
<input type="checkbox"/> Oct 29	2pm	Frieze Lecture Series	Rock Island Public Library - Downtown Library

## November 2020

	DATE	TIME	EVENT	VENUE
<input type="checkbox"/>	Nov 5	2pm	Frieze Lecture Series	Rock Island Public Library - Downtown Library
<input type="checkbox"/>	Nov 12	2pm	Frieze Lecture Series	Rock Island Public Library - Downtown Library
<input type="checkbox"/>	Nov 18	3pm	The Korean War: 70 Years Later: Background and Start of the War	Davenport Public Library - Main Branch
<input type="checkbox"/>	Nov 18	6pm	The Korean War: 70 Years Later: Background and Start of the War	Rock Island Public Library - Downtown Library

### March 2021

	DATE	TIME	EVENT	VENUE
<input type="checkbox"/>	Mar 11	6pm	WVIK: The Power of Words featuring Michele Norris	Davenport RiverCenter

### June 2021

	DATE	TIME	EVENT	VENUE
<input type="checkbox"/>	Jun 19	12pm	TEDxDavenport 2020	Adler Theatre

☐ All

Event Actions



Events calendar powered by Trumba



- > Print Edition Archive
- > News
- > Commentary
- > Theatre
- > Music
- > Movies

- > Art
- > Lifestyle
- > News Releases
- > Calendar
- > Advertising Information
- > Support the Reader: Alive & Free Since '93



The *River Cities' Reader*, started in 1993, is independently and locally owned. We publish a monthly printed tabloid size magazine, available for free throughout the Quad Cities at over 300 locations. The *Reader* provides keys to the Quad Cities' culture in print and online with exhaustive event calendars and coverage of arts, music, theatre, festivals, readings, lectures, meetings, exhibits, museums, dance, sports and classes for all ages. Commentaries on business and politics, locally written theatre and movie reviews, advice columns, astrology, cartoons and crosswords are also published in print monthly, and refreshed weekly, online.

## Know more. Do more.

532 W 3rd St, Davenport IA 52801

(563) 324-0049

[info@rcreader.com](mailto:info@rcreader.com)

Contact the advertising department: [sales@rcreader.com](mailto:sales@rcreader.com)

Submit events to our calendar: [calendar@rcreader.com](mailto:calendar@rcreader.com)

[facebook.com/RiverCitiesReader](https://facebook.com/RiverCitiesReader)

[@RCReader](https://twitter.com/RCReader)



Copyright © 1993-2020 River Cities' Reader. All rights reserved