

BLOCK SOLUTIONS

Smart Contract Code Review and Security Analysis Report for MITHERA BEP20 Token Smart Contract



Request Date: 2024-07-28 Completion Date: 2024-07-30

Language: Solidity

Contents

Commission	3
MITHERA BEP20 TOKEN Properties	4
Contract Functions	5
Executables	5
Checklist	6
Executable Functions	8
MITHERA BEP20 TOKEN Contract	8
Testing Summary	9
Quick Stats:	10
Executive Summary	11
Code Quality	11
Documentation	11
Use of Dependencies	11
Critical	12
High	12
Medium	12
Low	12
Conclusion	13
Our Methodology	13



Commission

Audited Project	MITHERA BEP20 Token Smart Contract
Contract Creator	0xCac287750716b562E5Fb6f1cEac1c5438b88b497
Contract Address	0x79D9A99D250008BB212e7cd5cB2684B737B8307B
Blockchain Platform	Binance Smart Chain Main net

Block Solutions was commissioned by MITHERA BEP20 TOKEN Smart Contract owners to perform an audit of their main smart contract. The purpose of the audit was to achieve the following:

- Ensure that the smart contract functions as intended.
- Identify potential security issues with the smart contract.

The information in this report should be used to understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

MITHERA BEP20 TOKEN Properties

Contract Token name	Mithera
Symbol	MTR
Decimals	18
Total Supply	2,000,000,000 MTR
Holder	51 Addresses
Transfer	59
Contract Creator	0xCac287750716b562E5Fb6f1cEac1c5438b88b497
Contract Address	0x79D9A99D250008BB212e7cd5cB2684B737B8307B
Blockchain Platform	Binance Smart Chain Main net



Contract Functions

Executables

- i. function approve (address spender, uint value) public returns (bool)
- ii. function transferFrom (address from, address to, uint value) public returns (bool)
- iii. function transfer (address to, uint value) public returns(bool)



${\bf Check list}$

Compiler errors.	Passed
Possible delays in data delivery.	Passed
Timestamp dependence.	Passed
Integer Overflow and Underflow.	Passed
Race Conditions and Reentrancy.	Passed
DoS with Revert.	Passed
DoS with block gas limit.	Passed
Methods execution permissions.	Passed
Economy model of the contract.	Passed
Private user data leaks.	Passed
Malicious Events Log.	Passed
Scoping and Declarations.	Passed
Uninitialized storage pointers.	Passed
Arithmetic accuracy.	Passed
Design Logic.	Passed
Impact of the exchange rate.	Passed
Oracle Calls.	Passed
Cross-function race conditions.	Passed
Fallback function security.	Passed
Safe Open Zeppelin contracts and implementation usage.	Passed



Whitepaper-Website-Contract correlation.	Not-Checked
Front Running.	Not-Checked



Executable Functions

MITHERA BEP20 TOKEN Contract

This will transfer token for a specified address "to" is the address to transfer. "value" is the amount to be transferred.

```
function transfer (address to, uint value) public returns(bool) {
    require(balanceOf(msg.sender) >= value, 'balance too low');
    balances[to] += value;
    balances[msg.sender] -= value;
    emit Transfer(msg.sender, to, value);
    return true;
}
```

Transfer tokens from the "from" account to the "to" account. The calling account must already have sufficient tokens approved for spending from the "from" account and "from" account must have sufficient balance to transfer. "to" must have sufficient allowance to transfer.

```
function transferFrom (address from, address to, uint value) public returns (bool) {
    require(balanceOf(from) >= value, 'balance too low');
    require(allowance[from][msg.sender] >= value, 'allowance too low');
    balances[to] += value;
    balances[from] -= value;
    emit Transfer(from, to, value);
    return true;
}
```

Approve the passed address to spend the specified number of tokens on behalf of msg. sender. "spender" is the address which will spend the funds. "amount" the number of tokens to be spent.

```
function approve (address spender, uint value) public returns (bool) {
   allowance[msg.sender][spender] = value;
   emit Approval(msg.sender, spender, value);
   return true;
}
```



Testing Summary

PASS

Block Solutions Believes

this smart contract security passes qualifications to be listed on digital asset exchanges.



30th July, 2024



Quick Stats:

Main Category	Subcategory	Result
Contract Programming	Solidity version not specified	Passed
	Solidity version too old	Passed
	Integer overflow/underflow	Passed
	Function input parameters lack of check	Passed
	Function input parameters check bypass	Passed
	Function access control lacks management	Passed
	Critical operation lacks event log	Passed
	Human/contract checks bypass	Passed
	Random number generation/use vulnerability	Passed
	Fallback function misuse	Passed
	Race condition	Passed
	Logical vulnerability	Passed
	Other programming issues	Passed
Code Specification	Visibility not explicitly declared	Passed
	Var. storage location not explicitly declared	Passed
	Use keywords/functions to be deprecated	Passed
	Other code specification issues	Passed
Gas Optimization	Assert () misuse	Passed
	High consumption 'for/while' loop	Passed
	High consumption 'storage' storage	Passed
	"Out of Gas" Attack	Passed
Business Risk	The maximum limit for mintage not set	Passed
	"Short Address" Attack	Passed
	"Double Spend" Attack	Passed

Overall Audit Result: PASSED

Executive Summary

According to the standard audit assessment, Customer's solidity smart contract is Well-secured. Again, it is recommended to perform an Extensive audit assessment to bring a more assured conclusion.



We used various tools like Mythril, Slither and Remix IDE. At the same time this finding is based on critical analysis of the manual audit.

All issues found during automated analysis were manually reviewed and applicable vulnerabilities are presented in the Quick Stat section.

We found 0 critical, 0 high, 0 medium and 0 low level issues.

Code Quality

The MITHERA BEP20 TOKEN Smart Contract protocol consists of one contract. The BLOCKSOLUTIONS team has **not** provided scenario and unit test scripts, which would help to determine the integrity of the code in an automated way. Overall, the code is not commented. Commenting can provide rich documentation for functions, return variables and more.

Documentation

As mentioned above, it's recommended to write comments in the smart contract code, so anyone can quickly understand the programming flow as well as complex code logic. We were given a MITHERA BEP20 TOKEN Smart Contract smart contract code in the form of File.

Use of Dependencies

As per our observation, the libraries are used in this smart contract infrastructure that are based on well-known industry standard open-source projects. And even core code blocks are written well and systematically. This smart contract does not interact with other external smart contracts.



Risk Level	Description
Critical	Critical vulnerabilities are usually straightforward to exploit and can lead to token loss etc.
High	High-level vulnerabilities are difficult to exploit; however, they also have significant impact on smart contract execution, e.g. public access to crucial functions
Medium	Medium-level vulnerabilities are important to fix; however, they can't lead to tokens lose
Low	Low-level vulnerabilities are mostly related to outdated, unused etc. code snippets, that can't have significant impact on execution
Lowest / Code Style / Best Practice	Lowest-level vulnerabilities, code style violations and info statements can't affect smart contract execution and can be ignored.

Audit Findings

Critical

No critical severity vulnerabilities were found.

High

No high severity vulnerabilities were found.

Medium

No Medium severity vulnerabilities were found.

Low

No Low severity vulnerabilities were found.



Conclusion

The Smart Contract code passed the audit successfully. There were no warnings raised. We were given a contract code. And we have used all possible tests based on given objects as files. So, it is good to go for production. Since possible test cases can be unlimited for such extensive smart contract protocol, hence we provide no such guarantee of future outcomes. We have used all the latest static tools and manual observations to cover maximum possible test cases to scan everything. Smart contracts within the scope were manually reviewed and analyzed with static analysis tools. Smart Contract's high-level description of functionality was presented in Quick Stat section of the report.

Audit report contains all found security vulnerabilities and other issues in the reviewed code.

Security state of the reviewed contract is "Well Secured".

Our Methodology

We like to work with a transparent process and make our reviews a collaborative effort. The goals of our security audits are to improve the quality of systems we review and aim for sufficient remediation to help protect users. The following is the methodology we use in our security audit process.

Manual Code Review:

In manually reviewing all of the code, we look for any potential issues with code logic, error handling, protocol and header parsing, cryptographic errors, and random number generators. We also watch for areas where more defensive programming could reduce the risk of future mistakes and speed up future audits. Although our primary focus is on the in-scope code, we examine dependency code and behavior when it is relevant to a particular line of investigation.

Vulnerability Analysis:

Our audit techniques included manual code analysis, user interface interaction, and whitebox penetration testing. We look at the project's web site to get a high-level understanding of what functionality the software under review provides. We then meet with the developers to gain an appreciation of their vision of the software. We install and use the relevant software, exploring the user interactions and roles. While we do this, we brainstorm threat models and attack surfaces. We read design documentation, review other audit results, search for similar projects, examine source code dependencies, skim open issue tickets, and generally investigate details other than the implementation.

Documenting Results:

We follow a conservative, transparent process for analyzing potential security vulnerabilities and seeing them through successful remediation. Whenever a potential issue is discovered, we immediately create an Issue entry for it in this document, even though we have not yet verified the feasibility and impact of the issue. This process is conservative because we document our suspicions early even if they are later shown to not represent exploitable vulnerabilities. We



generally, follow a process of first documenting the suspicion with unresolved questions, then confirming the issue through code analysis, live experimentation, or automated tests. Code analysis is the most tentative, and we strive to provide test code, log captures, or screenshots demonstrating our confirmation. After this we analyze the feasibility of an attack in a live system.

Suggested Solutions:

We search for immediate mitigations that live deployments can take, and finally we suggest the requirements for remediation engineering for future releases. The mitigation and remediation recommendations should be scrutinized by the developers and deployment engineers, and successful mitigation and remediation is an ongoing collaborative process after we deliver our report, and before the details are made public.