Code : 100404

B.Tech 4th Semester Exam., 2022

(New Course)

DISCRETE MATHEMATICS

Time : 3 hours *Full Marks* : 70

Instructions :

(i) The marks are indicated in the right-hand margin.

*(ii) There are **NINE** questions in this paper.*

*(iii) Attempt **FIVE** questions in all.*

*(iv) Question No. **1** is compulsory.*

1. Choose the correct answer of the following (any *seven*) : 2×7=14

(a) The statement $(\sim P \leftrightarrow Q) \wedge \sim Q$ is true, when

(i) P : True, Q : False

(ii) P : True, Q : True

(iii) P : False, Q : True

(iv) P : False, Q : False

(b) Which of the following statements regarding sets is false?

(i) $A \cap A = A$

(ii) $A \cup A = A$

(iii) $A - (B \cap C) = (A - B) \cup (A - C)$

(iv) $(A \cup B)' = A' \cup B'$

(c) What is the induction hypothesis assumption for the inequality $m! > 2^m$ where $m \geq 4$?

(i) For $m = k$, $k+1! > 2^k$ holds

(ii) For $m = k$, $k! > 2^k$ holds

(iii) For $m = k$, $k! > 3^k$ holds

(iv) For $m = k$, $k! > 2^{k+1}$ holds

(d) A simple graph can have

(i) multiple edges

(ii) self-loops

(iii) parallel edges

(iv) no multiple edges, self-loops and parallel edges

(e) An undirected graph has 8 vertices labelled 1, 2,⋯,8 and 31 edges. Vertices 1, 3, 5, 7 have degree 8 and vertices 2, 4, 6, 8 have degree 7. What is the degree of vertex 8?

(i) 15

(ii) 8

(iii) 5

(iv) 23

(f) A graph which has the same number of edges as its complement must have number of vertices congruent to _____ or _____ modulo 4 (for integral values of number of edges).

(i) $6k$, $6k-1$

(ii) $4k$, $4k+1$

(iii) k, $k+2$

(iv) $2k+1$, k

BEU CONNECT
LEARN • GROW • SUCCEED
Your Engineering Journey, Simplified
PYQs • SYLLABUS • RESULTS
AI DOUBT SOLVER • ATTENDANCE • GATE MOCK TESTS
Free • Fast • Made by students
GET IT ON Google Play
Scan QR to download
Search BEU Connect on Play Store

(g) A graph which consists of disjoint union of trees is called

(i) bipartite graph

(ii) forest

(iii) caterpillar tree

(iv) labelled tree

(h) Which of the following two sets are equal?

(i) $A = \{1, 2\}$ and $B = \{1\}$

(ii) $A = \{1, 2\}$ and $B = \{1, 2, 3\}$

(iii) $A = \{1, 2, 3\}$ and $B = \{2, 1, 3\}$

(iv) $A = \{1, 2, 4\}$ and $B = \{1, 2, 3\}$

(i) If C_n is the nth cyclic graph, where $n > 3$ and n is odd, determine the value of $X(C_n)$

(i) 32572

(ii) 16631

(iii) 3

(iv) 310

(j) The number of edges in a regular graph of degree 46 and 8 vertices is

(i) 347

(ii) 230

(iii) 184

(iv) 186

2. (a) Let

$D = \{-48, -14, -8, 0, 1, 3, 16, 23, 26, 32, 36\}$

Determine which of the following statements are true and which are false. Provide counterexamples for those statements that are false. 6

(i) $\forall x \in D$, if x is odd, then $x > 0$

(ii) $\forall x \in D$, if x is less than 0, then x is even

(iii) $\forall x \in D$, if x is even, then $x \leq 0$

(b) Indicate which of the following statements are true and which are false. Justify your answers as best you can : 8

(i) $\forall x \in \boldsymbol{Z}^+$, $\exists y \in \boldsymbol{Z}^+$ such that $x = y + 1$

(ii) $\forall x \in \boldsymbol{Z}$, $\exists y \in \boldsymbol{Z}$ such that $x = y + 1$

(iii) $\exists x \in \boldsymbol{R}$ such that $\forall y \in \boldsymbol{R}$, $x = y + 1$

(iv) $\forall x \in \boldsymbol{R}^+$, $\exists y \in \boldsymbol{R}^+$ such that $xy = 1$

(v) $\forall x \in \boldsymbol{R}$, $\exists y \in \boldsymbol{R}$ such that $xy = 1$

(vi) $\forall x \in \boldsymbol{Z}^+$ and $\forall y \in \boldsymbol{Z}^+$, $\exists z \in \boldsymbol{Z}^+$ such that $z = x - y$

(vii) $\forall x \in \boldsymbol{Z}$ and $\forall y \in \boldsymbol{Z}$, $\exists z \in \boldsymbol{Z}$ such that $z = x - y$

(viii) $\exists u \in \boldsymbol{R}^+$ such that $\forall v \in \boldsymbol{R}^+$, $uv < v$

BEU CONNECT
LEARN • GROW • SUCCEED
Your Engineering Journey, Simplified
PYQs • SYLLABUS • RESULTS
AI DOUBT SOLVER • ATTENDANCE • GATE MOCK TESTS
Free • Fast • Made by students
GET IT ON Google Play
Scan QR to download
Search BEU Connect on Play Store

3. *(a)* Prove the following : 10

(i) There is a real number x such that $x>1$ and $2^x > x^{10}$.

(ii) There is an integer n such that $2n^2-5n+2$ is prime.

(b) Disprove that for all real numbers a and b, if $a<b$, then $a^2<b^2$. 4

4. *(a)* Show that $p\vee(q\wedge r)$ and $(p\vee q)\wedge(p\vee r)$ are logically equivalent. This is the distributive law of disjunction over conjunction. 5

(b) Find the greatest common divisor of 414 and 662 using the Euclidean algorithm. 4

(c) If a and b are positive integers, then prove that there exists integers s and t such that $\gcd(a, b) = sa+tb$. 5

5. *(a)* Use mathematical induction to prove this formula for the sum of a finite number of terms of a geometric progression with initial term a and common ratio r

$$\sum_{j=0}^{n} ar^j = a+ar+ar^2+\cdots+ar^n = \frac{ar^{n+1}-a}{r-1}$$

when $r\neq 1$

where n is a non-negative integer. 7

(b) Write short notes on the following : 2+3+2=7

(i) Forward proof

(ii) Disjunctive and conjunctive normal form

(iii) Fundamental theorem of arithmetic

6. *(a)* An odd number of people stand in a yard at mutually distinct distances. At the same time each person throws a pie at their nearest neighbour, hitting this person. Use mathematical induction to show that there is at least one survivor, that is, at least one person who is not hit by a pie. 7

(b) Prove Bernoulli's inequality that if $h>-1$, then $1+nh\leq(1+h)^n$ for all non-negative integers n. 7

7. What is pigeonhole principle? Using it, prove the following : 7+7=14

(a) During a month with 30 days, a baseball team plays at least one game a day, but no more than 45 games. Show that there must be a period of some number of consecutive days during which the team must play exactly 14 games.

BEU CONNECT
LEARN • GROW • SUCCEED
Your Engineering Journey, Simplified
PYQs • SYLLABUS • RESULTS
AI DOUBT SOLVER • ATTENDANCE • GATE MOCK TESTS
Free • Fast • Made by students
GET IT ON Google Play
Scan QR to download
Search BEU Connect on Play Store

(b) The sequence 8, 11, 9, 1, 4, 6, 12, 10, 5, 7 contains 10 terms. Note that $10 = 3^2 + 1$. There are four strictly increasing subsequences of length four, namely, 1, 4, 6, 12; 1, 4, 6, 7; 1, 4, 6, 10; and 1, 4, 5, 7. There is also a strictly decreasing subsequence of length four, namely, 11, 9, 6, 5.

8. (a) In a Round-Robin tournament, the Tigers beat the Blue Jays, the Tigers beat the Cardinals, the Tigers beat the Orioles, the Blue Jays beat the Cardinals, the Blue Jays beat the Orioles and the Cardinals beat the Orioles. Model this outcome with a directed graph. 3

https://www.akubihar.com

(b) Let $G = (V, E)$ be a simple graph. Let R be the relation on V consisting of pairs of vertices (u, v) such that there is a path from u to v or such that $u = v$. Show that R is an equivalence relation. 3

(c) Determine whether the following given pair of directed graphs, shown in Fig. 1 and Fig. 2, are isomorphic or not. Exhibit an isomorphism or provide a rigorous argument that none exists. 4+4=8




Fig. 1




Fig. 2

(Turn Over)

9. (a) Use pseudocode to describe an algorithm for determining the value of a game tree when both players follow a minmax strategy. 4

(b) Suppose that T_1 and T_2 are spanning trees of a simple graph G. Moreover, suppose that e_1 is an edge in T_1 that is not in T_2. Show that there is an edge e_2 in T_2 that is not in T_1 such that T_1 remains a spanning tree if e_1 is removed from it and e_2 is added to it, and T_2 remains a spanning tree if e_2 is removed from it and e_1 is added to it. 5

(c) Show that a degree-constrained spanning tree of a simple graph in which each vertex has degree not exceeding 2 consists of a single Hamiltonian path in the graph. 5

★ ★ ★

https://www.akubihar.com
Whatsapp @ 9300930012
Send your old paper & get 10/-
अपने पुराने पेपर्स भेजे और 10 रुपये पायें,
Paytm or Google Pay से

BEU CONNECT
LEARN • GROW • SUCCEED
Your Engineering Journey, Simplified
PYQs • SYLLABUS • RESULTS
AI DOUBT SOLVER • ATTENDANCE • GATE MOCK TESTS
Free • Fast • Made by students
GET IT ON Google Play
Scan QR to download
Search BEU Connect on Play Store