

From: Jacob Bevier bevier19jac@icloud.com

Subject: Re: Testing Completed and ARE Labs results — next steps

Date: February 6, 2026 at 1:37:07 PM

To: Jim Johnson jjohnson@sprayproducts.com

---


Is the link not further down in this email?

## Microsoft Teams meeting

**Join:** <https://teams.microsoft.com/meet/27488629437616?p=GjsWWoZV24qhQwVa29>

Meeting ID: 274 886 294 376 16

Passcode: mg9LF74n



**Join meeting on Teams**

[teams.microsoft.com](https://teams.microsoft.com)

Very respectfully,

Jacob Bevier

7604903416

On Feb 6, 2026, at 1:34 PM, Jim Johnson <jjohnson@sprayproducts.com> wrote:

Hi

Did you get the invitation with your link added?

Jim Johnson

Vice President of R&D  
Spray Products Corporation  
1000 Lake Road  
Medina, Ohio 44256  
Cell: 330-419-3372  
[www.sprayproducts.com](http://www.sprayproducts.com)

---

**From:** Jacob Bevier <bevier19jac@icloud.com>  
**Sent:** Friday, February 6, 2026 10:17:33 AM  
**To:** Jim Johnson <jjohnson@sprayproducts.com>  
**Cc:** Shawn Johnson <SJohnson@sprayproducts.com>; Andrew Wills <awills@sprayproducts.com>;  
[sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com) <sarahjbraganini@gmail.com>  
**Subject:** Re: Testing Completed and ARE Labs results — next steps

Hi Jim,

I just wanted to quickly confirm that today **at 3:00 PM ET** still works for you.

Since that time window came from your availability (2/6 PM ET), I wanted to make sure everything is still aligned on your end. We'll have ARE Labs and the broader team on the call to walk through the test results and discuss next steps.

Looking forward to connecting and appreciate you making the time.

Very respectfully, Jacob Bevier 7604903416

On Feb 4, 2026, at 1:54 PM, Jacob Bevier <bevier19jac@icloud.com> wrote:

Hey Jim,

Here is the Teams link for Friday @3pm EST. Look forward to it and I will see you there!

Very respectfully,

Jacob Bevier

---

**Microsoft Teams meeting**

**Join:** <https://teams.microsoft.com/meet/27488629437616?p=GjsWWoZV24qhQwVa29>

Meeting ID: 274 886 294 376 16

Passcode: mg9LF74n

[Need help?](#) | [System reference](#)

For organizers: [Meeting options](#)

---

Very respectfully, Jacob Bevier 7604903416

On Jan 30, 2026, at 6:58 AM, Jim Johnson <jjohnson@sprayproducts.com> wrote:

Hi Jacob,

Does 2/5 AM or 2/6 PM Eastern work?

Jim

Jim Johnson

Vice President of R&D  
Spray Products Corporation  
1000 Lake Road  
Medina, Ohio 44256  
Cell: 330-419-3372  
[www.sprayproducts.com](http://www.sprayproducts.com)

---

**From:** Jacob Bevier <bevier19jac@icloud.com>

**Sent:** Thursday, January 29, 2026 3:41:58 PM

**To:** Shawn Johnson <SJohnson@sprayproducts.com>  
**Cc:** Jim Johnson <jjohnson@sprayproducts.com>; Andrew Wills <awills@sprayproducts.com>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com) <sarahjbraganini@gmail.com>  
**Subject:** Re: Testing Completed and ARE Labs results — next steps

Hi Jim and SP Team,

I hope you're doing well.

I wanted to share the attached ARE Labs testing report and summary deck from the most recent round of spray coverage and vertical deposition testing. The data was very informative and highlighted a consistent interaction between actuation mechanics and spray behavior that I think would benefit from a joint discussion.

I'm working to coordinate a collaborative call that would include ARE Labs, mechanical design, and Spray Products so we can review the findings together, align on root cause, and determine next steps before moving into further iterations. Your input on the valve/actuation side would be especially valuable as we think through potential adjustments.

Would you be able to share your availability over the next week or so for a 30–45 minute call? I'll do my best to accommodate schedules across time zones.

Thanks in advance, and I look forward to connecting.

Very respectfully, Jacob Bevier 7604903416

On Jan 20, 2026, at 8:44 AM, Shawn Johnson <SJohnson@sprayproducts.com> wrote:

Good Morning Jacob,

3 samples are shipping to ARE labs today.

Regards,

Shawn Johnson

R&D Chemist

Spray Products Corporation

1000 Lake Road Medina, Ohio 44256

Email: [sjohnson@sprayproducts.com](mailto:sjohnson@sprayproducts.com)

<image001.jpg>

---

**From:** Jim Johnson <jjohnson@sprayproducts.com>

**Sent:** Tuesday, January 13, 2026 7:32 AM

**To:** Jacob Bevier <bevier19jac@icloud.com>

**Cc:** Andrew Wills <awills@sprayproducts.com>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com); Shawn Johnson

<SJohnson@sprayproducts.com>

**Subject:** Re: Testing Completed and ARE Labs results — next steps

We will send you 3 additional cans with a conical spray pattern for additional testing.

Thanks! Jim

Jim Johnson

Vice President of R&D

Spray Products Corporation

1000 Lake Road

Medina, Ohio 44256

Cell: 330-419-3372

[www.sprayproducts.com](http://www.sprayproducts.com)

---

From: Jacob Bevier <[bevier19jac@icloud.com](mailto:bevier19jac@icloud.com)>

Sent: Monday, January 12, 2026 6:27:06 PM

To: Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)>

Cc: Andrew Wills <[awills@sprayproducts.com](mailto:awills@sprayproducts.com)>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)

<[sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)>; Shawn Johnson <[SJohnson@sprayproducts.com](mailto:SJohnson@sprayproducts.com)>

Subject: Re: Testing Completed and ARE Labs results — next steps

Hey Jim!

Appreciate you getting back to me so quickly.

I think this is a good point to broaden the testing rather than lock anything in yet.

With ARE Labs running controlled evaluations, it would be helpful to look at **larger can sizes in addition to the current one**, alongside the available nozzle/actuator options that could produce a more conical spray pattern. That should give us solid data on how size, output, and spray geometry interact before we narrow the field.

Ideally, I'd like to test **at least three cans per configuration** so we have enough repetition to confirm consistency. I'm happy to defer to your recommendation on which larger sizes and nozzle/actuator options make the most sense to include.

Once you have that scoped, please send over an invoice for the next round and we'll move forward.

Very respectfully, Jacob Bevier 7604903416

On Jan 12, 2026, at 4:56 PM, Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)> wrote:

Hi Jacob,

I am glad the samples performed well!

We will send you another sample with an adjusted spray tip. Are you okay with the can size and fill weight?

Thanks! Jim

Jim Johnson

Vice President of R&D

Spray Products Corporation

1000 Lake Road

Medina, Ohio 44256

Cell: 330-419-3372

[www.sprayproducts.com](http://www.sprayproducts.com)

---

**From:** Jacob Bevier <[bevier19jac@icloud.com](mailto:bevier19jac@icloud.com)>  
**Sent:** Monday, January 12, 2026 11:06:46 AM  
**To:** Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)>  
**Cc:** Andrew Wills <[awills@sprayproducts.com](mailto:awills@sprayproducts.com)>; Joyce Stasky <[joyce@sprayproducts.com](mailto:joyce@sprayproducts.com)>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com) <[sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)>  
**Subject:** Testing Completed and ARE Labs results — next steps

Hi Jim,

I wanted to follow up now that ARE Labs has completed formal testing on the cans your team provided. They returned the product with a short report, and the results really confirm that we are **extremely close**.

One of the biggest open questions going into testing was whether the formulation and overall design approach could achieve sufficient vertical spray height inside a 96-gallon bin. Several groups we spoke with previously felt that target wasn't realistic. The testing showed otherwise — the spray consistently reached the interior lid surface, which is a major milestone and a strong validation of the direction you took.

Additional positives from the testing:

- Strong, consistent output
- Foam structure behaved well through full discharge
- Peppermint scent carried cleanly
- Performance was stable and repeatable

The only meaningful limitation identified was **spray geometry**, not chemistry or performance. Because the nozzle produces a flat fan pattern, coverage inside the bin was directional and one-sided. ARE Labs specifically noted that a **round nozzle producing a conical spray pattern** would significantly improve coverage and fully leverage the height and output already being achieved.

From our standpoint, the difficult part — achieving height with acceptable foam behavior — has been addressed. What remains feels like a distribution refinement rather than any fundamental formulation change.



With that in mind, I wanted to ask about the best path forward:

- Do you have access to alternative nozzles or actuators that would produce a conical spray pattern, or a small variety we could evaluate?
- How would you recommend we go about obtaining additional cans configured with those options?
- What would the next steps look like on your end to make that happen?

The testing gave us a lot of confidence, and it genuinely feels like we're at the point where a small adjustment could make a big difference.

Very respectfully,

Jacob Bevier 7604903416

On Dec 5, 2025, at 4:55 PM, Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)> wrote:

Okay, it looks like it is out for delivery. Jim

Jim Johnson

Vice President of R&D

Spray Products Corporation

1000 Lake Road

Medina, Ohio 44256

Cell: 330-419-3372

[www.sprayproducts.com](http://www.sprayproducts.com)

**From:** Jacob Bevier <[bevier19jac@icloud.com](mailto:bevier19jac@icloud.com)>  
**Sent:** Friday, December 5, 2025 4:51:29 PM  
**To:** Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)>  
**Cc:** Andrew Wills <[awills@sprayproducts.com](mailto:awills@sprayproducts.com)>; Joyce Stasky <[joyce@sprayproducts.com](mailto:joyce@sprayproducts.com)>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com) <[sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)>  
**Subject:** Re: Availability for a brief call

I have not received anything.

Very respectfully,

Jacob B

On Dec 5, 2025, at 2:51 PM, Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)> wrote:

Hello.

It was scheduled to arrive yesterday. Let us know. Jim

|            |        |          |          |  |              |   |              |
|------------|--------|----------|----------|--|--------------|---|--------------|
| On the way | Medina | 12/01/25 | 12/04/25 |  | 886587446370 | - | Jacob Bevier |
|------------|--------|----------|----------|--|--------------|---|--------------|

Jim Johnson

Vice President of R&D

Spray Products Corporation

1000 Lake Road

Medina, Ohio 44256

Cell: 330-419-3372

[www.sprayproducts.com](http://www.sprayproducts.com)

---

**From:** Jacob Bevier <[bevier19jac@icloud.com](mailto:bevier19jac@icloud.com)>

**Sent:** Friday, December 5, 2025 2:15:58 PM

**To:** Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)>

**Cc:** Andrew Wills <[awills@sprayproducts.com](mailto:awills@sprayproducts.com)>; Joyce Stasky

<[joyce@sprayproducts.com](mailto:joyce@sprayproducts.com)>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)

<[sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)>

**Subject:** Re: Availability for a brief call

Good afternoon Jim,

Just wanted to check the status on this and if it shipped?

Very respectfully, Jacob Bevier 7604903416

On Nov 25, 2025, at 2:39 PM, Jim Johnson  
<[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)> wrote:

Hi Jacob,

The samples will ship tomorrow. In our initial test we were ~ 40 inches.

Thanks! Jim

---

**From:** Jacob Bevier <[bevier19jac@icloud.com](mailto:bevier19jac@icloud.com)>

**Sent:** Tuesday, November 25, 2025 12:58 PM

**To:** Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)>

**Cc:** Andrew Wills <[awills@sprayproducts.com](mailto:awills@sprayproducts.com)>; Joyce Stasky

<[joyce@sprayproducts.com](mailto:joyce@sprayproducts.com)>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)

**Subject:** Re: Availability for a brief call

Jacob Bevier

105 Pendleton Trail

Tyrone, GA 30290

Very respectfully, Jacob Bevier 7604903416

On Nov 25, 2025, at 9:43 AM, Jim Johnson  
<[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)> wrote:

Hi Jacob,

We understand the goal. What is your shipping address for samples? Let's have you evaluate a sample and then jump on a call with any necessary changes.

Thanks! Jim

---

**From:** Jacob Bevier <[bevier19jac@icloud.com](mailto:bevier19jac@icloud.com)>

**Sent:** Tuesday, November 25, 2025 9:35 AM

**To:** Andrew Wills <[awills@sprayproducts.com](mailto:awills@sprayproducts.com)>

**Cc:** Jim Johnson <[jjohnson@sprayproducts.com](mailto:jjohnson@sprayproducts.com)>; Joyce Stasky <[joyce@sprayproducts.com](mailto:joyce@sprayproducts.com)>; [sarahjbraganini@gmail.com](mailto:sarahjbraganini@gmail.com)

**Subject:** Availability for a brief call

Hi Andrew and Jim,

I was hoping I could jump on a short call with you guys — even ten minutes would be helpful. My intention in trying to share the broader scope of this project was purely as courtesy and to provide context, not because it was a necessity. It's possible I've been overthinking this and creating unnecessary complications on my end, so a quick conversation would help me make sure I'm aligned with the way Spray prefers to operate.

To be transparent, the process has been slowed down quite a bit on our end due to the NDA language, and that's been a little disappointing only because it has prevented us from moving forward with real development. We've even had to refile the

provisional patent because the timeline stretched so far beyond what we expected.

That said, I understand Spray has internal policies you need to follow, and I'm not trying to push against them. I simply want to make sure I'm not asking for something unclear or creating complications unintentionally. A brief conversation would help me understand exactly what your team needs from me and how we can proceed within the structure you're comfortable with.

I haven't shared the broader scope of the project yet because I've been waiting for an agreement that protects both sides. But your team may not need that top-down view to do your part effectively, and if keeping the collaboration focused simplifies things, I'm completely fine with that.

From our side, the formulation targets remain:

- Foaming aerosol cleanser
- Peppermint essential oil included
- Lockdown actuator
- Approx. 48-inch vertical spray
- Approx. 30-inch diameter spray pattern

I believe we can still move forward and achieve these performance goals while staying within a limited, well-defined scope. I'm more than willing to adjust the workflow to whatever best fits Spray's process.

I really do appreciate your time and expertise, and I'm trying to navigate this industry the right way. A short call would go a long way in making sure we're aligned and can continue productively.

My availability is wide open — just let me know what works for your schedule.

Very respectfully,

Jacob

760-490-3416

