


# HW3 Transfer Learning

# Recall your HW2?

- Build a DNN with five hidden layers of 128 neurons each
- Training on MNIST but only on digits 0 to 4
- We'll reuse your model in HW2



# Recall your HW2?

- Before you do HW3, check HW2 if you didn't give the "name" of **each layer and function**.
- If not, give the name and rerun HW2 again 😊
  - The name of functions and layers are arbitrary for you
  - screenshot below is an example

```
X = tf.placeholder(tf.float32, shape=(None, n_inputs), name="X")
y = tf.placeholder(tf.int64, shape=(None), name="y")

dnn_outputs = dnn(X)

logits = tf.layers.dense(dnn_outputs, n_outputs, kernel_initializer=he_init, name="logits")
Y_proba = tf.nn.softmax(logits, name="Y_proba")

xentropy = tf.nn.sparse_softmax_cross_entropy_with_logits(labels=y, logits=logits)
loss = tf.reduce_mean(xentropy, name="loss")


optimizer = tf.train.AdamOptimizer(learning_rate)
training_op = optimizer.minimize(loss, name="training_op")

correct = tf.nn.in_top_k(logits, y, 1)
accuracy = tf.reduce_mean(tf.cast(correct, tf.float32), name="accuracy")
```

# HW3.1 Softmax only(30%)

- Goal:

- Load your model in HW2
- Freeze the hidden layers 1~5
- Only train **softmax layer** with digits 5~9



# HW3.1 Softmax only(30%)

- Spec:
  - Keep only **100** instances per class in the **training set** (digits 5~9)
  - Keep only **30** instances per class in the **validation set** (digits 5~9)
  - Use full instances per class in **testing set** (digits 5~9)
    - TA already done three points above in sample code
  - Training **1000** epochs
  - Early stop if no progress in **20** epochs
  - Checkpoint name: **Team01\_HW3\_1.ckpt**
  - Get 0% in this part if violate any point above

# HW3.1 Softmax only(30%)

- Step 1:How to get tensor from HW2 model
  - Don't just copy and paste because your naming may different

```
restore_saver = tf.train.import_meta_graph("./my_mnist_model_0_to_4.ckpt.meta")

X = tf.get_default_graph().get_tensor_by_name("X:0")
y = tf.get_default_graph().get_tensor_by_name("y:0")
loss = tf.get_default_graph().get_tensor_by_name("loss:0")
Y_proba = tf.get_default_graph().get_tensor_by_name("Y_proba:0")
logits = Y_proba.op.inputs[0]
accuracy = tf.get_default_graph().get_tensor_by_name("accuracy:0")
```

## HW3.1 Softmax only(30%)

- Step 2: Get the softmax layer

```
output_layer_vars = tf.get_collection(tf.GraphKeys.TRAINABLE_VARIABLES, scope="logits")
```

- Step 3
  - Exclude other layer's variables from the optimizer's list of trainable variables
  - Keep only the softmax trainable variables

```
training_op = optimizer.minimize(loss, var_list=output_layer_vars)
```

# HW3.1 Softmax only(30%)

- Step 4: Start training and print every epoch
  - Bad accuracy is normal 😊

```
INFO:tensorflow:Restoring parameters from ./my_mnist_model_0_to_4.ckpt
0      Validation loss: 1.686812      Best loss: 1.686812      Accuracy: 30.67%
1      Validation loss: 1.374351      Best loss: 1.374351      Accuracy: 41.33%
2      Validation loss: 1.359003      Best loss: 1.359003      Accuracy: 41.33%
3      Validation loss: 1.500279      Best loss: 1.359003      Accuracy: 37.33%
4      Validation loss: 1.388700      Best loss: 1.359003      Accuracy: 43.33%
5      Validation loss: 1.482274      Best loss: 1.359003      Accuracy: 36.00%
6      Validation loss: 1.380319      Best loss: 1.359003      Accuracy: 44.67%
7      Validation loss: 1.418387      Best loss: 1.359003      Accuracy: 38.00%
8      Validation loss: 1.538238      Best loss: 1.359003      Accuracy: 40.67%
9      Validation loss: 1.478421      Best loss: 1.359003      Accuracy: 34.67%
10     Validation loss: 1.406228      Best loss: 1.359003      Accuracy: 45.33%
```




# HW3.1 Softmax only(30%)

- Grading:
  - Commet:10%
  - Get tensor from HW2 and set softmax trainable: 10% (Step 1~3)
  - Training progress and print result per epoch: 10% (Step 4)

# HW3.2 Cache 5<sup>th</sup> layer (30%)

- Goal:

- Cache the 5<sup>th</sup> layer output
- Reuse it on training **softmax layer**
- Is it faster than HW3.1?
- Code is 87% same as HW3.1



## HW3.2 Cache 5<sup>th</sup> layer (30%)

- Spec:

- Keep only **100** instances per class in the **training set** (digits 5~9)
- Keep only **30** instances per class in the **validation set** (digits 5~9)
- Use full instances per class in **testing set** (digits 5~9)
  - TA already done three points above in sample code
- Training **1000** epochs
- Early stop if no progress in **20** epochs

- Checkpoint name: **Team01\_HW3\_2.ckpt**
- Get 0% in this part if violate any point above

## HW3.2 Cache 5<sup>th</sup> layer (30%)

- Step 1: Get tensor from HW2 model
- Step 2: Get the softmax layer
- Step 3: Exclude other layer's variables and keep only the softmax trainable variables
- Step 3.5: Cache 5<sup>th</sup> layer output before training
- Step 4: Start training and print every epoch
  - Bad accuracy is normal 😊

## HW3.2 Cache 5<sup>th</sup> layer (30%)

- Step 3.5: Cache 5<sup>th</sup> layer output before training
  - Get 5<sup>th</sup> layer's tensor
  - Feed training set and validation set into 5<sup>th</sup> layer (and 5<sup>th</sup> layer will recursive call 4<sup>th</sup> layer and recursive call 3<sup>rd</sup> layer ...)
  - Save the parameters per sample
  - Feed this parameters as input when you train softmax layer

## HW3.2 Cache 5<sup>th</sup> layer (30%)

- Add `time.time()` at the top and the end of training processes in 3.1 and 3.2
  - `t0 = time.time(), t1 = time.time()`
  - `t1 - t0 = your training time`


## HW3.2 Cache 5<sup>th</sup> layer (30%)

- Grading
  - Commet:10%
  - Get 5<sup>th</sup> layer tensor from HW2 and feed as input of softmax layer: 10% (Step 3.5)
  - Print training time in HW3.1&3.2, show HW3.2 faster than HW3.1: 10%

# HW3.3 4 layers instead (40%)

- Goal:

- Use the 4 layers instead of 5 frozen layer
- Reuse it on training a **new softmax layer**
- Is it better than HW3.2?
- Code is still 87% same as HW3.1&3.2





## HW3.3 4 layers instead (40%)

- Step 1: Get tensor from HW2 model
- Step 2: Get 4<sup>th</sup> layer output before training
- Step 3: Exclude other layer's variables and keep only the softmax trainable variables
- Step 4: Start training and print every epoch

## HW3.3 4 layers instead (40%)

- Step 2: Get 4<sup>th</sup> layer output before training
  - Get 4<sup>th</sup> layer's tensor
  - Add a new softmax layer at the end

# HW3.3 4 layers instead (40%)

- Spec:

- Keep only 100 instances per class in the training set (digits 5~9)
- Keep only 30 instances per class in the validation set (digits 5~9)
- Use full instances per class in testing set (digits 5~9)
  - TA already done three points above in sample code
- Training 1000 epochs
- Early stop if no progress in 20 epochs

- Checkpoint name: Team01\_HW3\_3.ckpt

- Get 0% in this part if violate any point above


# HW3.3 4 layers instead (40%)

- Grading
  - Commet:10%
  - Get 4<sup>th</sup> layer tensor and add new softmax layer:10% (step 2)
  - Training progress and print result per epoch: 10% (step 4)
  - Accuracy better than HW3.1&3.2: 10%

# HW3.4 Bonus(30%)

- Goal:

- Is it better than HW3.3?
- Code is still 87% same as HW3.1&3.2&3.3



# HW3.4 Bonus(30%)

- Spec:

- keep only 100 instances per class in the training set (digits 5~9)
- keep only 30 instances per class in the validation set (digits 5~9)
- Use full instances per class in testing set (digits 5~9)
  - TA already done three points above in sample code
- Training 1000 epochs
- Early stop if no progress in 20 epochs

- Checkpoint name: Team01\_HW3\_4.ckpt
- Get 0% in this part if violate any point above

# HW3.4 Bonus(30%)

- Grading
  - Commet:10%
  - Training progress and print result per epoch: 10%
  - Accuracy better than HW3.3: 10%

# Rule

- Deadline: 2018 01/05 23:59:59
- Naming: Team01\_HW3.ipynb,  
Team01\_HW2.ckpt& .meta
- Copy will get 0 point
- Delay will get 0 point even 1 second
- Wrong naming will get 0 point