

FinAlyzer Release Notes

Release Version: Sprint 63 | SR 02 | MR04

Release Date: 8-5-2026

Copyright 2024 Beyond Square Solutions 42 BSQ Highly Confidential - Controlled Access A
printed copy of this document is considered uncontrolled. Refer to the online version for the
controlled revision.

1. Task Management Updates.....	3
1.1 Activity Type Editing	3
1.2 Task Reordering.....	4
1.3 Order Sequence Column added in task.	4
1.4 Task Uploads — File Definition	4
2.Export data services to Excel (Book Settings)	7
3. Adhoc (one-time) Data Service	9
4. Rule Mapping Enhancements	12
5. Default Member Setting in dimension	17
6. Upload Data Optimizations	18

1. Task Management Updates

1.1 Activity Type Editing

Activity Type can now be edited in both the Master Screen and the Task management screen

This enhancement provides greater flexibility and consistency, allowing users to update activity types without switching contexts.

Navigation:

Admin-Account setting -Task-Edit Task-Activity Type

Task management icon-manage task-edit task-Activity Type

Edit Task
×

Workflow

Maker Checker Process

Task Group

Test May 5

Task Category

Feb 25 Test task v1

Status

Active

What:

Linked Activity

Upload Data

Activity Type

April16 RP Data

When:

Start Date Offset *

1

End Date Offset *

10

Save Task

1.2 Task Reordering

- If the task order should remain consistent across all books and periods, the sequence must be configured in the Master Screen.
- This master-level order will apply only if no changes are made at the period level.
- If a different task sequence is required for a specific book or period, reordering should be done in the Task Management Screen.
- Any changes made at the task management level will be applicable only to that specific book and period, and will not override the master configuration globally.

1.3 Order Sequence Column

The Order Sequence Number (order_seq_no) column has been added to all task-related screens for better visibility and control of task ordering.

1.4 Task Uploads — File Definition

What this is

When you upload tasks using an Excel file, you first define how your file columns map to application fields in **Upload → File Definition**.

- Available fields appear on the **right**
- You drag them into your file layout on the **left**
- Fields marked with **(*) are required** for certain actions

First, decide what you want to do

Before creating your file definition, decide:

- **Create new tasks**
- **Update existing tasks**

The required fields and rules depend on this.

Creating new tasks

To create new tasks, you must include all required (*) fields:

- Task Name
- Task Description
- Start Offset (planned start timing)
- End Offset (planned end timing)

Important rules

- **Do NOT include identifier fields** when creating new tasks:
 - Task Id
 - Master Task Id
- Including these will make the system treat the upload as an **update**, not a new task creation.

Example

If you include **Task Id** while uploading new tasks, the system may fail because it expects to update an existing task instead of creating a new one.

Updating existing tasks

To update tasks, you must include an identifier:

Scenario	Identifier to use
Task (master / tenant task)	Task Id
Book-level / assigned task	Master Task Id
Book-period task	Task Id

Important rules

- The identifier is **mandatory** for updates
- You must include **at least one additional field** to update
- Uploading **only the identifier** is not allowed

Example

- Valid: Task Id + Task Name (update name)
- Invalid: Task Id only (nothing to update)

Important rules (quick summary)

- Required (*) fields → needed for **new tasks**
- Identifier fields → needed for **updates only**
- Do not mix both scenarios incorrectly
- At least one field must be updated along with the identifier

Navigation:


Task Management-Upload-File definition

File Definition ☒ Basic Setup ☐ Advanced Setup



[Details](#) [Field Mapping](#) [Set Default](#)

Drag the elements from right to left panel to create the structure of your upload file. to create empty rows or empty columns in your upload file, drag and drop the 'dummy' element. Once finalized, make sure that your upload file is compliant to this structure



Save

Cancel

2.Export data services to Excel (Book Settings)

Added **Export to Excel** option in the **Data Service tab** of the **Book Settings page**.Users can now easily download and analyze data in Excel format for reporting, sharing, or further processing.This enhancement improves flexibility and supports better integration with external workflows.

On Admin --> **Book Settings** -

Data Service (Book Specific) tab, the toolbar includes an **Export to Excel** button (Excel icon).


It downloads the **data service list** currently shown in the grid as an **.xlsx** workbook-
useful for review, audit trails, or sharing configuration outside the application.

Note: The file is downloaded as an **.xlsx file** and is saved to your browser's default download location.

Navigation

1. Click on Admin dropdown and select **Book Settings** for the book you need.
2. Go to the **Data Service** tab (book-specific data services).

3. In the top toolbar (same row as Add/ Edit/ View/ Delete), click **Export to Excel**.



Your role must include permission for **Export Data Service** (the same capability used elsewhere for data service export). If the button is hidden, contact your administrator.

What gets exported

- The export uses **whatever list is loaded in the grid on the tab you have open** (Actual, Schedules, or Transaction).
- **Show for active period** matters: if it is checked, the grid (and therefore the file) reflects **only data services linked to the current reporting period**. If unchecked, the list is the **book-level** view, and the export matches that.

The downloaded file name indicates the section, for example:

- **Data Services (Actual)**
- **Data Services (Schedules)**
- **Data Services (Transaction)**

3. Adhoc (one-time) Data Service

What it is

When you **add a Data Service** to a book, you choose **Period applicability** (on the Add Data Service screen). One of the options is **Adhoc**.

Adhoc means the data service is intended as a **one-time/ single-period** setup for that book: the system ties it to **the reporting period that is active when you save it**.

What it does for you

The data service is linked **only to the active period at the time you create it**. It does not automatically extend to past or future periods, and there is **no automatic matching or repetition**.

In simple terms, Adhoc keeps the data service limited to a single period, instead of spreading it across the calendar.

When to use Adhoc

Use **Adhoc** when you need to:

- Load or manage data once, for one situation or one period
- Run an exceptional import, trial, or special dataset

Example:

You want to upload a one-time correction for March.

Use Adhoc, so it applies only to March and does not repeat in future periods.

How to create it

1. Open **Add Data Service** for your book (same place you normally define name, short name, base data, upload options, etc.).

The screenshot shows the FINALYZER interface. On the left is a sidebar with icons for 'Company Setup', 'Report Setup', 'Upload Data', and 'Form Entry'. The main area has tabs for 'Actual', 'Schedules', and 'Attachment'. Below the tabs is a message: 'Import data from Source System or Upload data using Excel. Important Note: Make sure that you upload YTD data. The values for the period are auto-computed'. There is a 'Find' search bar with up and down arrows. Below this is a table with columns: '#', 'Data Service', 'Source', 'Base Data', 'Last Processed', 'User Action', 'Status', 'View', 'Total', and 'Add Data Service'. The first row of the table has a dropdown arrow next to 'Actual' under the 'Data Service' column. A black box highlights the 'Add Data Service' button in the top right corner of the table, with an arrow pointing to it from the right.

- In **Details**, find **Period applicability**.

Details:

Upload Type

Single Entity



Trigger Create Report

False



Period Applicability *

Monthly



Monthly

Quarterly

Annually

Adhoc

- Select **Adhoc**
- Complete the rest of the form and save.

Ensure your **active reporting period** is the correct one before saving-Adhoc links to **that** period first.

What you should expect

- You will only see this data service in the period it was created for (typically the active period at the time of creation).
- Not seeing it in other periods is expected behavior for Adhoc.
- If you need the service to appear across periods, use Monthly, Quarterly, or Annual applicability instead. You can also update the Period applicability setting later by editing the data service.

4. Rule Mapping Enhancements

Overview

Previously, rule details added to a rule mapping were applied uniformly across all periods.

With the latest update, users can now define rule details based on **period applicability**, providing greater flexibility and control.

Period Applicability Options

When creating a rule mapping, you can now choose one of the following:

1. Rules Common to All Periods

- Same behavior as before
- Rule details apply to **all periods**
- No period-level customization
- **Use when:** Rules are identical across all periods

2. Common Rules Overridable by Period-Specific Rules

- Common rules are applied by default
- Can be overridden by defining rules for specific periods
- If no period-specific rule exists → common rule is used


- **Use when:** Most periods share rules, but some need exceptions

3. Rules Specific to a Period

- Rules are defined **only for selected periods**
- No default/common rules
- If no rules are defined for a period → **no rules apply**
- **Use when:** Each period requires independent rule definitions

How to Define Period Applicability

1. Navigate to:
Admin → Schedule and Segment Setup → Data Processing Rule
2. Click on **“Add Processing Rule”**
3. In the form:
 - Select the **Period Applicability** option
 - Configure the rule mapping



Action	ID	Rule Type	Rule Name	COA	Taxonomy	Schedule Type	Schedule Definition	Schedule Tagging Type	Tagged Field	Origin Type	Period Applicability	Modified By
						All		All			All	
	385	Schedule Tag Mapping	Period Specific April 6	Air India Test	Client demo Taxonomy	FA Schedule	FA Schedule	GL Account	5	Custom	Common rules overridable by	prasanja_clientdemo.com
	388	Schedule Tag Mapping	April 6 Test Rule	Air India Test	Client demo Taxonomy	FA Schedule	FA Schedule	GL Account	5	Custom	Rules common to all periods	prasanja_clientdemo.com
	367	Reclass	Test 2 april	aaaa	Client demo Taxonomy	RP Schedule	RP Master	Finalizer Grouping		Custom	Common rules overridable by	pranjal
	384	Schedule Tag Mapping	March 26 Test v1	Group COA	Client demo Taxonomy	FA Schedule	FA Schedule	GL Account	1	Custom	Common rules overridable by	prasanja_clientdemo.com
	383	Schedule Tag Mapping	Test FA period-specific	Group COA	Client demo Taxonomy	FA Schedule	FA Schedule	GL Account	2	Custom	Rules specific to a period	pranjal
	382	Schedule Tag Mapping	Test FA Schedule	Group COA	Client demo Taxonomy	FA Schedule	FA Schedule	GL Account	2	Custom	Common rules overridable by	pranjal
	379	Schedule Tag Mapping	Air Test Period-Specific	Air India Test	Client demo Taxonomy	FA Schedule	FA Schedule	GL Account	5	Custom	Rules specific to a period	pranjal

Add Processing Rule
✕

Rule Type * -- select an option --	Rule Name *
Book Applicability Applicable for all books	Period Applicability ⓘ Rules common to all periods Rules common to all periods Common rules overridable by period specific rules Rules specific to a period
COA -- select an option --	Taxonomy -- select an option --
Schedule Type -- select an option --	Schedule Definition -- select an option --
Incremental Upload * True	

Save
Cancel

Viewing Rules

- In the Rule Detail page:
 - Use radio buttons to toggle between:
 - Common rules
 - Period-specific rules (for overridable option)
 - For:
 - **Common rules** → only common rules are shown
 - **Period-specific rules** → only period rules are shown

Managing Rule Details

Users can now:

- Add rule details
- Edit rule details
- Delete rule details
- View rule detail history

How to Add Rule Details

- Go to Rule Detail page
- Click on **hamburger menu**
- Select:
 - **Add Rule Detail**
 - **Rule Detail History**

Edit/Delete Rule Details

- Click on the **Action button**
- Choose:
 - Edit
 - Delete

Where You Can Manage Rule Details

1. Setup Segments Page

- Navigate to:
Setup Segments → Input Tag Mapping

- Here you can:
 - View all types of rule details:
 - Common
 - Overridable
 - Period-specific
 - Perform:
 - Add / Edit / Delete
 - View history

2. Upload Data → View Data

- Navigate to:
Setup → Upload Data → View Data
- Select:
 - Data service with base data = **Segment Data**
 - Go to **Schedule Tag Mapping** tab

Important Notes:

- Only **period-specific rule details** can be modified here
- If a **book is frozen**, you **cannot**:
 - Add
 - Edit
 - Delete rules

Additional Functionality

- Users can select **Tagging Type**:
 - Input

- Output
- For **Input Tag Mapping**:
- Only rule mappings applicable to the selected book and data service are shown

5. Default Member Setting in dimension

Added an option to **set the default member** for dimensions in the **Dimension Edit screen**, even for dimensions that were already created. Now available in the Dimension Edit screen for existing dimensions.

Navigation: Setup-6. Setup Segment- edit created dimension-Default member

1. Dimension Master
2. Dimension Members
3. Setup segment hierarchy
4. Setup segment detail
5. Notes Definition

☐ Show all dimensions across schedule books
 + Add Dimension

	Id	Dimension Name	Dimension Label	Business Key	Entity Applicability	Dimension Type	Source Dimension	Origin Type	Member Count		Action
									Total	Unapproved	
1	3287	Department	Department	department	Applicable for all entities	Not Derived		Custom	27	17	⋮
2	3310	Business area	Business area	business_area	Applicable for all entities	Not Derived		Custom	9	0	✎ Edit 🗑 Delete
3	3523	Business Segment	Business Segment	business_segment	Applicable for all entities	Derived	Business area	Custom	5	0	
4	3588	Region	Region	region	Applicable for all entities	Derived	Cost Centre Client De	Custom	4	0	⋮
5	3602	Division	Division	division	Applicable for all entities	Derived	Cost Centre Client De	Custom	3	0	⋮
6	3603	Product	Product	product	Applicable for all entities	Derived	Cost Centre Client De	Custom	2	0	⋮
7	3781	Client Name	Client Name	client_name	Specific to a entity	Not Derived		Custom	1	1	⋮
8	3782	Branch	Branch	branch	Applicable for all entities	Not Derived		Custom	1	0	⋮
9	3786	Project	Project	project	Applicable for all entities	Not Derived		Custom	1	0	⋮
10	3787	HSN	HSN	hsn	Applicable for all entities	Not Derived		Custom	3	0	⋮

View 1 - 10 of 10

Edit Dimension : ×

Name *

Department

Label *

Department

Entity Applicability

Applicable for all entities ▼

Type *

Not Derived ▼

Default Member

Accounting 🔍 ×

Save

Cancel

6. Upload Data Optimizations

Upload File Definition - when same source key is used for multiple fields, fixed occasional errors when order of fields was not managed. Now this is simplified so that the fields can be added in any order.