

NIMBUSGUARD TECHNOLOGIES, INC.

Business Continuity and Disaster Recovery Plan

Resilience, Recovery Objectives & Testing Procedures

Document ID:	NG-BCP-003	Version:	3.1
Effective Date:	January 20, 2026	Owner:	VP Operations – James Wright
Classification:	Internal – Confidential	Status:	Approved

1. Overview

This Business Continuity and Disaster Recovery (BC/DR) Plan ensures NimbusGuard can maintain critical operations during disruptive events and recover IT services within defined objectives. The plan is aligned with ISO 22301:2019 and is tested at least twice annually.

2. Recovery Objectives

Service Tier	RTO	RPO	Examples
Tier 1 – Critical	1 hour	15 minutes	Authentication service, authorization engine, API gateway
Tier 2 – Essential	4 hours	1 hour	Admin console, reporting, audit log retrieval
Tier 3 – Standard	24 hours	4 hours	Marketing website, internal tools, dev/staging environments
Tier 4 – Non-critical	72 hours	24 hours	Historical analytics, batch processing, sandbox environments

3. Architecture for Resilience

NimbusGuard's production infrastructure is deployed in an active-active configuration across two AWS regions (us-east-1 and us-west-2) with an additional warm standby in eu-central-1 for EU customers. Key resilience features include:

- Multi-AZ deployment within each region with automatic failover
- Amazon Aurora PostgreSQL with cross-region read replicas and automated failover (Global Database)
- Amazon ElastiCache (Redis) in cluster mode with multi-AZ replication
- Amazon S3 with cross-region replication enabled for all Restricted and Confidential data
- AWS Global Accelerator for intelligent traffic routing with health-check-based failover
- Kubernetes (EKS) clusters with pod disruption budgets and horizontal pod autoscaling

4. Backup Strategy

Automated backups are performed as follows: continuous transaction log shipping for Aurora databases (enabling point-in-time recovery up to 35 days); daily encrypted snapshots of all EBS volumes and RDS instances retained for 90 days; weekly full backups of configuration data stored in a separate AWS account (backup vault) with cross-region replication; monthly archived backups retained for 12 months in S3 Glacier Deep Archive. All backups are encrypted with AES-256 and tested for restorability monthly.

5. Disaster Recovery Procedures

5.1 Failover Triggers

Automatic failover is triggered when health checks detect: sustained API error rate above 10% for 5 minutes; regional service degradation confirmed by AWS Health Dashboard; loss of connectivity to primary database cluster; or manual trigger by the on-call Site Reliability Engineer (SRE) with Incident Commander approval.

5.2 Communication Plan

During a declared incident, customers are notified via: the NimbusGuard status page (status.nimbusguard.io) updated within 15 minutes of detection; email notification to all designated customer contacts within 30 minutes; and a post-incident report published within 5 business days of resolution.

6. Testing and Exercises

Test Type	Frequency	Last Performed	Result
Tabletop exercise	Quarterly	December 2025	Pass – 2 minor findings
Automated failover test	Monthly	February 2026	Pass – RTO met (42 min)
Full regional failover drill	Semi-annually	November 2025	Pass – RTO met (56 min)
Backup restoration test	Monthly	February 2026	Pass – all databases restored
Ransomware simulation	Annually	October 2025	Pass – recovery within RTO

7. Pandemic / Force Majeure Provisions

NimbusGuard is a remote-first organization with no single point of geographic dependency for its workforce. All critical operations can be performed remotely. The Company maintains a minimum staffing plan ensuring 24/7 coverage of Tier 1 services with geographically distributed SRE teams across North America, Europe, and Asia-Pacific time zones.