

Tests Runners

Naty Bidart

PyCon Argentina 2010

15-16 de Octubre de 2010

Test Runners: Holy grail?

■ `python -m unittest test_module1
test_module2` (Python 2.7!)

Test Runners: Holy grail?

- `python -m unittest test_module1 test_module2` (Python 2.7!)
- `python -m unittest discover` (Python 2.7!)

Test Runners: Holy grail?

- `python -m unittest test_module1 test_module2` (Python 2.7!)
- `python -m unittest discover` (Python 2.7!)
- `unit2 discover` (Python 2.6, package `python-unittest2`)

Test Runners: Holy grail?

- `python -m unittest test_module1 test_module2` (Python 2.7!)
- `python -m unittest discover` (Python 2.7!)
- `unit2 discover` (Python 2.6, paquete `python-unittest2`)
- `nosetests` con el plugin `rudolf`

Test Runners: Holy grail?

- `python -m unittest test_module1 test_module2` (Python 2.7!)
- `python -m unittest discover` (Python 2.7!)
- `unit2 discover` (Python 2.6, package `python-unittest2`)
- `nosetests` con el plugin `rudolf`
- `py.test`

Test Runners: Holy grail?

- `python -m unittest test_module1 test_module2` (Python 2.7!)
- `python -m unittest discover` (Python 2.7!)
- `unit2 discover` (Python 2.6, package `python-unittest2`)
- `nosetests` con el plugin `rudolf`
- `py.test`
- `trial`

Green bar

```
$> unit2 discover
```

```
nessita@dali:~/mythbusters$ unit2 discover
```

```
.
```

```
-----  
Ran 1 test in 0.000s
```

```
OK
```


Green bar

```
$> nosetests -with-color
```

```
nessita@dali:~/mythbusters$ nosetests --with-color
```

```
.
```

```
-----  
Ran 1 test in 0.008 seconds
```

```
OK
```

Green bar

```
$> py.test -v
```

```
nessita@dali:~/mythbusters$ py.test -v
===== test session starts =====
python: platform linux2 -- Python 2.6.6 -- pytest-1.2.1 -- /usr/bin/python
test object 1: /home/nessita/nessitastuff/talks/Mythbusters-tests/example

my_package/tests/test_my_module.py:43: DummyTestCase.test_me PASS

===== 1 passed in 0.01 seconds =====
```

Green bar

```
$> trial my_package
```

```
nessita@dali:~/mythbusters$ trial my_package/  
my_package.tests.test_my_module  
  DummyTestCase  
    test_me ...
```

[OK]

```
-----  
Ran 1 tests in 0.012s
```

```
PASSED (successes=1)
```

Red bar

```
$> unit2 discover
```

```
nessita@dali:~/mythbusters$ unit2 discover
F.
=====
FAIL: test_fail (my_package.tests.test_my_module.DummyTestCase)
Demonstrate a failing test.
-----
Traceback (most recent call last):
  File "/home/nessita/nessitastuff/talks/Mythbusters-tests/example/my_package/te
sts/test_my_module.py", line 60, in test_fail
    self.fail('Die! Die!')
AssertionError: Die! Die!
-----

Ran 2 tests in 0.000s

FAILED (failures=1)
```

Red bar

```
$> nosetests -with-color
```

```
nessita@dali:~/mythbusters$ nosetests --with-color
F.
=====
FAIL: Demonstrate a failing test.
-----
Traceback (most recent call last):
  File "/home/nessita/nessitastuff/talks/Mythbusters-tests/example/my_package/te
sts/test_my_module.py", line 60, in test_fail
    self.fail('Die! Die!')
AssertionError: Die! Die!
-----

Ran 2 tests in 0.010 seconds
FAILED (failures=1)
```

Red bar

```
$> py.test -v
```

```
nessita@dali:~/mythbusters$ py.test -v
===== test session starts =====
python: platform linux2 -- Python 2.6.6 -- pytest-1.2.1 -- /usr/bin/python
test object 1: /home/nessita/nessitastuff/talks/Mythbusters-tests/example

my_package/tests/test_my_module.py:58: DummyTestCase.test_fail FAIL
my_package/tests/test_my_module.py:43: DummyTestCase.test_me PASS

===== FAILURES =====
_____ DummyTestCase.test_fail _____

self = <my_package.tests.test_my_module.DummyTestCase testMethod=run>
msg = 'Die! Die!'

    def fail(self, msg=None):
        """Fail immediately, with the given message."""
>       raise self.failureException(msg)
E       AssertionError: Die! Die!

/usr/lib/pymodules/python2.6/unittest2/case.py:412: AssertionError
===== 1 failed, 1 passed in 0.03 seconds =====
```

Red bar

```
$> trial mypackage
```

```
nessita@dali:~/mythbusters$ trial my_package/
```

```
my_package.tests.test_my_module
```

```
  DummyTestCase
```

```
    test_fail ...
```

[FAIL]

```
    test_me ...
```

[OK]

```
=====
[FAIL]: my_package.tests.test_my_module.DummyTestCase.test_fail
```

```
Traceback (most recent call last):
```

```
  File "/usr/lib/pymodules/python2.6/unittest2/case.py", line 340, in run  
    testMethod()
```

```
  File "/home/nessita/nessitastuff/talks/Mythbusters-tests/example/my_package/te  
sts/test_my_module.py", line 60, in test_fail
```

```
    self.fail('Die! Die!')
```

```
  File "/usr/lib/pymodules/python2.6/unittest2/case.py", line 412, in fail  
    raise self.failureException(msg)  
exceptions.AssertionError: Die! Die!
```

```
-----  
Ran 2 tests in 0.012s
```

```
FAILED (failures=1, successes=1)
```

Referencias

- unittest
- unittest2
- Rudolf
- py.test
- nose