Rajalakshmi Engineering College

Name: bhagawath narayanan n
Email: 241501034@rajalakshmi.edu.in
Roll no: 241501034
Phone: 6374835866
Branch: REC
Department: I AIML AD
Batch: 2028
Degree: B.E - AI & ML

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5
10 20 30 40 50
Output: 10 20 30 40 50

Answer

```c
// You are using GCC
#include<stdio.h>
#include<stdlib.h>
typedef struct node{
    int data;
    struct node* prev, *next;
}node;
node* tail=NULL;
void insert(node** head, int value) {
    node* newnode=(node*)malloc(sizeof(node));
    newnode->data=value;
    newnode->prev=NULL;
    newnode->next=NULL;
    if(*head==NULL) {
        *head=tail=newnode;
        return;

    }
    else{
        tail->next=newnode;
        newnode->prev=tail;
        tail=newnode;

    }
```

```c
    }

    void display(node* head) {
        node* temp=head;
        while(temp!=NULL){
            printf("%d ",temp->data);
            temp=temp->next;

        }
        printf("\n");

    }

    int main(){
        node* head=NULL;
        int n;
        scanf("%d",&n);
        for(int i=0;i<n;i++){
            int val;
            scanf("%d",&val);
            insert(&head, val);

        }
        display(head);

    }
```

Status : Correct   *Marks : 10/10*