Rasoi

Application User Flow Documentation

Complete navigation, auth, and screen inventory

Generated: July 3, 2026

Repositories: rasoi_mobile + rasoi_backend

Analysis type: Read-only codebase trace

Application User Flow Documentation

Rasoi — Generated from codebase analysis
Date: July 3, 2026
Scope: `rasoi_mobile/` (Expo) + `rasoi_backend/` (Next.js marketing & admin)

Architecture Overview

Rasoi is a **monorepo** with two user-facing surfaces:

Surface	Path	Role
Mobile app	`rasoi_mobile/`	Primary product — Expo Router, 22 routes, email OTP auth via Supabase
Web	`rasoi_backend/`	Marketing/SEO, APK/Play Store landings, admin console — **no consumer web app**

All recipe, pantry, and account UX lives in the mobile app. The web backend exposes REST APIs consumed by mobile and an admin console for operators.

Bootstrap sequence (mobile)

1. **Native splash** — `expo-splash-screen` held via `SplashScreen.preventAutoHideAsync()` in `app/_layout.tsx`
2. **Branded overlay** — `LaunchSplash` + `LaunchSplashGate` dismisses when `fontsLoaded && isHydrated && catalogReady`, min 900 ms, max 1800 ms
3. **Auth hydration** — `AppContext` loads AsyncStorage + Supabase session, calls `fetchCurrentUser()` or `syncSupabaseAccount()`
4. **Routing** — `app/index.tsx` evaluates guards and redirects to the correct destination

Provider tree (`app/_layout.tsx`)

`ThemeProvider` → `SafeAreaProvider` → `RecipesProvider` → `ReferenceProvider` → `AppProvider` → `TonightRecipesProvider` → `AppDialogProvider` → `PartnersProvider` → Stack + global bridges

State management

- **No Redux or Zustand** — React Context only
- Primary auth state: `AppContext` via `useAppContext()`
- Session persistence: AsyncStorage (Supabase client) + `@rasoi/*` keys
- **No SecureStore** in the mobile app

Feature toggles

Toggle	Effect on navigation
`paymentsEnabled` (server `appConfig`)	Gates paywall, trial welcome, partner billing
`showPaywall` (derived in `planLogic.ts`)	Paywall screen auto-closes when false
`EXPO_PUBLIC_SCREENSHOT_MODE=1`	Demo data for store screenshots

Toggle	Effect on navigation
`EXPO_PUBLIC_PAYMENT_PROVIDER`	`stub` / `revenuecat` / `razorpay`

Screen Inventory

Mobile — Root & utility

Screen Name	File Path	Purpose	Entry Conditions	Exit Conditions
Bootstrap Hub	`rasoi_mobile/app/index.tsx`	Cold-start redirect hub	App launch	Always redirects
Not Found	`rasoi_mobile/app/+not-found.tsx`	Invalid route handler	Unknown URL	Link to `/`
Web HTML Shell	`rasoi_mobile/app/+html.tsx`	Web-only HTML wrapper	Expo web build	N/A

Mobile — Auth group `(auth)/`

Screen Name	File Path	Purpose	Entry Conditions	Exit Conditions
Login	`app/(auth)/login.tsx`	Email OTP login + guest entry	`!isLoggedIn`	OTP verified or guest created
Register	`app/(auth)/register.tsx`	Signup: name/phone/email → OTP	Login link; Settings guest upgrade	OTP verified
Legal Consent	`app/(auth)/legal-consent.tsx`	Terms & Privacy acceptance	`?from=register` or `?from=guest` only	User accepts
Onboarding	`app/(auth)/onboarding.tsx`	Prefs + OS permissions (3 steps)	`!hasCompletedOnboarding` or `?permissionsOnly=1`	Flow complete
Trial Welcome	`app/(auth)/trial-welcome.tsx`	Post-onboarding trial upsell	`pendingTrialWelcome === true`	`dismissTrialWelcome()`

Onboarding sub-steps (fixed order): (1) Food preferences, (2) Notifications permission, (3) Location permission

Mobile — Main tabs `(tabs)/`

Screen Name	File Path	Purpose	Entry Conditions	Exit Conditions
Home	`app/(tabs)/index.tsx`	Tonight picks, meal rails, announcements	Tab guard passed	User navigates away
Recipes	`app/(tabs)/recipes.tsx`	Catalog, search, filters	Tab guard passed	User navigates away
Pantry	`app/(tabs)/pantry.tsx`	Pantry staples editor	Tab; forced if `pendingPantrySetup`	Finish/Skip setup

Screen Name	File Path	Purpose	Entry Conditions	Exit Conditions
Saved	`app/(tabs)/saved.tsx`	Saved recipes list	Tab guard passed	User navigates away
Settings	`app/(tabs)/settings/index.tsx`	Profile, plan, logout, prefs	Tab guard passed	Sub-screen or logout
Edit Profile	`app/(tabs)/settings/edit-profile.tsx`	Name/phone edit	Settings tap	Save or back
Edit Preferences	`app/(tabs)/settings/edit-preferences.tsx`	Diet, cuisines, allergies	Settings tap	Save or back
Feedback	`app/(tabs)/settings/feedback.tsx`	In-app feedback form	Settings tap	Submit or back

Mobile — Stack screens

Screen Name	File Path	Purpose	Entry Conditions	Exit Conditions
Recipe Detail	`app/recipe/[id].tsx`	Recipe view; `?cook=1` = cook mode	Cards, notifications, home	`router.back()`
Paywall	`app/paywall.tsx`	Rasoi Plus subscription	CTAs push `/paywall`	Back or auto-close if `!showPaywall`

Web — Public marketing pages

Screen Name	File Path	Purpose
India Home	`rasoi_backend/src/app/page.tsx`	Primary landing
US/CA/AU Markets	`indian-recipe-app-{usa,canada,australia}/page.tsx`	Regional landings
Market aliases	`us/`, `ca/`, `au/`	308 → regional paths
SEO Hub	`indian-recipe-app/page.tsx`	Guides index
SEO Guides (10)	`[slug]/page.tsx`	Content pages
SEO Recipes (5)	`recipes/[slug]/page.tsx`	Recipe articles
Play Store SEO	`play-store/page.tsx`	Indexable Play Store mirror
Download	`download/page.tsx`	APK/Play download landing
Privacy / Terms / Delete Account	`privacy/`, `terms/`, `delete-account/`	Legal pages

Web — Admin console (cookie-JWT protected)

Login: `/admin/login` | Dashboard: `/admin` | Kitchen Styles, Recipes, Announcements, Sponsors, Payments, Promo Codes, Partners, Users, Pantry Defaults, Feedback, Integrations — all under `/admin/*`

Authentication Flow

Method: Email OTP only via Supabase Auth — **no password, no forgot-password flow**.

Login path: Login → OTP → `resolvePostAuthHref` → (Onboarding if needed) → (permissions-only if OS perms missing) → (Pantry if `pendingPantrySetup`) → (Trial Welcome if pending) → Tabs

Login must NOT show legal-consent (register and guest only).

Session restore: `AppContext` hydrates session unless `@rasoi/user_logged_out` flag is set.

Logout: Settings → `logout()` → `router.replace('/(auth)/login')`

Inactive account: `applyUserProfile` auto-logout when `user.isActive === false`.

Session expired: API maps unauthorized errors to user message only — **no automatic redirect to Login** (Possible Flow gap).

Registration Flow

Register → OTP → **always** `legal-consent?from=register` → Onboarding → Pantry (new signup sets `pendingPantrySetup`) → optional Trial Welcome → Tabs

Guest upgrade: Settings → Sign up → Register (not Login).

Onboarding Flow

Full onboarding: Preferences → Notifications → Location → `completeOnboarding`

Permissions-only: `/(auth)/onboarding?permissionsOnly=1&step=notifications|location`

Exit routing: `!isLoggedIn` → Login | `pendingPantrySetup` → Pantry | `showTrialWelcome` → Trial Welcome | else → Tabs

---

Dashboard Flow (Home Tab)

Home shows tonight picks, announcements, meal rails. `OfflineBanner` when catalog fetch fails. Navigation to recipe detail, paywall, recipes tab, cook mode (`?cook=1`).

Pantry Flow

`pendingPantrySetup` forces tab guard to Pantry until user finishes or skips setup.

Set for: new signup (`verifyEmailOtpAndLogin` signup flow) and guest first login when `!hasCompletedOnboarding`.

Settings Flow

Profile, preferences, feedback, paywall, notifications toggle, location card (may redirect to permissions-only onboarding), logout, switch account, delete account, guest upgrade to register.

Notification Flow

Deferred until `isHydrated && hasCompletedOnboarding && isLoggedIn && !pendingTrialWelcome`.

Payload `data.type`	Navigation
`daily_reminder`	`/(tabs)` (home)
`admin_message`	`/(tabs)/recipes`
`meal_pick` + `recipeId`	`/recipe/{id}` or `?cook=1` if action `cook`

Deep Link Flow

Mobile: `rasoi://` scheme — Expo Router file-based mapping. No custom JS deep-link handler. Guards still apply.

Web: `/play-store` (SEO page), `/api/play-store` (302 to Play Store), `/download`, `/api/download/apk`, legacy `/google-play/...` → 301 to `/play-store`.

Error Flows

Error state	Navigation impact
API network failure	Stays on screen; user retries
Catalog offline	`OfflineBanner`; no route change
Invalid route	`+not-found` → `/`
Fatal JS error	`AppCrashFallback` with retry
Inactive account	Auto logout
Session expired message	No auto-redirect
Paywall with payments off	Auto `router.back()`

Forgot password: Not implemented.

Navigation Matrix (Mobile)

Screen	Can Navigate To	Conditions
`index`	Login, Legal Consent, Onboarding, Pantry, Trial Welcome, Tabs	Sequential guards

Screen	Can Navigate To	Conditions
Login	Register, post-auth destinations	`!isLoggedIn`
Register	Legal Consent (after OTP)	Always after OTP
Legal Consent	Onboarding, Pantry, Trial, Tabs	`from=register|guest`
Onboarding	Login, Pantry, Trial, Tabs	Step completion
Trial Welcome	Tabs	`pendingTrialWelcome`
Tabs	Each other, Recipe, Paywall, Settings subs	Tab guards
Pantry	Tabs after setup	Forced if `pendingPantrySetup`
Settings	Sub-screens, Paywall, Register, Login	Guest → Register
Recipe `[id]`	Paywall, back	—
Paywall	back	`showPaywall === true`

Conditional navigation

Condition	Effect
`!isHydrated`	Bootstrap overlay; tabs → `/`
`!isLoggedIn`	→ Login
`!hasCompletedOnboarding`	→ Onboarding or Legal Consent
OS permissions missing	→ permissions-only onboarding
`pendingPantrySetup`	→ Pantry (blocks other tabs)
`pendingTrialWelcome`	→ Trial Welcome (after pantry)
`showPaywall === false`	Paywall auto-closes
Notification tap	Deferred until app ready

AsyncStorage / Local Persistence

Key	Purpose
`@rasoi/auth_token`, `@rasoi/user_id`, `@rasoi/user_logged_out`	Auth session
`@rasoi/onboarding_complete` + diet/cuisine keys	Onboarding
`@rasoi/pending_trial_welcome`, `@rasoi/pending_pantry_setup`	Post-auth gates
`@rasoi/legal_consent`	Terms acceptance
`@rasoi/permissions_onboarding_complete`	OS permission prompt
`@rasoi/pending_email_verification`	Email verify pending
`@rasoi/appearance`	Theme
`@rasoi/recommendations_offline_v1`	Cached recommendations

Dead / Legacy / Unreachable

Item	Status
`PlayStoreAutoRedirect.tsx`	Deleted (legacy)
`app/google-play/.../page.tsx`	Deleted — route.ts 301 redirect
`app/play-store/route.ts`	Deleted — replaced by page.tsx
`+html.tsx`	Web-only
`POST /api/auth/login` (phone)	Returns 410 — disabled
Forgot password	Not implemented
iOS universal links	Not configured
`assetlinks.json`	Not in repo

Potential Issues

1. **Session expired** — message only; no global 401 → logout redirect
2. **Tab guard vs index** — duplicate guards; `!isHydrated` loops through `/`
3. **Pantry vs trial welcome** — pantry takes priority
4. **Notification nav** — blocked during `pendingTrialWelcome`
5. **`rasoi_market` cookie** — read in middleware, never written
6. **Deep links while logged out** — brief render before guard redirect

User Journey Checklist

Journey	Implemented	Notes
First app launch	Yes	Splash → Login
Returning user	Yes	Unless `userLoggedOut`
Login	Yes	Email OTP
Registration	Yes	OTP → Legal → Onboarding → Pantry
Forgot password	No	OTP-only
OTP verification	Yes	signup / login / guest_upgrade
Logout	Yes	Settings → Login
Session expired	Partial	Message only
Premium purchase	Yes	Paywall + RevenueCat
Pantry creation	Yes	Forced for new signup + new guest
Deep link	Partial	`rasoi://` ; guards apply

Journey	Implemented	Notes
Notification open	Yes	Deferred until ready
Offline mode	Partial	Banner + cached data
Guest → upgrade	Yes	Settings → Register
Delete account	Yes	Settings → Login
Admin web login	Yes	Cookie JWT

Key source files

Concern	File
Cold-start routing	`rasoi_mobile/app/index.tsx`
Post-auth routing	`rasoi_mobile/utils/authNavigation.ts`
Tab guards	`rasoi_mobile/app/(tabs)/_layout.tsx`
Auth state	`rasoi_mobile/context/AppContext.tsx`
Notification nav	`rasoi_mobile/hooks/useNotificationNavigation.ts`
Permissions logic	`rasoi_mobile/utils/permissionsOnboarding.ts`
Web middleware	`rasoi_backend/src/middleware.ts`
Download paths	`rasoi_backend/src/lib/app-download.ts`

Mermaid Flowcharts (reference)

The following flows are implemented in code. Diagrams use Mermaid syntax for tooling; PDF renders them as reference lists.

Cold start routing (`app/index.tsx`)

1. Launch → Splash (900–1800 ms) → Hydrate AppContext
2. IF `!legalReady || !isHydrated || guest bootstrapping || permissions check` → Bootstrap overlay
3. IF `!isLoggedIn` → Login
4. IF `!hasCompletedOnboarding` → Legal Consent (guest) OR Onboarding
5. IF permissions redirect needed → `onboarding?permissionsOnly=1`
6. IF `pendingPantrySetup` → Pantry
7. IF `pendingTrialWelcome` → Trial Welcome
8. ELSE → Tabs (Dashboard)

Authentication (login)

Launch → Splash → Hydrate → IF not logged in → Login → Enter Email → Send OTP → Enter OTP → Verify → Sync account → resolvePostAuthHref → (Onboarding | Permissions-only | Pantry | Trial Welcome | Tabs)

Registration (new account)

Login → Register → Details → OTP → Verify → Set pendingPantrySetup → Legal Consent → Onboarding (Prefs → Notif → Location) → Pantry → (Trial Welcome?) → Tabs

Guest first-time

Login → Explore as Guest → loginAsGuest → IF no legal consent → Legal Consent → Onboarding → Pantry → Tabs

Returning user (logged in, onboarding done)

Launch → Hydrate → IF permissions missing → permissionsOnly onboarding → IF pendingPantrySetup → Pantry → IF pendingTrialWelcome → Trial Welcome → ELSE Tabs

Premium / trial

Free tier user → IF showPaywall → Trial Welcome or Paywall push → Start trial OR Subscribe (RevenueCat) → IF trial expires → TrialExpiredPaywallModal

Web visitor → app install

Visitor → middleware → IF geo US/CA/AU on `/` → Regional landing → CTA → Google Play OR `/play-store` SEO page OR `/download` → `/api/download/apk` for APK

Admin login (web)

`/admin/*` → IF no cookie → `/admin/login` → POST credentials → Set `rasoi_admin_token` → Admin Console → Logout clears cookie

Tab layout guards (`(tabs)/_layout.tsx`)

IF `!isHydrated` → `/` | IF `!hasCompletedOnboarding` → Onboarding | IF `!isLoggedIn` → Login | IF `pendingTrialWelcome && !pendingPantrySetup` → Trial Welcome | IF `pendingPantrySetup && not on pantry` → Pantry | ELSE render tabs

---

Web — Redirect summary

From	Status	To
`/us`	308	`/indian-recipe-app-usa`
`/ca`	308	`/indian-recipe-app-canada`
`/au`	308	`/indian-recipe-app-australia`
`/google-play/rasoi-aaj-kya-banaye-indian-recipe-app-android`	301	`/play-store`
`/api/download/apk`	302	EAS APK or `/rasoi-release.apk`
`/api/play-store`	302	Google Play listing
`/admin/*` (no auth)	307	`/admin/login`
`/admin/login` (authed)	307	`/admin`

Admin console screens (web)

URL	File
`/admin/login`	`src/app/admin/login/page.tsx`
`/admin`	`src/app/admin/(console)/page.tsx`
`/admin/kitchen-styles`	`kitchen-styles/page.tsx`
`/admin/recipes`	`recipes/page.tsx`
`/admin/announcements`	`announcements/page.tsx`
`/admin/sponsors`	`sponsors/page.tsx`
`/admin/sponsor-analytics`	`sponsor-analytics/page.tsx`
`/admin/sponsor-applications`	`sponsor-applications/page.tsx`
`/admin/payments`	`payments/page.tsx`
`/admin/promo-codes`	`promo-codes/page.tsx`
`/admin/partners`	`partners/page.tsx`
`/admin/affiliate-events`	`affiliate-events/page.tsx`
`/admin/users`	`users/page.tsx`
`/admin/pantry-defaults`	`pantry-defaults/page.tsx`
`/admin/feedback`	`feedback/page.tsx`
`/admin/integrations`	`integrations/page.tsx`

Context providers (mobile)

Context	File	Responsibility
AppContext	`context/AppContext.tsx`	Auth, profile, onboarding, plan, pantry, saved
ThemeContext	`context/ThemeContext.tsx`	Light/dark appearance
RecipesContext	`context/RecipesContext.tsx`	Recipe catalog
ReferenceContext	`context/ReferenceContext.tsx`	Kitchen styles, `paymentsEnabled`
TonightRecipesContext	`context/TonightRecipesContext.tsx`	Home recommendations
AppDialogContext	`context/AppDialogContext.tsx`	Global dialogs
PartnersContext	`context/PartnersContext.tsx`	Partner checkout, quota

Global bridges (mobile root layout)

Bridge	Purpose
AnalyticsScreenBridge	Screen analytics
NotificationNavigationBridge	Push notification → route
LocationSyncBridge	GPS sync when city missing
RevenueCatBridge	Subscription SDK
EmailVerificationBridge	Pending email verify modal
TrialEndingSoonModal	Trial expiry nudge
TrialExpiredPaywallModal	Post-trial paywall
AppDialogHost	Global alert host

Inconsistencies & recommendations

Inconsistencies

- Session expired shows message but does not auto-navigate to Login
- Tab guard and index both enforce similar guards (circular `/` during hydration)
- `pendingPantrySetup` blocks trial welcome until pantry cleared
- Register always routes through legal-consent even when onboarding incomplete
- Notification navigation blocked while `pendingTrialWelcome`
- `rasoi_market` cookie read but never written in backend
- Deep links may briefly render before auth guards redirect

Recommendations (analysis only)

1. Add global 401 handler → logout + redirect to Login
2. Add `assetlinks.json` for verified Android App Links
3. Set or remove `rasoi_market` cookie logic in middleware
4. Document notification behavior during trial welcome
5. Keep `/api/play-store` vs `/play-store` distinction documented for marketing

SEO content slugs (web)

Guides (10): `what-to-cook-tonight-indian`, `jain-recipes-indian-home-cooking`, `gujarati-dinner-ideas`, `south-indian-weeknight-recipes`, `indian-cooking-in-usa`, `indian-cooking-in-canada`, `indian-cooking-in-australia`, `punjabi-dinner-ideas`, `veg-indian-weeknight-recipes`, `aaj-kya-banaye`

Recipes (5): `paneer-butter-masala`, `dal-tadka`, `masala-dosa`, `chicken-biryani`, `palak-paneer`

Document generated from codebase analysis. All flows traced to implementation — no invented flows.