HTML Phrase tag

The HTML phrase tags are special purpose tags, which defines the structural meaning of a block of text or semantics of text. Following is the list of phrase tags, some of which we have already discussed in HTML formatting.

- Abbreviation tag : <abbr>
- Acronym tag: <acronym> (not supported in HTML5)
- Marked tag: <mark>
- Strong tag:
- Emphasized tag :
- Definition tag: <dfn>
- Quoting tag: <blockquote>
- Short quote tag : <q>
- Code tag: <code>
- Keyboard tag: <kbd>
- Address tag: <address>

1. Text Abbreviation tag

A .. TITN AT 1....

This tag is used to abbreviate a text. To abbreviate a text, write text between <abbr> and </abbr> tag.

Example

An <abbr title = "Hypertext Markup language">HTML </abbr>language is used to create web pages.

Test it Now

Output:



Marked tag:

The content written between <mark> and </mark> tag will show as yellow mark on browser. This tag is used to highlight a particular text.

Example

This tag will <mark>highlight</mark> the text.

Test it Now

Output:

3. Strong text:

This tag is used to display the important text of the content. The text written between and will be displayed as important text.

Example

In HTML it is recommended to use lower-case, while writing a code.

Test it Now

Output:

4. Emphasized text

This tag is used to emphasize the text, and displayed the text in italic form. The text written between and tag will italicized the text.

Example

HTML is an easy to learn language.

Test it Now

Output:

5. Definition tag:

When you use the <dfn> and </dfn> tags, it allow to specify the keyword of the content. Following is the example to show how to definition element.

Example

<dfn>HTML </dfn> is a markup language.

Test it Now

Output:

6. Quoting text:

The HTML <blockquote> element shows that the enclosed content is quoted from another source. The Source URL can be given using the cite attribute, and text representation of source can display using <cite> </cite>element.

Example

<blockquote cite="https://www.keepinspiring.me/famous-quotes/">?

The first step toward success is taken when you refuse to be a captive of the environment in which you first find yourself.?</blockquote>cite>

Test it Now

Output:

7. Short Quotations:

An HTML <q> </q> element defines a short quotation. If you will put any content between <q> </q>, then it will enclose the text in double quotes.

Example:

Steve Jobs said: <q>If You Are Working On Something That You Really Care About, You Don?t Have To Be Pushed. The Vision Pulls You.</q>?

Test it Now

Output:

8. Code tags

The HTML <code> </code> element is used to display the part of computer code. It will display the content in monospaced font.

```
First Java program
<code>class Simple{ public static void main(String args[]){
    System.out.println("Hello Java"); }} </code>
```

Test it Now

Output:

9. Keyboard Tag

In HTML the keyboard tag, <kbd>, indicates that a section of content is a user input from keyboard.

```
Please press <kbd>Ctrl</kbd> + <kbd>Shift</kbd> + t<kbd></kbd> to restore page on chrome.
```

Test it Now

Output:

10. Address tag

An HTML <address> tag defines the contact information about the author of the content. The content written between <address> and </address> tag, then it will be displayed in italic font.

```
<address> You can ask your queries by contact us on <a href="">example123@newdomain.com</a> <br> You can also visit at: <br>58 S. Garfield Street. Villa Rica, GA 30187. </address>
```

Test it Now

Output:

 \leftarrow prev next \rightarrow

Help Others, Please Share








Learn Latest Tutorials






Preparation



Trending Technologies



B.Tech / MCA

