## **CN Practical End-Exam Quiz**

25th November 2021

10 questions

10 Marks

10 Minutes

u19cs012@coed.svnit.ac.in Switch account

Draft saved

Your email will be recorded when you submit this form

What does a router do with a packet that it does not have a destination network for?

1 point

- Sends it to the Serial port
- Sends it back out the same interface it received it in
- Drops the packet
- Forwards the packet to the next hop

Clear selection

In Cisco Packet tracer, index.html page is visible in which services of a server

1 point

- DNS

**HTML** 

- HTTP
- **FTP**

Clear selection

In Cisco Packet tracer, In Email service, what username and password 1 point would be added?
Username and Password of the Email server
Username and Password of all the Email users
Username and Password of the Web server
Username and Password of the SMTP server
Clear selection
In FTP Service in Cisco Packet tracer, Users can have what rights?  1 point
Read, Write, Delete & list only
Read, Write & Delete only
Read & Write only
Read, Write, Delete, list & Rename only
Clear selection
A Server in Cisco Packet tracer, has how many interfaces by default? 1 point
O 8
O 4
O 2
1
Clear selection

For Assigning interface address for a system, which of the below is the 1 point correct syntax in Cisco Packet tracer
interface address 192.168.1.10
ipaddress 192.168.1.10 255.255.255
ip address 192.168.1.10 255.255.255.0
ip address 192.168.1.10
Clear selection
What does the phrase non-authoritative answer in the nslookup output 1 point mean?
The information in the output was obtained from a server cache
The nslookup program is not finding any information at all
The nslookup program cannot find a name server to query
The information in the nslookup output is probably false
Clear selection
How to notify the DHCP Server to assign addresses from 10.0.0.6 to 1 point 10.0.0.254 in the network of 10.0.0.0 in Cisco Packet tracer
ip dhcp included-address 10.0.0.6 10.0.0.254
ip dhcp excluded address 10.0.0.1 10.0.0.5
ip dhcp excluded-address 10.0.0.1 10.0.0.5
ip dhcp excluded-address 10.0.0.6 10.0.0.254
Clear selection

!

For mail transfer in Cisco Packet tracer, in any system incoming outgoing mail server address would be	and 1 point
server address connected to the system	
ource system's address & destination system's address	
O Source server and Destination address	
Email Id's of Source user and Destination user	
	Clear selection
Domain name in Email service configuration in a server can be _	1 point
www.google.com	
<u>google.com</u>	
■ gmail.com	
gmail gmail	
	Clear selection

Submit Clear form

This form was created inside of Sardar Vallabhbhai National Institute of Technology, Surat. Report Abuse

## Google Forms