


# Assignment 5

## Assignment 5\_1



## Assignment Q 5.2

The screenshot shows the VS Code editor interface with the following details:


- EXPLORER:** Shows the project structure with folders for `src`, `app`, `first-comp`, and `second-comp`.
- OPEN EDITORS:** Lists the open files, including `second-comp.component.html`, `app.component.ts`, `first-comp.component.html`, and `app.component.html`.
- second-comp.component.html:**

```
1 <h2>Hello From Second Component</h2>
```
- app.component.ts:**

```
1 import { Component } from '@angular/core';
2 import { RouterOutlet } from '@angular/router';
3 import { FirstCompComponent } from './first-comp/first-comp.component';
4 import { SecondCompComponent } from './second-comp/second-comp.component';
5
6 @Component({
7   selector: 'app-root',
8   standalone: true,
9   imports: [RouterOutlet, FirstCompComponent, SecondCompComponent],
10  templateUrl: './app.component.html',
11  styleUrls: ['./app.component.css'],
12 })
13 export class AppComponent {
14   title = 'Assignment_5_1';
15 }
```
- first-comp.component.html:**

```
1 <h2>Hello From First Component</h2>
```
- app.component.html:**

```
1 <app-first-comp></app-first-comp>
2 <app-second-comp></app-second-comp>
3 <router-outlet></router-outlet>
```



## Assignment Q 5.3

The screenshot shows the VS Code editor with the following files and code:

- first-comp.component.html**:

```
<p>Hello from First component</p>
<app-second-comp></app-second-comp>
```
- first-comp.component.ts**:

```
import { Component } from '@angular/core';
import { SecondCompComponent } from '../second-comp/second-comp.component';

@Component({
  selector: 'app-first-comp',
  standalone: true,
  imports: [SecondCompComponent],
  templateUrl: './first-comp.component.html',
  styleUrls: ['./first-comp.component.css'],
})
export class FirstCompComponent {}
```
- app.component.html**:

```
<app-first-comp></app-first-comp>
<router-outlet />
```
- second-comp.component.html**:

```
<p>Hello From Second Component</p>
```

