Cucumber Report

Mar 11, 2026, 12:29:27 PM

Start : Mar 11, 12:28:54.426 PM	End : Mar 11, 12:29:26.746 PM	Duration : 32.320 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 4 SKIPPED - 0	PASSED - 7 FAILED - 5 SKIPPED - 0	PASSED - 28 FAILED - 5 SKIPPED - 12





Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
test	2.810 s	1	1	0	0	2	2	0	0
API Error Status Code Validation	1.656 s	4	3	1	0	12	11	1	0
API Error Status Code Validation	0.869 s	3	1	2	0	10	5	2	3
Flight Bookin	3.182 s	1	0	1	0	6	0	1	5
PDF Detail Validation	1.300 s	1	1	0	0	4	4	0	0
test	0.008 s	1	0	1	0	5	0	1	4
User Management API	22.397 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	API Error Status Code Validation	401 unAuthorized error
2		Server encounters an unhandled exception
3		Create user with invalid data type to trigger 400 error
4	Flight Bookin	Search for a one-way flight
5	test	Create and Verify Device Object

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@skip_setup1	5	4	1	0	2	1	1	0
@headless	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	test	1	1	0	0	2.810 s
2	API Error Status Code Validation	4	3	1	0	1.656 s
3	API Error Status Code Validation	3	1	2	0	0.869 s
4	Flight Bookin	1	0	1	0	3.182 s
5	PDF Detail Validation	1	1	0	0	1.300 s
6	test	1	0	1	0	0.008 s
7	User Management API	1	1	0	0	22.397 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	test	Create multiple users and log results to Excel	2	2	0	0	2.807 s
2	API Error Status Code Validation	404 Not Found - Missing Resource	3	3	0	0	0.797 s
3		401 unAuthorized error	3	2	1	0	0.150 s
4		400 error	3	3	0	0	0.380 s
5		500 Internal server error	3	3	0	0	0.292 s
6		404 Not Found - Missing Resource	3	3	0	0	0.759 s
7		Server encounters an unhandled exception	3	1	1	1	0.008 s
8		Create user with invalid data type to trigger 400 error	4	1	1	2	0.007 s
9	Flight Bookin	Search for a one-way flight	6	0	1	5	3.180 s
10	PDF Detail Validation	Validate text, font, and color of multi-page PDF	4	4	0	0	1.299 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	test	Create and Verify Device Object	5	0	1	4	0.004 s
12	User Management API	Create multiple users and log results to Excel	6	6	0	0	22.397 s

test

PASSED	DURATION - 2.810 s	Scenarios		Steps	
/ 12:28:54.426 PM // 12:28:57.236 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 2 Pass - 2 Fail - 0 Skip - 0	

Create multiple users and log results to Excel

PASSED	DURATION - 2.807 s		Steps	
/ 12:28:54.429 PM // 12:28:57.236 PM /			Total - 2 Pass - 2 Fail - 0 Skip - 0	
test				
@skip_setup1				

#	Step / Hook Details	Status	Duration
1	When I send a POST request using data	PASSED	2.133 s
2	Then the response status code should be 401	PASSED	0.004 s

API Error Status Code Validation

FAILED	DURATION - 1.656 s	Scenarios		Steps	
/ 12:28:57.266 PM // 12:28:58.922 PM /		Total - 4 Pass - 3 Fail - 1 Skip - 0		Total - 12 Pass - 11 Fail - 1 Skip - 0	

404 Not Found - Missing Resource

PASSED	DURATION - 0.797 s
/ 12:28:57.267 PM // 12:28:58.064 PM /	
API Error Status Code Validation	
@skip_setup1	



Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the API endpoint is "https://jsonplaceholder.typicode.com/users/5678900000"	PASSED	0.000 s
2	When I send a GET request	PASSED	0.792 s
3	Then the response status code should be 404	PASSED	0.000 s

401 unAuthorized error

FAILED	DURATION - 0.150 s
/ 12:28:58.078 PM // 12:28:58.228 PM /	
API Error Status Code Validation	
@skip_setup1	



Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the API endpoint is "http://reqres.in/api/users"	PASSED	0.000 s
2	When I send a POST request with INVALID API Key	PASSED	0.129 s
3	Then the response status code should be 401	FAILED	0.017 s

```
java.lang.AssertionError: Status code mismatch! URL was: http://reqres.in/api/users expected [401] but found [301]
    at org.testng.Assert.fail(Assert.java:110)
    at org.testng.Assert.failNotEquals(Assert.java:1577)
    at org.testng.Assert.assertEqualsImpl(Assert.java:149)
    at org.testng.Assert.assertEquals(Assert.java:131)
    at org.testng.Assert.assertEquals(Assert.java:1418)
    at org.testng.Assert.assertEquals(Assert.java:1382)
    at StepDefinitions.stspsStatuscode.verifyStatus(stspsStatuscode.java:153)
    at ?.the response status code should be 401(file:///C:/Users/budchane/Desktop/New%20folder/WP/CucumberSelenium/src/test/resources/
```

#	Step / Hook Details	Status	Duration
	FeatureFiles/Status404.feature:13) * Not displayable characters are replaced by '?'.		

400 error

PASSED	DURATION - 0.380 s
/ 12:28:58.237 PM // 12:28:58.617 PM /	
API Error Status Code Validation	
@skip_setup1	



Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the API endpoint is "https://reqres.in/api/users"	PASSED	0.008 s
2	When I send a POST with broken body	PASSED	0.368 s
3	Then the response status code should be 400	PASSED	0.001 s

500 Internal server error

PASSED	DURATION - 0.292 s
/ 12:28:58.630 PM // 12:28:58.922 PM /	
API Error Status Code Validation	
@skip_setup1	



Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the API endpoint is "https://gorest.co.in/public/v2/users"	PASSED	0.000 s
2	When I send a GET request	PASSED	0.285 s
3	Then the response status code should be 500	PASSED	0.001 s

API Error Status Code Validation

FAILED	DURATION - 0.869 s	Scenarios		Steps	
/ 12:28:58.938 PM // 12:28:59.807 PM /		Total - 3 Pass - 1 Fail - 2 Skip - 0		Total - 10 Pass - 5 Fail - 2 Skip - 3	

404 Not Found - Missing Resource

PASSED	DURATION - 0.759 s		
/ 12:28:58.938 PM // 12:28:59.697 PM /			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
API Error Status Code Validation			

#	Step / Hook Details	Status	Duration
1	Given the API endpoint is "https://jsonplaceholder.typicode.com/users/5678900000"	PASSED	0.001 s
2	When I send a GET request	PASSED	0.752 s
3	Then the response status code should be 404	PASSED	0.001 s

Server encounters an unhandled exception

FAILED	DURATION - 0.008 s		
/ 12:28:59.766 PM // 12:28:59.774 PM /			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1
API Error Status Code Validation			

#	Step / Hook Details	Status	Duration
1	Given the API endpoint is "https://gorest.co.in/public/v2/users"	PASSED	0.000 s
2	When I send a POST request	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	Step undefined		
3	Then the response status code should be 500	SKIPPED	0.000 s

Create user with invalid data type to trigger 400 error

FAILED	DURATION - 0.007 s
/ 12:28:59.800 PM // 12:28:59.807 PM /	
API Error Status Code Validation	



Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given the API endpoint is "https://gorest.co.in/public/v2/users"	PASSED	0.000 s
2	And I have a "Bearer" token "0dcda9cb3cb7843a5f22e3ce861d388bd56823616c08dc8bf3a720799d8b02e5"	FAILED	0.001 s
	Step undefined		
3	When I send a POST request to "/users" with an invalid integer for "gender"	SKIPPED	0.001 s
4	Then the response status code should be 400	SKIPPED	0.000 s

Flight Bookin

FAILED	DURATION - 3.182 s
/ 12:28:59.818 PM // 12:29:03.000 PM /	

Scenarios
Total - 1
Pass - 0
Fail - 1
Skip - 0

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

Search for a one-way flight

FAILED	DURATION - 3.180 s
/ 12:28:59.820 PM // 12:29:03.000 PM /	
Flight Bookin	



Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User is on the ixigo homepage java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "this.driver" is null at POM_Pages.LoginPage.click_login_signup_button(LoginPage.java:56) at StepDefinitions.LoginSteps.navigateToIxigo(LoginSteps.java:59) at ?.User is on the ixigo homepage(file:///C:/Users/budchane/Desktop/New%20folder/WP/CucumberSelenium/src/test/resources/FeatureFiles/feature.feature:3) * Not displayable characters are replaced by '?'.	FAILED	3.173 s
2	When user enters mob_no <mob_no> and click continue	SKIPPED	0.000 s
3	When User enters "Pune" as source and "Mumbai" as destination	SKIPPED	0.000 s
4	And User clicks on the search button	SKIPPED	0.000 s
5	Then Flight search results should be displayed	SKIPPED	0.000 s
6	When user clicks on BookBtn	SKIPPED	0.001 s

PDF Detail Validation

PASSED	DURATION - 1.300 s
/ 12:29:03.014 PM // 12:29:04.314 PM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

Validate text, font, and color of multi-page PDF

PASSED	DURATION - 1.299 s
/ 12:29:03.015 PM // 12:29:04.314 PM /	
PDF Detail Validation	
@headless	



Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user has the PDF file "sample.pdf"	PASSED	0.311 s
2	When user validates all pages of the PDF	PASSED	0.365 s
3	And test data is loaded from "TestData.xlsx"	PASSED	0.603 s
4	Then all text, font types, and colors should match the test data sheet	PASSED	0.013 s

test

FAILED	DURATION - 0.008 s
/ 12:29:04.330 PM // 12:29:04.338 PM /	

Scenarios
Total - 1
Pass - 0
Fail - 1
Skip - 0

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

Create and Verify Device Object

FAILED	DURATION - 0.004 s
/ 12:29:04.334 PM // 12:29:04.338 PM /	
test	



Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4



#	Step / Hook Details	Status	Duration
1	Given I have the API base URI "https://api.restful-api.dev"	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	Step undefined		
2	When I send a POST request to "/objects" with name "Google Pixel 9" and job "QA Testing"	SKIPPED	0.000 s
3	And I send a GET request for the same ID to "/objects"	SKIPPED	0.000 s
4	Then the status code should be 200	SKIPPED	0.000 s
5	And the response should contain the name "Google Pixel 9"	SKIPPED	0.000 s

User Management API

PASSED	DURATION - 22.397 s	Scenarios		Steps	
/ 12:29:04.349 PM // 12:29:26.746 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 6 Pass - 6 Fail - 0 Skip - 0	

Create multiple users and log results to Excel

PASSED	DURATION - 22.397 s		Steps	
/ 12:29:04.349 PM // 12:29:26.746 PM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	
User Management API				

#	Step / Hook Details	Status	Duration
1	Given I have the Excel sheet ready at row "1"	PASSED	0.056 s
2	When I send a POST request using data from Excel row "1"	PASSED	21.312 s
3	Then the status code should be 200	PASSED	0.000 s
4	When I send a GET request using the extracted ID	PASSED	0.840 s
5	Then the response should contain the name "John"	PASSED	0.071 s
6	Then I save the generated ID and status back to row 1	PASSED	0.114 s