
Docker

Assignment 1:

Create container of httpd image and integrate with github repo with three branches and deploy one branch to one container with port 80,port 90 and port 8001 respectively



```
🔻 🕲 (2) WhatsApp x | 🔯 Instances | EC2 | x | 🔯 docker_http. pip: x | 🕡 Webhook - http://x | 📑 Untitled docume x | 🗐 Untitled docume x | 🔞 HTTPD Deploym x | 🔞 3.89.183.868001 x | +
    \rightarrow \quad \textbf{C} \qquad \underline{\textbf{A}} \ \textbf{Not secure} \qquad \textbf{3.89.183.86:8080/jenkins/view/Assignment7/job/docker\_http\_pipeline/configure}
 Dashboard > Assignment7 > docker_http_pipeline > Configuration
  Configure
                                Pipeline script
  Triggers
                                          agent { label "built-in" }
  Pipeline
                                          stages{
                                            stage('pull image') {
  Advanced
                                               steps {
    sh 'docker pull httpd'
                                                 sh "docker rm -f c1 c2 c3 || true"
                                            stage('Create container on port 80') {
                                                 git branch: '2025_Q1', url: 'https://github.com/Bhagyashri1796/docker_repo.git'
                                  ✓ Use Groovy Sandbox ?
                                                                                                           Activate Windows
pipeline{
          agent { label "built-in" }
          stages{
                     stage('pull image') {
          steps {
              sh 'docker pull httpd'
                                          sh "docker rm -f c1 c2 c3 || true"
          }
       }
                     stage('Create container on port 80') {
                               steps {
                                          git branch: '2025_Q1', url:
'https://github.com/Bhagyashri1796/docker_repo.git'
                                   sh "docker run -d --name c1 -p 80:80 httpd"
              sleep 3
                                          sh "docker cp index.html
c1:/usr/local/apache2/htdocs/index.html"
                                          sh "docker exec c1 chmod 777
/usr/local/apache2/htdocs/index.html"
                               }
                     stage('Create container on port 90') {
                               steps {
                                          git branch: '2025_Q2', url:
'https://github.com/Bhagyashri1796/docker_repo.git'
                                   sh "docker run -d --name c2 -p 90:80 httpd"
              sleep 3
                                          sh "docker cp index.html
c2:/usr/local/apache2/htdocs/index.html"
```

```
sh "docker exec c2 chmod 777
/usr/local/apache2/htdocs/index.html"
                                       }
                          }
                          stage('Create container on port 8001') {
                                       steps {
                                                    git branch: '2025_Q3', url:
'https://github.com/Bhagyashri1796/docker_repo.git'
                                                     sh "docker run -d --name c3 -p 8001:80 httpd"
                  sleep 3
                                                    sh "docker cp index.html
c3:/usr/local/apache2/htdocs/index.html"
                                                     sh "docker exec c3 chmod 777
/usr/local/apache2/htdocs/index.html"
                          }
             }
}
 🔻 🕲 (2) WhatsApp X 🔯 Instances | EC2 | X 🔯 docker | http://pip X 🐧 Webhook - http://X 📑 Untitled docum://X | 📑 Untitled docum://X | 📵 HTTPD Deploy:// X | 🔞 389.183.85600 | X | +
     → C A Not secure 3.89.183.86:8080/jenkins/view/Assignment7/job/docker_http_pipeline/13/
                                                                                                                                                          ☆ B
   🦺 Jenkins
  Dashboard > Assignment7 > docker_http_pipeline > #13
                                                                                                                             </>
Changes
                                        Started by user admin
                                                                                                                                                     Started 23 min ago
   Console Output
   Edit Build Information
                                        This run spent:
   Delete build '#13'

    22 ms waiting;

                                                 20 sec build duration;20 sec total from scheduled to completion.
   Timings
   Git Build Data
                                        • git Revision: 5fcbf369ac13375c5f90eae713253e454e56e9ba
Repository: https://github.com/Bhagyashri1796/docker_repo.git
   Git Build Data
                                                 • refs/remotes/origin/2025_Q1
   Git Build Data
                                        •• git Revision: 825a9152cba35dad8565d164fd280e4797cf5d17 Repository: https://github.com/Bhagyashri1796/docker_re
   Pipeline Console

    refs/remotes/origin/2025_Q2

   C Restart from Stage

        $\Phi$ git
        Revision:
        9818381367900d07f57c08c780aee80f7a310612


        Repository:
        https://github.com/Bhagyashri1796/docker_re

   Replay
   Pipeline Steps

    refs/remotes/origin/2025_Q3

   Workspaces
                                        No changes.
   ← Previous Build
```

Type here to search




This is 2025 Q1 branch





This is 2025_Q2 branch



This is 2025_Q3 branch

