ASP.NET MVC for Absolute Beginners Your Secret Decoder Ring

Jeremy Clark www.jeremybytes.com @jeremybytes

 The default route pattern is [Controller Name] / [Action Name] / [ID (optional parameter)].

- http://localhost:5000/catalog/list/17
- Controller = "catalog"
- Action = "list"
- ID = "17"

- Controllers are located in the "Controllers" folder.
 - project/Controllers/HomeController.cs
 - project/Controllers/MazeControllers.cs

- Controllers are named with the suffix "Controller".
 - HomeController, MazeController

- An Action is a function with the same name in the Controller class.
 - The "Index" action on the "Home" controller is the Index() function on the "HomeController" class

- An Action returns an IActionResult
 - This can be a view, file, string content, etc.

- Views are in the "Views" folder with sub-folders based on the Controller name.
 - project/Views/Home/Index.cshtml
 - project/Views/Home/Privacy.cshtml
- Views can also be in the "Shared" sub-folder.
 - project/Views/Shared/Error.cshtml
- Views are named after the corresponding Action in the Controller.

• In .cshtml files, the "@" means "there's some C# code coming!"

- @Html.TextBoxFor(m => m.Size)
- @RenderBody()

Resources

Code Samples & Resources

https://github.com/jeremybytes/mvc-conventions-aspnet-50

Thank You!

Jeremy Clark

- http://www.jeremybytes.com
- jeremy@jeremybytes.com
- @jeremybytes