Eaiting		
^ Space	Basic code completion (the name of any class,	
	method or variable)	
^ û Space	Smart code completion (filters the list of	
	methods and variables by expected type)	
器☆↩	Complete statement	
ЖP	Parameter info (within method call arguments)	
^ J or Mid. button click	Quick documentation lookup	
մ F1	External Doc	
₩ + mouse over code	Brief Info	
₩ F1	Show descriptions of error or warning at caret	
%N,^ ₽,^N	Generate code (initWith, Properties,	
	@synchronized, etc.)	
^0	Override methods	
^[Implement methods	
#\T	Surround with (ifelse, for, @try@catch, etc.)	
ዕ∺↑/ዕ∺↓	Move statements up/down	
₩/	Comment/uncomment with line comment	
% ₹\/	Comment/uncomment with block comment	
T	Select successively increasing code blocks	
7.1	Decrease current selection to previous state	
^	Context info	
7-47	Show intention actions and quick-fixes	
#√L	Reformat code	
07^	Optimize imports	
17^	Auto-indent line(s)	
\rightarrow I , $\stackrel{\frown}{\Omega}$ \rightarrow I	Indent/unindent selected lines	
₩X	Cut current line or selected block to clipboard	
жC	Copy current line or selected block to clipboard	
₩V	Paste from clipboard	
ж û V	Paste from recent buffers	
₩ D	Duplicate current line or selected block	
₩ 🗵	Delete line at caret	
^쇼J	Smart line join	
# ←	Smart line split	
☆↩	Start new line	
∺⊹oU	Toggle case for word at caret or selected block	
# 습], # 습 [Select till code block end/start	
\⊠	Delete to word end	
∀	Delete to word start	
₩+,₩-	Expand/collapse code block	
ж û +	Expand all	
光 🕆 -	Collapse all	
жW	Close active editor tab	
\Cd Click	Place the caret in multiple locations	

Search/Replace

ЖF	Find
₩G	Find next
# û G	Find previous
 ≋ R	Replace
₩ûF	Find in path
光 û R	Replace in path

Default Keymap

Usage Search

∵ F7 / % F7	Find usages / Find usages in file
ж ☆ F7	Highlight usages in file
% ₹ F7	Show usages

Compile and Run

₩ F9	Build Project
^ _ R/D	Select configuration and run/debug
^ R/D	Run/Debug
^	Run context configuration from editor

Debugging

F8 / F7	Step over/into
☆ F8	Step out
∵ F9	Run to cursor
∵ F8	Evaluate expression
% ∖ R	Resume program
₩ F8	Toggle breakpoint
₩ û F8	View breakpoints

Navigation

Go to class
Go to file
Go to symbol
Go to next/previous editor tab
Go back to previous tool window
Go to editor (from tool window)
Hide active or last active window
Close active run/messages/find/ tab
Go to line
Recent files popup
Navigate back/forward
Navigate to last edit location
Select current file or symbol in any view
Go to related header or source file
Go to definition
Go to implementation(s)
Open quick definition lookup
Go to type declaration
Go to super-method/super-class
Go to previous/next method
Move to code block end/start
File structure popup
Type hierarchy
Method hierarchy
Call hierarchy
Next/previous highlighted error
Edit source / View source
Show navigation bar
Toggle bookmark
Toggle bookmark with mnemonic
Go to numbered bookmark
Show bookmarks

Retac	toring

^T	Refactor This (shows all available refactorings)
F5/F6	Copy/Move
₩ Delete	Safe Delete
☆ F6	Rename
₩ F 6	Change Signature
% ∠ N	Inline
M √ Ж	Extract Method
% ∠ ∧	Introduce Variable
% ∠ P	Introduce Parameter
# ∕ E	Introduce Property
% ∕ C	Introduce Constant
# √ F	Introduce Instance Variable

VCS/Local History

 ₩ K	Commit project to VCS
жT	Update project from VCS
\\ûC	View recent changes
^ V	'VCS' guick popup

Live Templates

# ₹ J	Surround with Live Template
ЖJ	Insert Live Template
each	Iterate elements of a collection
for	Indexed for() loop
log	Insert new NSLog call
loc	Insert NSLocalizedString call

General

General	
Double û	Search everywhere
₩0₩9	Open corresponding tool window
ж û F12	Toggle maximizing editor
℃☆F	Add to Favorites
107	Inspect current file with current profile
^§or^`	Quick switch current scheme
^ →1	Switch between tabs and tool window

To find any action inside the IDE use Find Action (企器A)

Enter action or option name:	☐ Include non-menu actions (企器A)
Q refactor	
Change Signature (米F6)	Refactor
Clone (企F5)	Refactor
Convert to Block	Refactor
Convert to Function	Refactor

₹	Command Option / Alt		Backspace Delete
^	Control	5	Escape
企	Shift	4	Enter / Return
$\leftarrow \uparrow \rightarrow \downarrow$	Arrow Keys	→I	Tab