## rngtools: Unit testing results\*

## Renaud Gaujoux

rngtools version 1.2 as of July 28, 2013

## 1 Details

```
RUNIT TEST PROTOCOL -- Tue Mar 12 10:00:34 2013
****************
Number of test functions: 6
Number of errors: 0
Number of failures: 0
1 Test Suite :
package:rngtools - 6 test functions, 0 errors, 0 failures
Details
*********
Test Suite: package:rngtools
Test function regexp: ^test.
Test file regexp: ^runit.*.[rR]$
Involved directory:
/tmp/Rpkglib_4e111df13e29/rngtools/tests
_____
Test file: /tmp/Rpkglib_4e111df13e29/rngtools/tests/runit.format.r
test.RNGdigest: (30 checks) ... OK (0.01 seconds)
test.RNGtype: (22 checks) ... OK (0.01 seconds)
Test file: /tmp/Rpkglib_4e111df13e29/rngtools/tests/runit.RNG.r
test.getRNG: (18 checks) ... OK (0 seconds)
test.setRNG: (26 checks) ... OK (0.01 seconds)
Test file: /tmp/Rpkglib_4e111df13e29/rngtools/tests/runit.RNGseq.r
test.RNGseq: (51 checks) ... OK (0.01 seconds)
test.RNGseq_seed: (75 checks) ... OK (0.01 seconds)
Total execution time
********
  user system elapsed
 0.192 0.008 0.197
```

 $<sup>^*\</sup>mbox{Vignette}$  computed on Tue Mar 12 10:00:34 2013

## **Session Information**

- R version 2.15.3 (2013-03-01), i686-pc-linux-gnu
- Locale: LC\_CTYPE=en\_US.UTF-8, LC\_NUMERIC=C, LC\_TIME=en\_US.UTF-8, LC\_COLLATE=en\_US.UTF-8, LC\_MONETARY=en\_US.UTF-8, LC\_MESSAGES=en\_US.UTF-8, LC\_PAPER=C, LC\_NAME=C, LC\_ADDRESS=C, LC\_TELEPHONE=C, LC\_MEASUREMENT=en\_US.UTF-8, LC\_IDENTIFICATION=C
- Base packages: base, datasets, graphics, grDevices, methods, parallel, stats, utils
- Other packages: pkgmaker 0.14, registry 0.2, rngtools 1.2, RUnit 0.4.26, stringr 0.6.2
- Loaded via a namespace (and not attached): codetools 0.2-8, digest 0.6.3, xtable 1.7-1