


Student Management API

1.0.0



Student Management API - Swagger UI

127.0.0.1:8000/docs#/default

Chat

+

1

2

+

Student Management API

1.0.0 GA 5.1

A practical FastAPI project demonstrating HTTP methods

OpenAPI Spec

default

GET / Home

GET /students Get Students

POST /students Create Student

GET /students/{student_id} Get Student

PUT /students/{student_id} Update Student

PATCH /students/{student_id} Partial Update Student

DELETE /students/{student_id} Delete Student

Schemas

HTTPValidationError > Expand all object

Student > Expand all object

StudentUpdate > Expand all object

Student Management API - Swagger UI

127.0.0.1:8000/docs#/default

A practical FastAPI project demonstrating HTTP methods

default

- GET / Home
- GET /students Get Students
- POST /students Create Student
- GET /students/{student_id} Get Student
- PUT /students/{student_id} Update Student
- PATCH /students/{student_id} Partial Update Student
- DELETE /students/{student_id} Delete Student

Schemas

- HTTPValidationError > Expand all object
- Student > Expand all object
- StudentUpdate > Expand all object
- ValidationError > Expand all object

default

GET / Home

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/' \
  -H 'accept: */*'
```

Request URL

http://127.0.0.1:8000/

Server response

Code Details

200

Response body

```
{
  "message": "Welcome to Student Management API"
}
```

Response headers

```
content-length: 47
content-type: application/json
date: Tue, 22 Sep 2020 03:23:46 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links

Student Management API - Swagger UI

127.0.0.1:8000/docs#/default/get_students_students_get

GET / Home

GET /students Get Students

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/students' \
  -H 'accept: */*'
```

Request URL

http://127.0.0.1:8000/students

Server response

Code Details

200

Response body

```
{
  "students": [
    {
      "id": 1,
      "name": "Rahul",
      "age": 20,
      "course": "Computer Science",
      "email": "rahul@company.co.uk"
    }
  ]
}
```

Response headers

```
content-length: 182
content-type: application/json
```

POST

/students Create Student

Cancel

Reset

Parameters

Name	Description
student_id required	101
integer	
(query)	

Request body required

application/json

Raw View

Schema

```
{
  "name": "Rahul",
  "age": 20,
  "course": "Computer Science",
  "email": "rahul@example.com"
}
```

Execute

Clear

Responses

Copy

```
curl -X 'POST' \
  'http://127.0.0.1:8080/students?student_id=101' \
  -H 'Accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Rahul",
    "age": 20,
    "course": "Computer Science",
    "email": "rahul@example.com"
  }'
```

Request URL

```
http://127.0.0.1:8080/students?student_id=101
```

Server response

Code	Details
201	Response body <pre>{ "message": "Student created successfully", "student_id": 101, "student": { "name": "Rahul", "age": 20, "course": "Computer Science", "email": "rahul@example.com" } }</pre>

Download

GET /students/{student_id} Get Student

Cancel

Parameters

Name	Description
student_id required	
Integer (path)	101

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/students/101' \
  -H 'accept: */*'
```

Request URL

http://127.0.0.1:8000/students/101

Server response

Code	Details
404	Error Not Found

Response body

```
{
  "detail": "Student not found"
}
```

Response headers

```
content-length: 28
content-type: application/json
date: Tue, 23 Sep 2025 00:29:05 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
422	Validation Error	No links

PUT

/students/{student_id} Update Student

Cancel

Reset

Name	Description
student_id	

student_id * required
(integer)
(path)

101

Request body

required

application/json

Edit Value | Schema

```
{
  "name": "Rahul Kumar",
  "age": 21,
  "course": "Artificial Intelligence",
  "email": "rahulkumar@example.com"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://127.0.0.1:8080/students/101' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Rahul Kumar",
    "age": 21,
    "course": "Artificial Intelligence",
    "email": "rahulkumar@example.com"
  }'
```

Request URL

http://127.0.0.1:8080/students/101

Server response

Code

Details

200

Response body

```
{
  "message": "Student completely updated",
  "student_id": 101,
  "student": {
    "name": "Rahul Kumar",
    "age": 21,
    "course": "Artificial Intelligence",
    "email": "rahulkumar@example.com"
  }
}
```

PATCH

/students/{student_id} Partial Update Student

Cancel

Reset

Parameters

Name	Description
student_id ^{required}	
integer (path)	101

Request body ^{required}

application/json

Edit Value | Schema

```
{  "course": "Data Science"}
```

Execute

Clear

Responses

Copy

```
curl -X 'PATCH' \  'http://127.0.0.1:8080/students/{id}' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "course": "Data Science"}
```

Request URL

http://127.0.0.1:8080/students/101

Server response

Code	Details
200	Response body <pre>{ "message": "Student partially updated", "student_id": 101, "student": { "name": "Rahul Kumar", "age": 21, "course": "Data Science", "email": "rahulkumar@example.com" }</pre> Response headers <pre>Content-Length: 188 Content-Type: application/json Date: Tue, 22 Sep 2020 03:18:54 GMT Server: nginx</pre>

DELETE

/students/{student_id} Delete Student

Cancel

Parameters

Name	Description
student_id ^{required}	
integer (path)	101

Execute

Clear

Responses

Copy

```
curl -X 'DELETE' \  'http://127.0.0.1:8080/students/{id}' \  -H 'accept: */*'
```

Request URL

http://127.0.0.1:8080/students/101

Server response

Code	Details
200	Response body <pre>{ "message": "Student deleted successfully", "student_id": 101, "student": { "name": "Rahul Kumar", "age": 21, "course": "Data Science", "email": "rahulkumar@example.com" }</pre> Response headers <pre>Content-Length: 188 Content-Type: application/json Date: Tue, 22 Sep 2020 03:18:54 GMT Server: nginx</pre>

Response

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Content Accept Header

Example Value | Schema

```
"string"
```

455




No links

Product Management API

The image displays a development environment for a FastAPI project titled "Product Management API". The top section shows the VS Code editor with the `main.py` file open. The code defines a FastAPI application with a title, description, and version, a `Product` model using Pydantic, and a `home` endpoint that returns a welcome message. The bottom section of the editor shows the terminal output, which includes logs for application startup and several HTTP requests and responses, such as `GET /docs HTTP/1.1" 200 OK` and `POST /products?product_id=101 HTTP/1.1" 201 Created`.

Below the editor, the Swagger UI is visible, showing the API's documentation. The title is "Product Management API 1.0.0 OAS 3.1". The description is "A practical FastAPI project demonstrating HTTP methods". The UI lists the following endpoints:

- default**
 - GET** / Home
 - GET** /products Get Products
 - POST** /products Create Product
 - GET** /products/{product_id} Get Product
 - PUT** /products/{product_id} Update Product
 - PATCH** /products/{product_id} Partial Update Product
 - DELETE** /products/{product_id} Delete Product



POST

/products Create Product

Cancel

Reset

Parameters

Name	Description
product_id *	required
integer	(query)

Request body

required

application/json

Edit Value | Schema

```
{
  "name": "Laptop",
  "description": "Dell XPS 13",
  "price": 1200.0,
  "quantity": 10
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8080/products/product_id=101' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Laptop",
    "description": "Dell XPS 13",
    "price": 1200.0,
    "quantity": 10
  }'
```

Request URL

```
http://127.0.0.1:8080/products/product_id=101
```

Server response

Code	Details
201	Response body

GET

/products/{product_id} Get Product

Cancel

Parameters

Name	Description
product_id *	required
integer	(path)

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8080/products/101' \
  -H 'accept: */*' \
  -d ''
```

Request URL

```
http://127.0.0.1:8080/products/101
```

Server response

Code	Details
200	Response body

Response body

```
{
  "name": "Laptop",
  "description": "Dell XPS 13",
  "price": 1200,
  "quantity": 10
}
```

Download

Response headers

```
content-length: 74
content-type: application/json
date: Wed, 24 Sep 2008 01:37:25 GMT
server: nginx
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Content Accepts header

Example Value | Schema

```
"string"
```

PUT /products/{product_id} Update Product

Cancel

Reset

Name	Description
product_id required Integer (path)	101

Request body required

application/json

Edit Value | Schema

```
{
  "name": "Laptop Pro",
  "description": "Dell XPS 13 - upgraded",
  "price": 1200.0,
  "quantity": 8
}
```

Execute

Clear

Responses

Curl

```
curl -X PUT \
  http://127.0.0.1:8080/products/101 \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Laptop Pro",
    "description": "Dell XPS 13 - upgraded",
    "price": 1200.0,
    "quantity": 8
  }'
```

Request URL

```
http://127.0.0.1:8080/products/101
```

Server response

Code	Details
200	Response body

PATCH /products/{product_id} Partial Update Product

Cancel

Reset

Name	Description
product_id required Integer (path)	101

Request body required

application/json

Edit Value | Schema

```
{
  "price": 1200.0
}
```

Execute

Clear

Responses

Curl

```
curl -X PATCH \
  http://127.0.0.1:8080/products/101 \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "price": 1200.0
  }'
```

Request URL

```
http://127.0.0.1:8080/products/101
```

Server response

Code	Details
200	Response body <pre>{ "message": "Product partially updated", "product_id": 101, "product": { "name": "Laptop Pro", "description": "Dell XPS 13 - upgraded", "price": 1200, "quantity": 8 } }</pre> Download Response headers <pre>content-length: 228 content-type: application/json date: Tue, 12 Sep 2023 03:58:37 GMT server: nginx</pre>

PATCH/products/{product_id}Partial Update Product

DELETE/products/{product_id>Delete Product

Try it out

NameDescription

product_id *required
Integer
(path)

101

Responses

Code	Description	Links
200	Successful Response Media type application/json Content Accept header Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string",], "msg": "string", "type": "string", "value": "string", "ctx": {} }] }	No links