

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Statement 492



```
insert into semister1 values('vdc1001','Venture Development',70,'A+')
```

1 row(s) inserted.

Statement 491



```
insert into semister1 values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

1 row(s) inserted.

Statement 490



```
insert into semister1 values('math1011','Several variable calculus',77,'B+')
```

1 row(s) inserted.

Statement 489



```
insert into semister1 values('math1001','Single Variable Calculus',58,'c')
```

1 row(s) inserted.

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

1 row(s) inserted.

Statement 487



```
insert into semister1 values('csen1011','Problem Solving and Programming in C',78,'B+')
```

1 row(s) inserted.

Statement 486



```
insert into semister1 values('csen1001','IT Productivity Tools',97,'s')
```

1 row(s) inserted.

Statement 485



```
insert into semister1 values('clad1001','emotional intelligence and resoning',96,'A+')
```

1 row(s) inserted.

Statement 484



```
insert into semister1 values('chem1001','chemistry',78,'B+')
```

1 row(s) inserted.

Statement 483



```
create table semister1(coursecode varchar(25),nameofthecourse varchar(65),marks number(3),grade char(2))
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#"> NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 482	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 481	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 480	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 479	<pre>insert into semister values('math1001','Single Variable Calculus',58,'c')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 478	<pre>insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>

## Live SQL

[Feedback](#) [Help](#) sbhanu@gitam.in[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

INSERT INTO semister VALUES('csen1001', 'IT Productivity Tools', 97, 's')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



Statement 476

insert into semister values('csen1001', 'IT Productivity Tools', 97, 's')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



Statement 475

insert into semister values('clad1001', 'emotional intelligence and resoning', 96, 'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



Statement 474

insert into semister values('chem1001', 'chemistry', 78, 'B+')


ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



Statement 473

insert into semister values('vdc1001', 'Venture Development', 70, 'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



Statement 472

insert into semister values('mech1021', 'Engineering Visualization and Product Realization', 99, 'o')

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 471



```
insert into semister values('math1011','Several variable calculus',77,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 470



```
insert into semister values('math1001','Single Variable Calculus',58,'c')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 469



```
insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 468



```
insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 467



```
insert into semister values('csen1001','IT Productivity Tools',97,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#">NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 466	<pre>insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')</pre>  <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 465	<pre>insert into semister values('chem1001','chemistry',78,'B+')</pre>  <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 464	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre>  <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 463	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre>  <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 462	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre>  <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 461	

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 460



insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 459



insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 458



insert into semister values('csen1001','IT Productivity Tools',97,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 457



insert into semister values('clad1001','emotional intelligence and reasoning',96,'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 456



insert into semister values('chem1001','chemistry',78,'B+')

## Live SQL

<a href="#">Home</a>	
<a href="#">SQL Worksheet</a>	
<a href="#">My Session</a> ▾	<p>Statement 455 <a href="#"></a> <a href="#"></a> <a href="#"></a></p> <pre>create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
<a href="#">Previous Sessions</a>	
<a href="#">Utilization</a>	
<a href="#">NLS</a>	
<a href="#">Schema</a>	<p>Statement 454 <a href="#"></a> <a href="#"></a> <a href="#"></a></p> <pre>create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
<a href="#">Quick SQL</a> ▾	
<a href="#">My Scripts</a>	<p>Statement 453 <a href="#"></a> <a href="#"></a> <a href="#"></a></p> <pre>create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks numbers(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
<a href="#">My Tutorials</a>	
<a href="#">Code Library</a>	
	<p>Statement 452 <a href="#"></a> <a href="#"></a> <a href="#"></a></p> <pre>create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
	<p>Statement 451 <a href="#"></a> <a href="#"></a> <a href="#"></a></p> <pre>create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre>

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 450



```
create tablesemister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00901: invalid CREATE command

Statement 449



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

Statement 448



```
create table semister((coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00904: : invalid identifier

Statement 447



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00940: invalid ALTER command

Statement 445



modify age int;

Invalid statement

Statement 444



modify student2

Invalid statement

Statement 443



alter student2

modify age int

ORA-00940: invalid ALTER command

Statement 442



alter student2

modify age int

ORA-00940: invalid ALTER command

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

no data found

Statement 440



```
insert into student2 values('mogili2',10)
```

ORA-00001: unique constraint (SQL\_TNQZCQVRGIFTPQUOYOQLAZKJFY.SYS\_C0091312561) violated ORA-06512: at "SYS.DBM

Statement 439



```
select * from student2 where names='mogili2' and age=18
```

no data found

Statement 438



```
select distinct names from student2
```

NAMES
mogili2

[Download CSV](#)

Statement 437



```
insert into student2 values('mogili2',10)
```

ORA-00001: unique constraint (SQL\_TNQZCQVRGIFTPQUOYOQLAZKJFY.SYS\_C0091312561) violated ORA-06512: at "SYS.DBM

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00001: unique constraint (SQL\_TNQZCQVRGJTPQUOYOQLAZKJFY.SYS\_C0091312561) violated ORA-06512: at "SYS.DBM

Statement 435



create table student2(names char(10) primary key,age number(8))

ORA-00955: name is already used by an existing object

Statement 434



create table student2 (names char(25),primary key ,age number(8))

ORA-00906: missing left parenthesis

Statement 433



create table student 1 (names char(25),primary key ,age number(8))

ORA-00922: missing or invalid option

Statement 432



create table student1(names char(25),primary key ,age number(8))

ORA-00906: missing left parenthesis

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
update student set age= 45 where names = 'mugdha'
```

0 row(s) updated.

**Statement 431**

```
insert into student1 values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

**Statement 429**

```
insert into student1 values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.

**Statement 428**

```
insert into student1 values('pradalu',18,'m',9900004488,'pradalu@gitam.i')
```

1 row(s) inserted.

**Statement 427**

```
insert into student1 values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

**Statement 426**

```
insert into student1 values('pranav',18,'m',9955114488,'pranav@gitam.in')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 425



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 424



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 423



```
create table student1(names char(25),age number(2),gender char(1),phonenumber number(13),eamail varchar(32))
```

ORA-00955: name is already used by an existing object

Statement 422



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

## Live SQL

[Home](#)[SQL Worksheet](#)

## My Session

[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)

## Quick SQL

[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
insert into student values('prav',18,'m',9955114488,'prav@gitam.in')
```

ORA-00905: missing keyword

Statement 421



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 420



```
update student
set phonenumbers[:1]='5656565565'
```

ORA-00927: missing equal sign

Statement 419



```
update student
set phonenumbers[:1]='5656565565'
```

ORA-00927: missing equal sign

## Live SQL

- [Home](#)
- [SQL Worksheet](#)
- [My Session](#)
  - [Previous Sessions](#)
  - [Utilization](#)
  - [NLS](#)
- [Schema](#)
- [Quick SQL](#)
- [My Scripts](#)
- [My Tutorials](#)
- [Code Library](#)

	ORA-00927: missing equal sign
Statement 417  	update student set phononenumber[1]='5656565565'
	ORA-00927: missing equal sign
Statement 416  	select * from student

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

40 rows selected.

Statement 415



```
update student  
set phonenumber='5656565565'
```

40 row(s) updated.

Statement 414



```
update student  
set phone number='5656565565'
```

ORA-00927: missing equal sign

Statement 413



```
update student  
set phone number='5656565565'
```

ORA-00927: missing equal sign

Statement 412



```
select * from student
```

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in

## Live SQL

Feedback

?

 sbhanu@gitam.in ▾

praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	9955114488	pranav@gitam.in

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

pravenk	18	m	5555114488	praven@gitam.in
praven	18	m	8899714488	pravenne@gitam.in
pranav	18	m	9955114488	pranav@gitam.in
pramou	18	m	9955000000	pramou@gitam.in
pradanu	18	m	9900004488	pradanu@gitam.i
pravenk	18	m	5555114488	praven@gitam.in
praven	18	m	8899714488	pravenne@gitam.in

[Download CSV](#)

40 rows selected.

Statement 411



```
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

Statement 410



```
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.

Statement 409



```
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
```

1 row(s) inserted.

Statement 408



```
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

Statement 407



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
```

1 row(s) inserted.

Statement 406



```
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

Statement 405



```
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.

Statement 404



```
insert into student values('pradantu',18,'m',9900004488,'pradantu@gitam.i')
```

1 row(s) inserted.

Statement 403



```
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 401



```
create table student(names char(25),age number(2),gender char(1),phonenumer number(13),email varchar(32))
```

**ORA-00955: name is already used by an existing object**

Statement 400



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

**ORA-00905: missing keyword**

Statement 399



```
create table student(names char(25),age number(2),gender char(1),phonenumer number(13),email varchar(32))
```

**ORA-00955: name is already used by an existing object**

Statement 398



```
create table student(names char(25),age number(2),gender char(1),phonenumer number(13),email varchar(32))
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

Statement 397	<pre>create table student(names char(25),age number(2),gender char(1),phone number int(13),email varchar(32))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 396	<pre>create table student(name char(25),age number(2),gender char(1),phone number int(13),email varchar(32))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 395	<pre>insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'} insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'} insert into student values{'pradantu',18,'m',9900004488,'pradantu@gitam.in'} insert into student values{'pravenk',18,'m',5555114488,'praven@gitam.in'} insert into student values{'praven',18,'m',8899714488,'pravenne@gitam.in'}</pre> <p>ORA-00936: missing expression</p>
Statement 394	<pre>insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'} insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'} insert into student values{'pradantu',18,'m',9900004488,'pradantu@gitam.in'} insert into student values{'pravenk',18,'m',5555114488,'praven@gitam.in'} insert into student values{'praven',18,'m',8899714488,'pravenne@gitam.in'}</pre>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 393



select \* from student

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

- [Home](#)
- [SQL Worksheet](#)
- [My Session](#)
  - [Previous Sessions](#)
  - [Utilization](#)
- [NLS](#)
- [Schema](#)
- [Quick SQL](#)
- [My Scripts](#)
- [My Tutorials](#)
- [Code Library](#)

pradanu	18	m	5656565565	pradanu@gitam.i	
pravenk	18	m	5656565565	praven@gitam.in	
praven	18	m	5656565565	pravenne@gitam.in	
pranav	18	m	5656565565	pranav@gitam.in	
pramou	18	m	5656565565	pramou@gitam.in	
pradanu	18	m	5656565565	pradanu@gitam.i	
pravenk	18	m	5656565565	praven@gitam.in	
praven	18	m	5656565565	pravenne@gitam.in	

[Download CSV](#)

30 rows selected.

Statement 392



```
insert into semister1 values('vdc1001','Venture Development',70,'A+')
```

1 row(s) inserted.

Statement 391



```
insert into semister1 values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

1 row(s) inserted.

Statement 390



```
insert into semister1 values('math1011','Several variable calculus',77,'B+')
```

1 row(s) inserted.

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

1 row(s) inserted.

Statement 388



```
insert into semister1 values('lang1001','Communication Skills in English-Beginners',63,'s')
```

1 row(s) inserted.

Statement 387



```
insert into semister1 values('csen1011','Problem Solving and Programming in C',78,'B+')
```

1 row(s) inserted.

Statement 386



```
insert into semister1 values('csen1001','IT Productivity Tools',97,'s')
```

1 row(s) inserted.

Statement 385



```
insert into semister1 values('clad1001','emotional intelligence and reasoning',96,'A+')
```

1 row(s) inserted.

Statement 384



```
insert into semister1 values('chem1001','chemistry',78,'B+')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
Previous Sessions
Utilization
NLS
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 383	<pre>create table semister1(coursecode varchar(25),nameofthecourse varchar(65),marks number(3),grade char(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
Statement 382	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 381	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 380	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 379	<pre>insert into semister values('math1001','Single Variable Calculus',58,'c')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 377



insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 376



insert into semister values('csen1001','IT Productivity Tools',97,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 375



insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 374



insert into semister values('chem1001','chemistry',78,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 373



insert into semister values('vdc1001','Venture Development',70,'A+')

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

Statement 372	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 371	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 370	<pre>insert into semister values('math1001','Single Variable Calculus',58,'c')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 369	<pre>insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 368	<pre>insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)


```
insert into semister values('math1011','Several variable calculus',77,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



```
Statement 366  
insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



```
Statement 365  
insert into semister values('chem1001','chemistry',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



```
Statement 364  
insert into semister values('vdc1001','Venture Development',70,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



```
Statement 363  
insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line



```
Statement 362  
insert into semister values('math1011','Several variable calculus',77,'B+')
```

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 361



```
insert into semister values('math1001','Single Variable Calculus',58,'c')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 360



```
insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 359



```
insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 358



```
insert into semister values('csen1001','IT Productivity Tools',97,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 357



```
insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
insert into semister values('chem1001','chemistry',78,'B+')
```

Statement 356



ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 355



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

ORA-00955: name is already used by an existing object

Statement 354



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

ORA-00955: name is already used by an existing object

Statement 353



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks numbers(1),grade char(2))
```

ORA-00907: missing right parenthesis

Statement 352



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



## My Session

Previous Sessions

Utilization

NLS



Schema



## My Scripts

## My Tutorials

## Code Library

```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

Statement 351



ORA-00907: missing right parenthesis

Statement 350



```
create tablesemister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00901: invalid CREATE command

Statement 349



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

Statement 348



```
create table semister((coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00904: : invalid identifier

Statement 347



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

## Live SQL

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#"> NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#">My Scripts</a>
<a href="#">My Tutorials</a>
<a href="#"> Code Library</a>

Statement 346	<pre>alter student2 modify age int</pre> <p>ORA-00940: invalid ALTER command</p>
Statement 345	<pre>modify age int;</pre> <p>Invalid statement</p>
Statement 344	<pre>modify student2</pre> <p>Invalid statement</p>
Statement 343	<pre>alter student2 modify age int</pre> <p>ORA-00940: invalid ALTER command</p>
Statement 342	<pre>alter student2 modify age int</pre>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00940: INVISIBLE ALTER COLUMN

Statement 341



```
select * from student2 where names='mogili2' and age=18
```

no data found

Statement 340



```
insert into student2 values('mogili2',10)
```

ORA-00001: unique constraint (SQL\_TNQZCQVRGIFTPQUOYOQLAZKJFY.SYS\_C0091312561) violated ORA-06512: at "SYS.DBM

Statement 339



```
select * from student2 where names='mogili2' and age=18
```

no data found

Statement 338



```
select distinct names from student2
```

NAMES
mogili2

[Download CSV](#)

Statement 337



```
insert into student2 values('mogili2',10)
```

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 336



```
insert into student2 values('mogili2',10)
```

ORA-00001: unique constraint (SQL\_TNQZCQVRGIFTPQUOY0QLAZKJFY.SYS\_C0091312561) violated ORA-06512: at "SYS.DBM

Statement 335



```
create table student2(names char(10) primary key,age number(8))
```

ORA-00955: name is already used by an existing object

Statement 334



```
create table student2 (names char(25),primary key ,age number(8))
```

ORA-00906: missing left parenthesis

Statement 333



```
create table student 1 (names char(25),primary key ,age number(8))
```

ORA-00922: missing or invalid option

Statement 332



```
create table student1(names char(25),primary key ,age number(8))
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 331



```
update student set age= 45 where names = 'mogili'
```

0 row(s) updated.

Statement 330



```
insert into student1 values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

Statement 329



```
insert into student1 values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.

Statement 328



```
insert into student1 values('pradalu',18,'m',9900004488,'pradalu@gitam.i')
```

1 row(s) inserted.

Statement 327



```
insert into student1 values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



SQL Worksheet



My Session

Previous Sessions

Utilization

NLS



Schema



Quick SQL



My Scripts



My Tutorials



Code Library

Statement 326



1 row(s) inserted.

Statement 325



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 324



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 323



```
create table student1(names char(25),age number(2),gender char(1),phonenumbe number(13),eamail varchar(32))
```

ORA-00955: name is already used by an existing object

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



Previous Sessions

Utilization

NLS



Statement 322



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 321



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 320



```
update student
set phononenumber[:1]='5656565565'
```

ORA-00927: missing equal sign

Statement 319

```
update student
```

## Live SQL

[Home](#)[SQL Worksheet](#)

## My Session

[Previous Sessions](#)[Utilization](#)[NLS](#)

## Schema

## Quick SQL

## My Scripts

## My Tutorials

## Code Library

ORA-00927: missing equal sign

Statement 318



```
update student  
set phonenumbers[1]='5656565565'
```

ORA-00927: missing equal sign

Statement 317



```
update student  
set phonenumbers[1]='5656565565'
```

ORA-00927: missing equal sign

Statement 316



```
select * from student
```

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradantu	18	m	5656565565	pradantu@gitam.i

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in

[Download CSV](#)

30 rows selected.

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
set phonenumber='5656565565'
```

30 row(s) updated.

Statement 314



```
update student  
set phone number='5656565565'
```

ORA-00927: missing equal sign

Statement 313



```
update student  
set phone number='5656565565'
```

ORA-00927: missing equal sign

Statement 312



```
select * from student
```

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	9955114488	pranav@gitam.in
pramou	18	m	9955000000	pramou@gitam.in
pradanu	18	m	9900004488	pradanu@gitam.i
pravenk	18	m	5555114488	praven@gitam.in
praven	18	m	8899714488	pravenne@gitam.in
pranav	18	m	9955114488	pranav@gitam.in
pramou	18	m	9955000000	pramou@gitam.in
pradanu	18	m	9900004488	pradanu@gitam.i
pravenk	18	m	5555114488	praven@gitam.in
praven	18	m	8899714488	pravenne@gitam.in

[Download CSV](#)

30 rows selected.

Statement 311

insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 310



```
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.

Statement 309



```
insert into student values('pradalu',18,'m',9900004488,'pradalu@gitam.i')
```

1 row(s) inserted.

Statement 308



```
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

Statement 307



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
```

1 row(s) inserted.

Statement 306



```
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library



1 row(s) inserted.

Statement 304



insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')

1 row(s) inserted.

Statement 303



insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')

1 row(s) inserted.

Statement 302



insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')

1 row(s) inserted.

Statement 301



create table student(names char(25),age number(2),gender char(1),phonenumber number(13),email varchar(32))

ORA-00955: name is already used by an existing object

Statement 300

insert into student values('pranav' 18 'm' 9955114488 'pranav@gitam.in')

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



## My Session

Previous Sessions

Utilization

NLS



```
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 299



```
create table student(names char(25),age number(2),gender char(1),phonenumbe number(13),email varchar(32))
```

ORA-00955: name is already used by an existing object

Statement 298



```
create table student(names char(25),age number(2),gender char(1),phonenumbe number(13),email varchar(32))
```

ORA-00955: name is already used by an existing object

Statement 297



```
create table student(names char(25),age number(2),gender char(1),phone number int(13),email varchar(32))
```

ORA-00907: missing right parenthesis

Statement 296



```
create table student(name char(25),age number(2),gender char(1),phone number int(13),email varchar(32))
```

ORA-00907: missing right parenthesis

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 295



```
insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'}
insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'}
insert into student values{'pradanu',18,'m',9900004488,'pradanu@gitam.in'}
insert into student values{'pravenk',18,'m',5555114488,'praven@gitam.in'}
insert into student values{'praven',18,'m',8899714488,'pravenne@gitam.in'}
```

**ORA-00936: missing expression**

Statement 294



```
insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'}
insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'}
insert into student values{'pradanu',18,'m',9900004488,'pradanu@gitam.in'}
insert into student values{'pravenk',18,'m',5555114488,'praven@gitam.in'}
insert into student values{'praven',18,'m',8899714488,'pravenne@gitam.in'}
```

**ORA-00936: missing expression**

Statement 293



```
select * from student
```

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

- [Home](#)
- [SQL Worksheet](#)
- [My Session](#)
  - [Previous Sessions](#)
  - [Utilization](#)
  - [NLS](#)
- [Schema](#)
- [Quick SQL](#)
- [My Scripts](#)
- [My Tutorials](#)
- [Code Library](#)

pramou	18	m	5656565565	pramou@gitam.in	
pradanu	18	m	5656565565	pradanu@gitam.i	
pravenk	18	m	5656565565	praven@gitam.in	
praven	18	m	5656565565	pravenne@gitam.in	
pranav	18	m	5656565565	pranav@gitam.in	
pramou	18	m	5656565565	pramou@gitam.in	
pradanu	18	m	5656565565	pradanu@gitam.i	
pravenk	18	m	5656565565	praven@gitam.in	
praven	18	m	5656565565	pravenne@gitam.in	
pranav	18	m	5656565565	pranav@gitam.in	
pramou	18	m	5656565565	pramou@gitam.in	
pradanu	18	m	5656565565	pradanu@gitam.i	
pravenk	18	m	5656565565	praven@gitam.in	
praven	18	m	5656565565	pravenne@gitam.in	

[Download CSV](#)

20 rows selected.

Statement 292



```
insert into semister1 values('vdc1001','Venture Development',70,'A+')
```

1 row(s) inserted.

Statement 291



```
insert into semister1 values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 289



```
insert into semister1 values('math1001','Single Variable Calculus',58,'c')
```

1 row(s) inserted.

Statement 288



```
insert into semister1 values('lang1001','Communication Skills in English-Beginners',63,'s')
```

1 row(s) inserted.

Statement 287



```
insert into semister1 values('csen1011','Problem Solving and Programming in C',78,'B+')
```

1 row(s) inserted.

Statement 286



```
insert into semister1 values('csen1001','IT Productivity Tools',97,'s')
```

1 row(s) inserted.

Statement 285



```
insert into semister1 values('clad1001','emotional intelligence and reasoning',96,'A+')
```

## Live SQL

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#"> NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#">My Scripts</a>
<a href="#">My Tutorials</a>
<a href="#"> Code Library</a>

Statement 284	<pre>insert into semister1 values('chem1001','chemistry',78,'B+')</pre> <p>1 row(s) inserted.</p>
Statement 283	<pre>create table semister1(coursecode varchar(25),nameofthecourse varchar(65),marks number(3),grade char(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
Statement 282	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 281	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 280	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#">NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 279	<pre>insert into semister values('math1001','Single Variable Calculus',58,'c')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 278	<pre>insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 277	<pre>insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 276	<pre>insert into semister values('csen1001','IT Productivity Tools',97,'s')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 275	<pre>insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 274	

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 273



insert into semister values('vdc1001','Venture Development',70,'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 272



insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 271



insert into semister values('math1011','Several variable calculus',77,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 270



insert into semister values('math1001','Single Variable Calculus',58,'c')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 269

insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 268



```
insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 267



```
insert into semister values('csen1001','IT Productivity Tools',97,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 266



```
insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 265



```
insert into semister values('chem1001','chemistry',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 264



```
insert into semister values('vdc1001','Venture Development',70,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



SQL Worksheet



My Session

Previous Sessions

Utilization

NLS



Schema



Quick SQL



My Scripts



My Tutorials



Code Library

Statement 263



```
insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 262



```
insert into semister values('math1011','Several variable calculus',77,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 261



```
insert into semister values('math1001','Single Variable Calculus',58,'c')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 260



```
insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 259



```
insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 258

```
insert into semister values('ccse1001','IT Productivity Tools',87,'c')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



Previous Sessions

Utilization

NLS



ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 257



insert into semister values('clad1001','emotional intelligence and reasoning',96,'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 256



insert into semister values('chem1001','chemistry',78,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 255



create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))

ORA-00955: name is already used by an existing object

Statement 254



create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))

ORA-00955: name is already used by an existing object

Statement 253



create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks numbers(1),grade char(2))

## Live SQL

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

Statement 252	<pre>create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 251	<pre>create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 250	<pre>create tablesemister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00901: invalid CREATE command</p>
Statement 249	<pre>create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 248	<pre>create table semister((coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre>

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 247



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

**ORA-00907: missing right parenthesis**

Statement 246



```
alter student2  
modify age int
```

**ORA-00940: invalid ALTER command**

Statement 245



```
modify age int;
```

**Invalid statement**


Statement 244



```
modify student2
```

**Invalid statement**

Statement 243



## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00940: invalid ALTER command

Statement 242

```
alter student2  
modify age int
```

ORA-00940: invalid ALTER command

Statement 241

```
select * from student2 where names='mogili2' and age=18
```

no data found

Statement 240

```
insert into student2 values('mogili2',10)
```

ORA-00001: unique constraint (SQL\_TNQZCQVRGIFTPQUOYOQLAZKJFY.SYS\_C0091312561) violated ORA-06512: at "SYS.DBM

Statement 239

```
select * from student2 where names='mogili2' and age=18
```

no data found

## Live SQL

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#">NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#">My Scripts</a>
<a href="#">My Tutorials</a>
<a href="#">Code Library</a>

<table border="1"><thead><tr><th>NAMES</th></tr></thead><tbody><tr><td>mogili2</td></tr></tbody></table> <a href="#">Download CSV</a>	NAMES	mogili2
NAMES		
mogili2		
Statement 237 <a href="#"></a> <a href="#"></a> <a href="#"></a> insert into student2 values('mogili2',10)  <b>ORA-00001: unique constraint (SQL_TNQZCQVRGJTPQUOYOQLAZKJFY.SYS_C0091312561) violated ORA-06512: at "SYS.DBM</b>		
Statement 236 <a href="#"></a> <a href="#"></a> <a href="#"></a> insert into student2 values('mogili2',10)  <b>ORA-00001: unique constraint (SQL_TNQZCQVRGJTPQUOYOQLAZKJFY.SYS_C0091312561) violated ORA-06512: at "SYS.DBM</b>		
Statement 235 <a href="#"></a> <a href="#"></a> <a href="#"></a> create table student2(names char(10) primary key,age number(8))  <b>ORA-00955: name is already used by an existing object</b>		
Statement 234 <a href="#"></a> <a href="#"></a> <a href="#"></a> create table student2 (names char(25),primary key ,age number(8))  <b>ORA-00906: missing left parenthesis</b>		

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00922: missing or invalid option

Statement 232

[Edit](#) [Run](#) [Delete](#)

create table student1(names char(25),primary key ,age number(8))

ORA-00906: missing left parenthesis

Statement 231

[Edit](#) [Run](#) [Delete](#)

update student set age= 45 where names = 'mogili'

0 row(s) updated.

Statement 230

[Edit](#) [Run](#) [Delete](#)

insert into student1 values('praven',18,'m',8899714488,'pravenne@gitam.in')

1 row(s) inserted.

Statement 229

[Edit](#) [Run](#) [Delete](#)

insert into student1 values('pravenk',18,'m',5555114488,'praven@gitam.in')

1 row(s) inserted.

Statement 228

[Edit](#) [Run](#) [Delete](#)

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



## My Session

Previous Sessions

Utilization

NLS



Quick SQL



1 row(s) inserted.

Statement 227



```
insert into student1 values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

Statement 226



```
insert into student1 values('pranav',18,'m',9955114488,'pranav@gitam.in')
```

1 row(s) inserted.

Statement 225



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 224



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

## Live SQL

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#">NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 223	<pre>create table student1(names char(25),age number(2),gender char(1),phonenumber number(13),eamail varchar(32))</pre> <p>ORA-00955: name is already used by an existing object</p>
Statement 222	<pre>insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in') insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in') insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i') insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in') insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')</pre> <p>ORA-00905: missing keyword</p>
Statement 221	<pre>insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in') insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in') insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i') insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in') insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')</pre> <p>ORA-00905: missing keyword</p>
Statement 220	<pre>update student</pre>

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00927: missing equal sign

Statement 219

```
update student  
set phonenumbers[1]='5656565656'
```

ORA-00927: missing equal sign

Statement 218

```
update student  
set phonenumbers[1]='5656565656'
```

ORA-00927: missing equal sign

Statement 217

```
update student  
set phonenumbers[1]='5656565656'
```

ORA-00927: missing equal sign

Statement 216

```
select * from student
```

## Live SQL

[Feedback](#)[Help](#)[sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in

[Download CSV](#)

20 rows selected.

Statement 215



```
update student  
set phonenumber='5656565565'
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Previous Sessions

Utilization

NLS



Statement 214



```
update student  
set phone number='5656565565'
```

ORA-00927: missing equal sign

Statement 213



```
update student  
set phone number='5656565565'
```

ORA-00927: missing equal sign

Statement 212



```
select * from student
```

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

pranav	18	m	9955114488	pranav@gitam.in
pramou	18	m	9955000000	pramou@gitam.in
pradanu	18	m	9900004488	pradanu@gitam.i
pravenk	18	m	5555114488	praven@gitam.in
praven	18	m	8899714488	pravenne@gitam.in
pranav	18	m	9955114488	pranav@gitam.in
pramou	18	m	9955000000	pramou@gitam.in
pradanu	18	m	9900004488	pradanu@gitam.i
pravenk	18	m	5555114488	praven@gitam.in
praven	18	m	8899714488	pravenne@gitam.in

[Download CSV](#)

20 rows selected.

Statement 211



```
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

Statement 210



```
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.

Statement 209



```
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
```

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



SQL Worksheet



My Session



Previous Sessions



Utilization



NLS



Schema



Quick SQL



My Scripts



My Tutorials



Code Library

Statement 208



```
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

Statement 207



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
```

1 row(s) inserted.

Statement 206



```
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

Statement 205



```
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.


Statement 204



```
insert into student values('pradantu',18,'m',9900004488,'pradantu@gitam.i')
```

1 row(s) inserted.

Statement 203



```
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#"> NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#">My Scripts</a>
<a href="#">My Tutorials</a>
<a href="#">Code Library</a>

<a href="#"> Statement 202</a>	<pre>insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')</pre> <p>1 row(s) inserted.</p>
<a href="#"> Statement 201</a>	<pre>create table student(names char(25),age number(2),gender char(1),phonenumbe number(13),email varchar(32))</pre> <p>ORA-00955: name is already used by an existing object</p>
<a href="#"> Statement 200</a>	<pre>insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in') insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in') insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i') insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in') insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')</pre> <p>ORA-00905: missing keyword</p>
<a href="#"> Statement 199</a>	<pre>create table student(names char(25),age number(2),gender char(1),phonenumbe number(13),email varchar(32))</pre> <p>ORA-00955: name is already used by an existing object</p>

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00955: name is already used by an existing object

Statement 197



create table student(names char(25),age number(2),gender char(1),phone number int(13),email varchar(32))

ORA-00907: missing right parenthesis

Statement 196



create table student(name char(25),age number(2),gender char(1),phone number int(13),email varchar(32))

ORA-00907: missing right parenthesis

Statement 195

insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'}  
insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'}  
insert into student values{'pradanu',18,'m',9900004488,'pradanu@gitam.in'}  
insert into student values{'pravenk',18,'m',5555114488,'praven@gitam.in'}  
insert into student values{'praven',18,'m',8899714488,'pravenne@gitam.in'}

ORA-00936: missing expression

Statement 194

insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'}  
insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'}

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Previous Sessions

Utilization

NLS



ORA-00936: missing expression

Statement 193



select \* from student

NAMES	AGE	GENDER	PHONENUMBER	EMAIL
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in

[Download CSV](#)

10 rows selected.

Statement 192



insert into semister1 values('vdc1001','Venture Development',70,'A+')

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 190



```
insert into semister1 values('math1011','Several variable calculus',77,'B+')
```

1 row(s) inserted.

Statement 189



```
insert into semister1 values('math1001','Single Variable Calculus',58,'c')
```

1 row(s) inserted.

Statement 188



```
insert into semister1 values('lang1001','Communication Skills in English-Beginners',63,'s')
```

1 row(s) inserted.

Statement 187



```
insert into semister1 values('csen1011','Problem Solving and Programming in C',78,'B+')
```

1 row(s) inserted.

Statement 186



```
insert into semister1 values('csen1001','IT Productivity Tools',97,'s')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
Previous Sessions
Utilization
NLS
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 185	<pre>insert into semister1 values('clad1001','emotional intelligence and resoning',96,'A+')</pre> <p>1 row(s) inserted.</p>
Statement 184	<pre>insert into semister1 values('chem1001','chemistry',78,'B+')</pre> <p>1 row(s) inserted.</p>
Statement 183	<pre>create table semister1(coursecode varchar(25),nameofthecourse varchar(65),marks number(3),grade char(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
Statement 182	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 181	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 179



insert into semister values('math1001','Single Variable Calculus',58,'c')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 178



insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 177



insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 176



insert into semister values('csen1001','IT Productivity Tools',97,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 175



insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

Statement 174	<pre>insert into semister values('chem1001','chemistry',78,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 173	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 172	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 171	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>
Statement 170	<pre>insert into semister values('math1001','Single Variable Calculus',58,'c')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line</p>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 169



```
insert into semister values('lang1001', 'Communication Skills in English-Deutsch', 70, 'A')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 168



```
insert into semister values('csen1011', 'Problem Solving and Programming in C', 78, 'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 167



```
insert into semister values('csen1001', 'IT Productivity Tools', 97, 's')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 166



```
insert into semister values('clad1001', 'emotional intelligence and resoning', 96, 'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line


Statement 165



```
insert into semister values('chem1001', 'chemistry', 78, 'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 164



```
insert into semister values('vdc1001', 'Venture Development', 70, 'A+')
```

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 163



```
insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 162



```
insert into semister values('math1011','Several variable calculus',77,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 161



```
insert into semister values('math1001','Single Variable Calculus',58,'c')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 160



```
insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

Statement 159



```
insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
insert into semister values('csen1001','IT Productivity Tools',97,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

```
insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

```
insert into semister values('chem1001','chemistry',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line

```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

ORA-00955: name is already used by an existing object

```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

ORA-00955: name is already used by an existing object

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00907: missing right parenthesis

Statement 152



create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks int(1),grade char(2))

ORA-00907: missing right parenthesis

Statement 151



create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))

ORA-00907: missing right parenthesis

Statement 150



create tablesemister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))

ORA-00901: invalid CREATE command

Statement 149



create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))

ORA-00907: missing right parenthesis

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00904: : invalid identifier

Statement 147  
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))

ORA-00907: missing right parenthesis

Statement 146  
alter student2  
modify age int

ORA-00940: invalid ALTER command

Statement 145  
modify age int;

Invalid statement

Statement 144  
modify student2

Invalid statement

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library



modify age int

[Feedback](#)[Help](#)[sbhanu@gitam.in](#)

ORA-00940: invalid ALTER command

Statement 142

alter student2  
modify age int

ORA-00940: invalid ALTER command

Statement 141



select \* from student2 where names='mogili2' and age=18

no data found

Statement 140



insert into student2 values('mogili2',10)

ORA-00001: unique constraint (SQL\_TNQZCQVRGJTPQUOYOQLAZKJFY.SYS\_C0091312561) violated ORA-06512: at "SYS.DBM

Statement 139



select \* from student2 where names='mogili2' and age=18

no data found

## Live SQL

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
Previous Sessions
Utilization
NLS
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

	SELECT DISTINCT NAMES FROM STUDENT2		
Statement 138	<table border="1"><thead><tr><th>NAMES</th></tr></thead><tbody><tr><td>mogili2</td></tr></tbody></table> <a href="#">Download CSV</a>	NAMES	mogili2
NAMES			
mogili2			
Statement 137	<pre>insert into student2 values('mogili2',10)</pre>  <pre>ORA-00001: unique constraint (SQL_TNQZCQVRGIFTPQUOYOQLAZKJFY.SYS_C0091312561) violated ORA-06512: at "SYS.DBM</pre>		
Statement 136	<pre>insert into student2 values('mogili2',10)</pre>  <pre>1 row(s) inserted.</pre>		
Statement 135	<pre>create table student2(names char(10) primary key,age number(8))</pre>  <pre>Table created.</pre>		
Statement 134	<pre>create table student2 (names char(25),primary key ,age number(8))</pre>  <pre>ORA-00906: missing left parenthesis</pre>		

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00922: missing or invalid option

Statement 132



create table student1(names char(25),primary key ,age number(8))

ORA-00906: missing left parenthesis

Statement 131



update student set age= 45 where names = 'mogili'

0 row(s) updated.

Statement 130



insert into student1 values('praven',18,'m',8899714488,'pravenne@gitam.in')

1 row(s) inserted.

Statement 129



insert into student1 values('pravenk',18,'m',5555114488,'praven@gitam.in')

1 row(s) inserted.

## Live SQL

Home
SQL Worksheet
My Session <span>▼</span>
Previous Sessions
Utilization
NLS
Schema
Quick SQL <span>▶</span>
My Scripts
My Tutorials
Code Library

	1 row(s) inserted.
Statement 127 	insert into student1 values('pramou',18,'m',9955000000,'pramou@gitam.in')  1 row(s) inserted.
Statement 126 	insert into student1 values('pranav',18,'m',9955114488,'pranav@gitam.in')  1 row(s) inserted.
Statement 125 	insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in') insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in') insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i') insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in') insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')  <b>ORA-00905: missing keyword</b>
Statement 124 	insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in') insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in') insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i') insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in') insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 123



```
create table student1(names char(25),age number(2),gender char(1),phonenumbe number(13),eamail varchar(32))
```

Table created.

Statement 122



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 121



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

Statement 120



```
update student
set phonenumbe[:1]='5656565565'
```

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 119



```
update student  
set phononenumber[:1]='5656565565'
```

ORA-00927: missing equal sign

Statement 118



```
update student  
set phononenumber[:]='5656565565'
```

ORA-00927: missing equal sign

Statement 117



```
update student  
set phononenumber[1]='5656565565'
```

ORA-00927: missing equal sign

Statement 116



```
select * from student
```

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in
pranav	18	m	5656565565	pranav@gitam.in
pramou	18	m	5656565565	pramou@gitam.in
pradanu	18	m	5656565565	pradanu@gitam.i
pravenk	18	m	5656565565	praven@gitam.in
praven	18	m	5656565565	pravenne@gitam.in

[Download CSV](#)

10 rows selected.

Statement 115



```
update student  
set phonenumer='5656565565'
```

10 row(s) updated.

Statement 114



```
update student  
set phone number='5656565565'
```

ORA-00927: missing equal sign

Statement 113



```
update student  
set phone number='5656565565'
```

## Live SQL

- [Home](#)
- [SQL Worksheet](#)
- [My Session](#)
  - [Previous Sessions](#)
  - [Utilization](#)
  - [NLS](#)
- [Schema](#)
- [Quick SQL](#)
- [My Scripts](#)
- [My Tutorials](#)
- [Code Library](#)

	Statement 112	<pre>select * from student</pre>	<table border="1"><thead><tr><th>NAMES</th><th>AGE</th><th>GENDER</th><th>PHONENUMBER</th><th>EMAIL</th></tr></thead><tbody><tr><td>pranav</td><td>18</td><td>m</td><td>9955114488</td><td>pranav@gitam.in</td></tr><tr><td>pramou</td><td>18</td><td>m</td><td>9955000000</td><td>pramou@gitam.in</td></tr><tr><td>pradanu</td><td>18</td><td>m</td><td>9900004488</td><td>pradanu@gitam.i</td></tr><tr><td>pravenk</td><td>18</td><td>m</td><td>5555114488</td><td>praven@gitam.in</td></tr><tr><td>praven</td><td>18</td><td>m</td><td>8899714488</td><td>pravenne@gitam.in</td></tr><tr><td>pranav</td><td>18</td><td>m</td><td>9955114488</td><td>pranav@gitam.in</td></tr><tr><td>pramou</td><td>18</td><td>m</td><td>9955000000</td><td>pramou@gitam.in</td></tr><tr><td>pradanu</td><td>18</td><td>m</td><td>9900004488</td><td>pradanu@gitam.i</td></tr><tr><td>pravenk</td><td>18</td><td>m</td><td>5555114488</td><td>praven@gitam.in</td></tr><tr><td>praven</td><td>18</td><td>m</td><td>8899714488</td><td>pravenne@gitam.in</td></tr></tbody></table>	NAMES	AGE	GENDER	PHONENUMBER	EMAIL	pranav	18	m	9955114488	pranav@gitam.in	pramou	18	m	9955000000	pramou@gitam.in	pradanu	18	m	9900004488	pradanu@gitam.i	pravenk	18	m	5555114488	praven@gitam.in	praven	18	m	8899714488	pravenne@gitam.in	pranav	18	m	9955114488	pranav@gitam.in	pramou	18	m	9955000000	pramou@gitam.in	pradanu	18	m	9900004488	pradanu@gitam.i	pravenk	18	m	5555114488	praven@gitam.in	praven	18	m	8899714488	pravenne@gitam.in
NAMES	AGE	GENDER	PHONENUMBER	EMAIL																																																						
pranav	18	m	9955114488	pranav@gitam.in																																																						
pramou	18	m	9955000000	pramou@gitam.in																																																						
pradanu	18	m	9900004488	pradanu@gitam.i																																																						
pravenk	18	m	5555114488	praven@gitam.in																																																						
praven	18	m	8899714488	pravenne@gitam.in																																																						
pranav	18	m	9955114488	pranav@gitam.in																																																						
pramou	18	m	9955000000	pramou@gitam.in																																																						
pradanu	18	m	9900004488	pradanu@gitam.i																																																						
pravenk	18	m	5555114488	praven@gitam.in																																																						
praven	18	m	8899714488	pravenne@gitam.in																																																						
	Statement 111	<pre>insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')</pre>	1 row(s) inserted.																																																							
	Statement 110	<pre>insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')</pre>	1 row(s) inserted.																																																							

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
```

Statement 109



1 row(s) inserted.

Statement 108



```
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

Statement 107



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
```

1 row(s) inserted.

Statement 106



```
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

1 row(s) inserted.

Statement 105



```
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
```

1 row(s) inserted.

Statement 104

```
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 103



```
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
```

1 row(s) inserted.

Statement 102



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
```

1 row(s) inserted.

Statement 101



```
create table student(names char(25),age number(2),gender char(1),phonenumber number(13),email varchar(32))
```

ORA-00955: name is already used by an existing object

Statement 100



```
insert into student values('pranav',18,'m',9955114488,'pranav@gitam.in')
insert into student values('pramou',18,'m',9955000000,'pramou@gitam.in')
insert into student values('pradanu',18,'m',9900004488,'pradanu@gitam.i')
insert into student values('pravenk',18,'m',5555114488,'praven@gitam.in')
insert into student values('praven',18,'m',8899714488,'pravenne@gitam.in')
```

ORA-00905: missing keyword

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00955: name is already used by an existing object

Statement 98



create table student(names char(25),age number(2),gender char(1),phonenumbe number(13),email varchar(32))

Table created.

Statement 97



create table student(names char(25),age number(2),gender char(1),phone number int(13),email varchar(32))

ORA-00907: missing right parenthesis

Statement 96



create table student(name char(25),age number(2),gender char(1),phone number int(13),email varchar(32))

ORA-00907: missing right parenthesis

Statement 95



```
insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'}
insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'}
insert into student values{'pradanu',18,'m',9900004488,'pradanu@gitam.in'}
insert into student values{'pravenk',18,'m',5555114488,'praven@gitam.in'}
insert into student values{'praven',18,'m',8899714488,'pravenne@gitam.in'}
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 94



```
insert into student values{'pranav',18,'m',9955114488,'pranav@gitam.in'}
insert into student values{'pramou',18,'m',9955000000,'pramou@gitam.in'}
insert into student values{'pradanu',18,'m',9900004488,'pradanu@gitam.in'}
insert into student values{'pravenk',18,'m',5555114488,'praven@gitam.in'}
insert into student values{'pravenne',18,'m',8899714488,'pravenne@gitam.in'}
```

ORA-00936: missing expression

Statement 93



```
select * from student
```

ORA-00942: table or view does not exist

Statement 92



```
insert into semister1 values('vdc1001','Venture Development',70,'A+')
```

1 row(s) inserted.

Statement 91



```
insert into semister1 values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

	1 row(s) inserted.
Statement 89	<pre>insert into semister1 values('math1001','Single Variable Calculus',58,'c')</pre>
	1 row(s) inserted.
Statement 88	<pre>insert into semister1 values('lang1001','Communication Skills in English-Beginners',63,'s')</pre>
	1 row(s) inserted.
Statement 87	<pre>insert into semister1 values('csen1011','Problem Solving and Programming in C',78,'B+')</pre>
	1 row(s) inserted.
Statement 86	<pre>insert into semister1 values('csen1001','IT Productivity Tools',97,'s')</pre>
	1 row(s) inserted.
Statement 85	<pre>insert into semister1 values('clad1001','emotional intelligence and resoning',96,'A+')</pre>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
Previous Sessions
Utilization
NLS
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 84	<pre>insert into semister1 values('chem1001','chemistry',78,'B+')</pre> <p>1 row(s) inserted.</p>
Statement 83	<pre>create table semister1(coursecode varchar(25),nameofthecourse varchar(65),marks number(3),grade char(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
Statement 82	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 81	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 80	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
insert into semister values('math1001','Single Variable Calculus',58,'c')
```

Statement 79



ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 78



```
insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 77



```
insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 76



```
insert into semister values('csen1001','IT Productivity Tools',97,'s')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 75



```
insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 74

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 73



insert into semister values('vdc1001','Venture Development',70,'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 72



insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 71



insert into semister values('math1011','Several variable calculus',77,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 70



insert into semister values('math1001','Single Variable Calculus',58,'c')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 69

insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')

## Live SQL

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#"> NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#">My Scripts</a>
<a href="#">My Tutorials</a>
<a href="#"> Code Library</a>

Statement 68	<pre>insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 67	<pre>insert into semister values('csen1001','IT Productivity Tools',97,'s')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 66	<pre>insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 65	<pre>insert into semister values('chem1001','chemistry',78,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 64	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#">NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 63	insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
Statement 62	insert into semister values('math1011','Several variable calculus',77,'B+')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
Statement 61	insert into semister values('math1001','Single Variable Calculus',58,'c')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
Statement 60	insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
Statement 59	insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
Statement 58	insert into semister values('class1001','IT Productivity Tools',67,'o')

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

Home



Previous Sessions

Utilization

NLS



Statement 57



```
insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 56



```
insert into semister values('chem1001','chemistry',78,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 55



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

ORA-00955: name is already used by an existing object

Statement 54



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

ORA-00955: name is already used by an existing object

Statement 53



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks numbers(1),grade char(2))
```

## Live SQL

Home
SQL Worksheet
My Session <span>▼</span>
Previous Sessions
Utilization
NLS
Schema
Quick SQL <span>▶</span>
My Scripts
My Tutorials
Code Library

Statement 52	<pre>create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 51	<pre>create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 50	<pre>create tablesemister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00901: invalid CREATE command</p>
Statement 49	<pre>create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre> <p>ORA-00907: missing right parenthesis</p>
Statement 48	<pre>create table semister((coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))</pre>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 47



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

Statement 46



```
insert into semister1 values('vdc1001','Venture Development',70,'A+')
```

1 row(s) inserted.

Statement 45



```
insert into semister1 values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

1 row(s) inserted.

Statement 44



```
insert into semister1 values('math1011','Several variable calculus',77,'B+')
```

1 row(s) inserted.

Statement 43



```
insert into semister1 values('math1001','Single Variable Calculus',58,'c')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#">NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

Statement 42	<pre>insert into semister1 values('lang1001','Communication Skills in English-Beginners',63,'s')</pre> <p>1 row(s) inserted.</p>
Statement 41	<pre>insert into semister1 values('csen1011','Problem Solving and Programming in C',78,'B+')</pre> <p>1 row(s) inserted.</p>
Statement 40	<pre>insert into semister1 values('csen1001','IT Productivity Tools',97,'s')</pre> <p>1 row(s) inserted.</p>
Statement 39	<pre>insert into semister1 values('clad1001','emotional intelligence and resoning',96,'A+')</pre> <p>1 row(s) inserted.</p>
Statement 38	<pre>insert into semister1 values('chem1001','chemistry',78,'B+')</pre> <p>1 row(s) inserted.</p>

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Table created.

Statement 36



```
insert into semister values('vdc1001','Venture Development',70,'A+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 35



```
insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 34



```
insert into semister values('math1011','Several variable calculus',77,'B+')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 33



```
insert into semister values('math1001','Single Variable Calculus',58,'c')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 32



```
insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')
```

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
Previous Sessions
Utilization
NLS
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#"> My Scripts</a>
<a href="#"> My Tutorials</a>
<a href="#"> Code Library</a>

<a href="#"> Statement 31</a> <a href="#"></a> <a href="#"></a>	insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
<a href="#"> Statement 30</a> <a href="#"></a> <a href="#"></a>	insert into semister values('csen1001','IT Productivity Tools',97,'s')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
<a href="#"> Statement 29</a> <a href="#"></a> <a href="#"></a>	insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
<a href="#"> Statement 28</a> <a href="#"></a> <a href="#"></a>	insert into semister values('chem1001','chemistry',78,'B+')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1
<a href="#"> Statement 27</a> <a href="#"></a> <a href="#"></a>	insert into semister values('vdc1001','Venture Development',70,'A+')  ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library



ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 25



insert into semister values('math1011','Several variable calculus',77,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 24



insert into semister values('math1001','Single Variable Calculus',58,'c')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 23



insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 22



insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 21



insert into semister values('csen1001','IT Productivity Tools',97,'s')

## Live SQL

<a href="#"> Home</a>
<a href="#"> SQL Worksheet</a>
<a href="#"> My Session</a>
<a href="#">Previous Sessions</a>
<a href="#">Utilization</a>
<a href="#">NLS</a>
<a href="#"> Schema</a>
<a href="#"> Quick SQL</a>
<a href="#">My Scripts</a>
<a href="#">My Tutorials</a>
<a href="#">Code Library</a>

Statement 20	<pre>insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 19	<pre>insert into semister values('chem1001','chemistry',78,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 18	<pre>insert into semister values('vdc1001','Venture Development',70,'A+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 17	<pre>insert into semister values('mech1021','Engineering Visualization and Product Realization',99,'o')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>
Statement 16	<pre>insert into semister values('math1011','Several variable calculus',77,'B+')</pre> <p>ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1</p>

## Live SQL

[Feedback](#)[Help](#)

sbhanu@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

INSERT INTO semister VALUES('math1001','Mathematics',78,'B+',1)

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 14



insert into semister values('lang1001','Communication Skills in English-Beginners',63,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 13



insert into semister values('csen1011','Problem Solving and Programming in C',78,'B+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 12



insert into semister values('csen1001','IT Productivity Tools',97,'s')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 11



insert into semister values('clad1001','emotional intelligence and resoning',96,'A+')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS\_SQL", line 1

Statement 10



insert into semister values('chem1001','chemistry',78,'B+')

## Live SQL

[Feedback](#) [Help](#) [sbhanu@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 9



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

ORA-00955: name is already used by an existing object

Statement 8



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks number(1),grade char(2))
```

Table created.

Statement 7



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks numbers(1),grade char(2))
```

ORA-00907: missing right parenthesis

Statement 6



```
create table semister(coursecode varchar(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

Statement 5



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

## Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 4



```
create tablesemister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00901: invalid CREATE command

Statement 3



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

Statement 2



```
create table semister((coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00904: : invalid identifier

Statement 1



```
create table semister(coursecode char(25),nameofthecourse varchar(65),marks int(1),grade char(2))
```

ORA-00907: missing right parenthesis

## Live SQL

 Feedback  Help  sbhanu@gitam.in 

 Home

 SQL Worksheet

 My Session 

Previous Sessions

Utilization

NLS

 Schema

 Quick SQL 

 My Scripts

 My Tutorials

 Code Library