

LABORATORY RECORD

Course: Full Stack Web Development
Course Code: 23CM4121
Week No.: 1
Student Name: A. Bhanu Prasad
Roll No.: A24126552068
Date: 30-08-2026

1. TITLE

Design Static Webpage Using Pure Semantic HTML Components

2. AIM

To design a static webpage using pure semantic HTML components such as headers, navigation links, section and article containers, aside notes, formatted lists, tables, and input forms without CSS.

3. OBJECTIVE

- Learn core semantic HTML structure tags (<header>, <nav>, <main>, <article>, <section>, <aside>, <footer>).
- Implement organized document hierarchy and hyperlink navigation.
- Construct interactive user inquiry forms with fieldsets and input types.
- Build tabular layout and reference lists.

4. THEORY

HTML provides native semantic elements that structure content clearly for web browsers and accessibility parsers. Pure semantic HTML layouts ensure maximum compatibility, fast browser rendering, and accessible document outline hierarchy without reliance on external styling stylesheets.

5. ALGORITHM / PROCEDURE

1. Create static_web_page.html file with <!DOCTYPE html> declaration.
2. Add header section with StaticWeb title and navigation menu.
3. Create home section with headings and descriptive paragraphs.
4. Build main content area containing articles for Core Structural Tags and Native Interaction Elements.
5. Construct User Inquiry Form with name, email, topic dropdown, message textarea, submit, and reset buttons.
6. Add aside sidebar for Document References with benefits and required components lists.
7. Add footer with copyright declaration and verify in browser.

6. PROGRAM

static_web_page.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Pure Semantic HTML Static Webpage</title>
</head>
<body>

  <header>
    <table width="100%" border="0" cellspacing="0" cellpadding="10">
      <tr>
        <td>
          <h1>StaticWeb</h1>
        </td>
        <td align="right">
          <nav>
            <a href="#home">Home</a> &nbsp;|&nbsp;&nbsp;
            <a href="#articles">Articles</a> &nbsp;|&nbsp;&nbsp;
            <a href="#about">About</a> &nbsp;|&nbsp;&nbsp;
            <a href="#contact">Contact Us</a>
          </nav>
        </td>
      </tr>
    </table>
  </header>
  <hr>

  <section id="home">
    <center>
      <h2>Semantic Structures Without CSS</h2>
      <p>This layout uses raw HTML components to build an organized document hierarchy that browsers can
      <p><a href="#articles"><b>Read Our Articles Below &darr;</b></a></p>
    </center>
  </section>

  <hr>

  <table width="100%" border="0" cellspacing="0" cellpadding="20">
    <tr valign="top">

      <td width="70%">
        <main id="articles">

          <article>
            <h2>1. Core Structural Tags</h2>
            <p>Published: July 7, 2026</p>
            <p>When you omit cascading style sheets entirely, the semantic markup handles all of th
            <p>Using raw browser defaults ensures excellent loading performance, perfect accessibil
          </article>
          <br><hr><br>

          <article>
            <h2>2. Native Interaction Elements</h2>
            <p>Published: July 5, 2026</p>
            <p>Browsers come equipped with excellent interactive elements by default. We can captur

            <h3>Interactive Demonstration Forms</h3>
            <form id="contact" action="#" method="post">
              <fieldset>
                <legend><b>User Inquiry Form</b></legend>
                <p>

```

```

        <label for="name">Full Name: </label>
        <input type="text" id="name" name="username" required placeholder="John Doe" />
    </p>
    <p>
        <label for="email">Email Address: </label>
        <input type="email" id="email" name="useremail" required />
    </p>
    <p>
        <label for="topic">Inquiry Topic: </label>
        <select id="topic" name="usertopic">
            <option value="general">General Feedback</option>
            <option value="technical">Technical Architecture</option>
            <option value="academics">Academic Curriculum</option>
        </select>
    </p>
    <p>
        <label for="message">Message Details:</label><br>
        <textarea id="message" name="usermessage" rows="5" cols="40" placeholder="Type your message here" />
    </p>
    <p>
        <input type="submit" value="Submit Form Data">
        <input type="reset" value="Clear Entries">
    </p>
</fieldset>
</form>
</article>

</main>
</td>

<td width="30%" bgcolor="#f4f4f4">
    <aside id="about">
        <h3>Document References</h3>
        <p>Static pages map data out directly without real-time database queries or processor overheads.</p>

        <h4>Core Benefits:</h4>
        <ul>
            <li>Instant browser painting</li>
            <li>Low memory footprints</li>
            <li>High data compatibility</li>
        </ul>

        <h4>Required Components:</h4>
        <ol>
            <li>Document Type Definition</li>
            <li>Semantic Wrapper Blocks</li>
            <li>Data Input Control Interfaces</li>
        </ol>
    </aside>
</td>

</tr>
</table>

<hr>

<footer>
    <center>
        <p>&copy; 2026 Pure HTML Architecture. Assembled completely without style configurations.</p>
    </center>
</footer>

</body>
</html>

```

7. CODE EXPLANATION

Code / Syntax	Explanation
<header>, <nav>, <footer>	Structural landmarks defining document boundaries
<main>, <article>, <section>	Semantic content containers for readable articles
<form>, <fieldset>, <legend>	Structured user interaction and input groupings
<aside>	Auxiliary sidebar containing references and complementary lists

8. TEST CASES AND EXECUTION DATA

The experiment was executed with the following test cases to verify functionality:

Test Case	Input / Action	Expected Result	Actual Result	Status
TC-01	Page Load	Open in web browser	Document renders structure and articles	Pass
TC-02	Form Controls	Fill inquiry form fields	Fields accept input and reset cleanly	Pass

9. OUTPUT

Output 1: Execution Screenshot

StaticWeb

[Home](#) | [Articles](#) | [About](#) | [Contact Us](#)

Semantic Structures Without CSS

This layout uses raw HTML components to build an organized document hierarchy that browsers can cleanly parse out-of-the-box.
[Read Our Articles Below ↓](#)

1. Core Structural Tags

Published: July 7, 2026

When you omit cascading style sheets entirely, the semantic markup handles all of the structural heavy lifting. Elements like <main>, <article>, and <section> tell screen readers and web scrapers exactly how information flows.

Using raw browser defaults ensures excellent loading performance, perfect accessibility compliance, and absolute structural clarity.

2. Native Interaction Elements

Published: July 5, 2026

Browsers come equipped with excellent interactive elements by default. We can capture text inputs, provide multiple-choice configurations, and submit structured information to backend parsers using pure markup.

Interactive Demonstration Forms

User Inquiry Form

Full Name:

Email Address:

Inquiry Topic:

General Feedback

Message Details:

Type your notes here...

Submit Form Data

Clear Entries

Document References

Static pages map data out directly without real-time database queries or processor overhead.

Core Benefits:

- Instant browser painting
- Low memory footprints
- High data compatibility

Required Components:

- Document Type Definition
- Semantic Wrapper Blocks
- Data Input Control Interfaces

10. RESULT

Thus, the experiment for Week 1 (Design Static Webpage Using Pure Semantic HTML Components) was successfully executed and verified.

Full Stack Web Development Lab (23CM4121) | A. Bhanu Prasad - A24126552068

Page 4 of 4