Decentralized ambulance incident management systems

"Find papers, patents or systems closest to this: when ambulances lose the control room, crews confirm time-limited claims (leases) on incidents over LoRa mesh; conflicts go to the earliest claim, expired leases reopen incidents, and logs merge back into dispatch after reconnection. For each, state what it already does, its communication assumptions, how it prevents duplicate or unassigned incidents, and its evaluation. What remains unstudied?" *Generated by LeapSpace*

Lease-Based Incident Ownership and Offline Reconciliation in Disconnected Emergency Dispatch at a Glance

Key Findings Table

Closest paper/system family	What it already does	Communication assumptions	How it prevents duplicate or unassigned incidents	Evaluation reported
LoRa emergency mesh systems (ATA-AIKON, R-AODV-style alert meshes, multi-hop emergency telemetry)	Provide off-grid multi-hop emergency message delivery, resilience to node failure, and prioritization of urgent packets over routine traffic [1] [2] [3]	Relay/gateway-based LoRa mesh, intermittent infrastructure, multi-hop forwarding; not continuous ambulance-to-control-room connectivity [1] [3] [4]	Indirect only: by keeping messages moving; no explicit single-owner incident claims, lease expiry, or race-resolution semantics [3] [5] [6]	180-day field trial with 92.4% average PDR and 94.2% connectivity under two-node failure; alert delays up to 11.65 s under gateway-neighbor failure; 99.99% PDR for periodic data in one campus trial [1] [2] [3]
WIISARD / WiMesh-type first-responder systems	Support partition-tolerant responder networking, gossip/DTN operation, local caching, and later synchronization to a server [4] [7]	Mesh backbone plus disruption-tolerant forwarding because partitions occur; store-carry-forward instead of end-to-end connectivity [4] [8]	Preserve local situational data and sync later, but do not define lease claims, exactly-one ownership, or duplicate-claim suppression rules [7]	Reported through system architecture and disaster-response/field-exercise style evaluation rather than explicit claim-conflict tests [4] [7]
DistressNet / iRevive / local fog-mobile systems	Capture and store emergency field data locally on phones/handhelds and interact later with backend systems [9] [10]	Intermittent local connectivity, local fog/back-end wireless links rather than guaranteed dispatch reachability [9] [10]	No stated mechanism for preventing two crews editing/claiming the same incident, nor for reopening orphaned incidents [9] [10]	Prototype/system-level evaluation; no reported duplicate-rate, merge-latency, or stale-owner metrics in the supplied evidence [9] [10] [11]
Mesh-Mon and DTN partition-repair systems	Maintain decentralized operation during partition and use people/vehicles as data ferries between disconnected partitions [12] [13] [14]	Explicitly assume disconnected partitions, intermittent short-range links, and store-carry-forward transfer [12] [13] [14]	Improve eventual delivery opportunity only; do not model contested incident ownership or first-claim-wins arbitration [6] [12]	Evaluated on failure recovery and partition repair, not dispatch correctness or single-owner preservation [12] [15]
Role/addressing coordination aids (CNS, TwiddleNet, federated/UICDS-style sharing)	Improve role-based dissemination, situational awareness, and inter-agency data sharing [16] [17] [18] [19]	Mobile/disaster networks and federated sharing rather than strict central server availability [16] [19]	Reduce misdelivery and improve awareness, but do not implement incident leases or owner-transfer state machines [17] [18] [19]	CNS used simulation and disaster traces; TwiddleNet was prototype-oriented for early emergency phases [16] [17]
Foundational distributed-systems mechanisms (Lamport, Bayou, Dynamo, CRDTs, Spanner)	Provide ordering, weak-connectivity replication, application-defined merge, convergent replicas, and time-bounded coordination concepts [20] [21] [22] [23] [24]	Weak connectivity, replica divergence, bounded clock uncertainty, or application-level reconciliation depending on system [20] [21] [22] [24]	Can prevent duplicate winners only if the application defines a lease/claim object and merge policy; none are EMS dispatch systems themselves [21] [22] [23]	Evaluated in distributed-data settings, not ambulance/control-room outage workflows [21] [22] [23]

Direct Answer

The supplied evidence does **not** include a paper, patent, or deployed EMS system that combines all of the requested properties: **peer claiming over LoRa/mesh, explicit time-limited incident leases, earliest-valid-claim arbitration, automatic reopen on lease expiry, and auditable merge-back into dispatch after reconnection** [3] [7] [15] [25] [26].

The **closest practical systems** are split across three separate literatures:

1. **Emergency LoRa/mesh communication systems** are closest on transport. They already provide disconnected multi-hop delivery and failure resilience, but they stop at message transport and do not define incident ownership semantics [1] [2] [3].
2. **First-responder offline/DTN systems** are closest on disconnected operation and later synchronization. They let crews keep working during partitions and sync afterward, but they do not specify leases, claim races, or duplicate-owner prevention [4] [7].
3. **Distributed-systems foundations** are closest on the actual claim/lease logic. They offer ordering, expiry, and merge concepts that could realize your design, but the evidence does not show these ideas adapted to ambulance dispatch during control-room outages [20] [21] [22] [23] [24].

Taken together, these findings suggest that your target workflow is best described as a **cross-disciplinary gap** rather than an incremental variant of an existing EMS product: communications research solves the disconnected link; offline responder systems solve local continuity; distributed-systems theory supplies lease and merge semantics; but the full end-to-end incident-claiming design remains unstudied in the provided record [1] [4] [7] [20] [21].

Confidence level: High — the supplied findings repeatedly and directly state absence of explicit lease-based ownership, tie-breaking rules, timeout reopening, and dispatch merge semantics in the emergency-response literature retrieved [7] [15] [25] [26] [27].

Study Scope

- **Time span covered:** roughly 2005-2025 in the retrieval plan, with emphasis on 2015-2025 systems and foundational distributed-systems baselines [20] [21] [28].
- **Disciplines covered:** emergency dispatch and EMS operations, disaster-response networking, LoRa/mesh/DTN communications, incident-management middleware, and replicated/distributed data systems [4] [18] [23] [29].
- **Methods represented:** field trials, simulation, disaster traces, architecture/prototype reports, and classic systems theory [1] [16] [17] [21].

Assumptions & Limitations

- No matching patents were present in the supplied findings, so the report can only compare papers and described systems, not a full patent landscape [meta_analisys].

- Many emergency-response systems are described only at architecture or abstract level, so merge semantics and exact duplicate-prevention rules are often underspecified [7] [9].
- The strongest direct evidence is about **what is missing**, rather than about one system already implementing the full workflow [15] [25] [26].

Suggested Further Research

- Design and test an **incident lease protocol** for EMS partitions with renewal, expiry, and deterministic takeover rules [7] [24].
- Measure **duplicate-owner rate, orphaned-incident duration, stale-owner persistence, and reconciliation delay** under split-brain outage drills [15] [30].
- Study **clock safety** for earliest-claim or bounded-time arbitration over LoRa/mesh with seconds-level delays and failures [2] [3] [20].
- Specify a **merge-back model** using append-only logs, application-defined conflict handlers, or CRDT-style state for dispatch integration [21] [23] [31].
- Evaluate the **human workload** of local claiming and lease renewal for ambulance crews during high-tempo incidents [research_gaps].

Full Report

Introduction

Problem framing

The target scenario is operationally specific: when ambulances lose contact with the control room, crews should still coordinate incidents over a low-bandwidth peer network, claim ownership for a limited time, avoid both duplicate attendance and abandoned incidents, and later merge their field record back into central dispatch after reconnection. The supplied literature strongly supports the need for dynamic reassignment, shared situational awareness, and resilient communications in emergency response, but it does not show this exact ownership model already implemented [4] [7] [32].

Emergency dispatch research commonly treats assignment as an online optimization or resource-allocation problem: select the right responder, reallocate as conditions evolve, and maintain service coverage [33] [34] [35] [36]. Incident-management systems likewise emphasize coordination and information sharing across agencies [16] [18] [29] [37]. What is missing is the narrow but crucial semantic layer your query asks for: **who owns one incident right now when central authority disappears**, how that ownership expires, and how competing offline updates are merged later [7] [25] [26].

Confidence level: High — this framing is directly supported by repeated “closest but not explicit” findings across dispatch, communications, and offline synchronization sources [3] [7] [25].

Foundational Context

Three technical ideas are needed to understand the comparison.

1. Lease-like ownership

A lease is time-bounded ownership: an actor may act as owner until a deadline, after which others may safely take over unless the lease was renewed. The emergency literature retrieved does not use this construct for incidents, but time-bounded coordination is a clear conceptual fit, and Spanner is cited in the findings as a canonical example of time-sensitive coordination under explicit clock uncertainty [24]. This matters because your “expired lease reopens incident” rule depends on clocks, delayed renewals, and bounded ambiguity about whether ownership is still valid [20] [24].

2. Conflict ordering under partition

If two crews claim the same incident while disconnected, the system needs a deterministic winner. Lamport logical clocks provide a way to order distributed events even without a single shared clock, while systems such as Calvin or timestamp-based schemes show how deterministic ordering can reduce conflict ambiguity [20] [38]. The supplied emergency-domain papers, however, do not apply these ideas to crew-claim races [26] [39].

3. Merge-back after reconnection

Once connectivity returns, offline changes must re-enter dispatch. Bayou offers application-defined merge under weak connectivity; Dynamo offers versioning with application-assisted conflict handling; CRDTs offer convergence where updates are deliberately mergeable [21] [22] [23]. These are the strongest theoretical matches for your “logs merge back into dispatch” requirement, but the emergency systems retrieved do not specify using them [7] [9] [40].

Confidence level: High — the foundational mechanisms are directly described in the findings, and the gap between those mechanisms and EMS deployment is explicitly noted [20] [21] [23] [24].

Closest Existing Systems and Papers

1. Emergency dispatch and incident-management systems

The dispatch literature is operationally close but semantically incomplete. It repeatedly addresses triage, prioritization, vehicle selection, standby redeployment, and real-time reallocation under uncertainty [25] [32] [36] [41] [42]. Several studies aim to dispatch the “right” responder earlier or more selectively, such as first-responder and helicopter-dispatch policies [43] [44] [45] [46]. These systems are concerned with improving response time and coverage, not with explicit time-limited ownership of one incident while disconnected [25] [28].

Major-incident coordination frameworks similarly support digital coordination and information sharing, but the supplied evidence states that they do not mention lease-based locking, timeout reopen rules, or failover ownership semantics [29] [47] [48].

What they already do: central dispatch optimization, role-based coordination, and dynamic resource reallocation [32] [42].
Communication assumptions: usually radio, pager, smartphone, LTE/cellular, or standard telemetry links rather than partition-tolerant peer claiming [49] [50].
Duplicate/unassigned prevention: operational policy, capacity constraints, and dispatch priorities rather than replicated-state safeguards [51] [52] [53].
Evaluation: mainly response-time, SLA, or allocation performance rather than outage correctness [42] [54].

2. Distributed coordination and shared situational awareness

UICDS-style and federated coordination systems are closer to later merge and inter-agency sharing. The supplied findings describe federated data sharing with feed-owner-controlled access and cloud/DDF stacks, and UICDS-based middleware with ontology/inference rules for resource sharing across heterogeneous incident-management systems [18] [19]. CNS dynamically addresses responders by role, reducing network load and latency versus IP-based communication in simulation and disaster traces [16]. TwiddleNet uses smartphones as personal servers to capture and disseminate content with minimal setup during the first 48-72 hours of response [17].

These systems improve **who gets what information** and **how multiple agencies share it**, but they do not implement single-owner claims, lease expiry, or claim arbitration [17] [18] [19].

3. Foundational distributed-systems work

This is the nearest match for the requested semantics. Lamport gives event ordering [20]. Bayou supports weakly connected replicas with application-defined merge and rollback/redo under a global serialization order [21]. Dynamo uses object versioning and application-assisted conflict resolution, accepting inconsistency to maintain availability [22] [55]. CRDTs guarantee strong eventual consistency through mergeable updates [23]. Delta-state CRDTs reduce synchronization cost while preserving convergence [31]. Spanner highlights bounded-time coordination under known clock uncertainty [24].

Taken together, these are not dispatch systems, but they supply the closest conceptual toolkit for incident leases, earliest-valid claims, and post-outage merge-back [21] [23].

Confidence level: High — the literature split between operational EMS systems and foundational replicated-state methods is explicit in the findings [21] [25].

Disconnected Communication Assumptions

1. LoRa mesh and emergency radios

The communications literature is the strongest empirical base for your scenario's transport layer. LoRa mesh systems show that emergency communication can remain functional during failures, with relay nodes and multi-hop paths improving coverage and resilience [1] [3] [56]. ATA-AIKON reported 92.4% average packet delivery and 94.2% connectivity over a 180-day, eight-node field trial, even under two-node failure [1]. A campus multi-hop LoRa trial reported emergency packet delays of 2.284 s, 4.597 s, and 6.75 s for one, two, and three hops, and 99.99% PDR for periodic data [2]. R-AODV-style emergency alert routing measured 11.65 s alert delay when a gateway-neighbor node failed [3].

These studies assume **multi-hop relay/gateway operation under partial failure**, not strict always-on central dispatch reachability [1] [3]. They validate transport resilience but do not model contested incident claiming [3] [5].

2. DTN and store-and-forward systems

WiMesh/WIISARD switched to a gossip-based DTN protocol because partitioning occurs in disaster networks [4]. Other systems use epidemic routing among smartphones, response vehicles as ferries, or hop-by-hop store-and-forward toward control centers [13] [14]. Mesh-Mon goes further by explicitly tolerating total mesh-routing failure and using mobile users as packet ferries between disconnected partitions [12].

These systems assume **intermittent links, opportunistic relays, and delayed delivery**, which fits the ambulance-outage premise better than conventional dispatch papers [8] [57].

3. Priority under scarce bandwidth

The evidence shows priority-based access for urgent traffic but not ownership arbitration. Time-critical emergency packets can be prioritized for lower delay in LoRa mesh [2]. Disaster coverage work gives higher priority to rescue and research teams in constrained coverage areas [58]. Surveys call for resource allocation and resilient architectures under congestion but do not specify incident-claim ranking rules [59] [60].

Confidence level: High — communications assumptions are well evidenced, and the lack of claim semantics in these studies is also directly stated [1] [6].

Conflict Resolution and Duplicate Prevention

The key result here is negative but important: the emergency-domain literature retrieved does **not** describe earliest-claim-wins, quorum, or server-authoritative arbitration for disconnected crew claims [26] [27] [61].

What current systems do instead

Most emergency assignment approaches prevent duplicate work by **capacity constraints**, **priority rules**, and **dispatch policy**. For example, one-vehicle/one-incident constraints and overlap minimization are used instead of compare-and-set style ownership [51] [62] [63]. Event-driven reallocation and emergency-first precedence are also used, but without mergeable logs or replicated ownership state [52] [64].

A rare explicit duplicate-suppression pattern appears in a DDS-based messaging system: the client uses a timestamp as a unique identifier, accepts the first matching acknowledgment, and discards later ones [65]. This is close to first-match duplicate suppression, but it is a messaging acknowledgment mechanism, not incident ownership.

Theoretical stand-ins

Priority/preemption frameworks show deterministic arbitration can be implemented in principle [54] [66] [67] [68]. Lamport ordering provides a way to serialize competing claims [20]. Timer-based expiry policies show how stale work can be discarded after a deadline [69]. But none of the supplied emergency systems combine these into a field-claim state machine [26] [70].

What is missing

The retrieved evidence specifically lacks:

- explicit earliest-valid claim semantics [26] [61];
- tie-break rules for simultaneous claims [54];
- exactly-one owner guarantees under partition [27] [39];
- automatic reopening after timeout or heartbeat loss [7] [71].

Confidence level: High — these absences are repeatedly and directly reported in the findings [7] [26] [27].

Offline Logging, Reconnection, and Merge-Back

Local capture and later synchronization

A first-responder medical-response architecture allows responders to cache a local subset of information, modify it offline, and automatically synchronize when network returns [7]. WIISARD similarly lets handheld devices cache and modify incident data locally, then synchronize to a server on reconnection [7]. DistressNet stores and retrieves field data from a local intermittently connected fog [9]. iRevive captures pre-hospital mobile data and interfaces wirelessly with a back-end server [10].

This is the closest practical evidence for your “logs merge back into dispatch” requirement, but the merge semantics are underspecified: conflicts are said to be resolved, without stating whether the system keeps a full action log, uses deltas, or applies last-writer-wins [7] [9].

Merge models from distributed systems

Bayou suggests **append updates, detect conflicts with dependency checks, and use application-specific merge procedures** [21]. Dynamo suggests **availability first, preserve divergent versions, resolve later in application logic** [22] [55]. CRDTs suggest **make the incident state itself mergeable** so replicas converge automatically [23] [31]. Optimistic replication surveys emphasize ordering, conflict detection, reconciliation, and bounding divergence [72].

Taken together, these findings suggest that emergency dispatch merge-back should be explicit, auditable, and state-model-driven rather than a vague “sync later” feature [21] [72].

Evidence gaps for dispatch reconciliation

No retrieved emergency-dispatch system in the supplied evidence specifies:

- full action-log preservation [7];
- last-writer-wins or CRDT incident state [7] [10];
- measured reconciliation delay, lost-update rate, or duplicate-report rate after reconnect [11] [15] [30].

Confidence level: High — the offline-caching capability is directly evidenced, and the underspecification of reconciliation semantics is directly stated [7] [40].

Evaluation and What Remains Unstudied

How adjacent systems are evaluated

The adjacent literatures evaluate very different things:

- **LoRa/mesh transport:** PDR, delay, connectivity, and resilience to node or gateway failure [1] [2] [3].
- **DTN/partition systems:** delivery under disruption, ferry-based repair, and connectivity preservation [12] [13].
- **Coordination systems:** simulation, disaster traces, prototype use, or exercises focused on information dissemination and operator support [16] [17] [73] [74].
- **Distributed data systems:** consistency, convergence, ordering, and availability under replica divergence [21] [22] [23].

What is **not** evaluated are the workflow outcomes central to your design: duplicate ownership, stale-lease takeover correctness, orphaned-incident duration, and merge-back quality [15] [30] [75].

What remains unstudied

The strongest conclusion from the supplied evidence is that the **combination** remains unstudied:

1. **LoRa/mesh-based peer incident claiming** [3] [4];
2. **explicit time-limited leases with renewal/expiry** [7] [25];
3. **deterministic conflict rule such as earliest-valid-claim wins** [26] [61];
4. **automatic incident reopen on lease expiry or owner disappearance** [7] [71];
5. **auditable log merge-back into central dispatch after reconnection** [7] [15].

Inferred: Taken together, these findings imply that the core research problem is not merely building another emergency app, but integrating **radio assumptions**, **ownership semantics**, and **reconciliation logic** into a safety-critical workflow and then testing it under split-brain conditions. **Confidence level: Low** — this is a synthesis across domains rather than a direct claim from one paper [1] [20] [21].

Practical interpretation: the closest “stack” rather than closest single system

A practical reading of the evidence is that the nearest existing solution would have to be assembled from components already studied separately:

- **Transport:** LoRa mesh / DTN / ferrying for disconnected communication [1] [12].
- **Ordering:** Lamport or bounded-time timestamps for claim arbitration [20] [24].
- **Ownership:** a lease register per incident with timeout-based reopening, not yet shown in EMS papers [7].
- **Merge-back:** Bayou- or CRDT-inspired append-only logs with explicit conflict handling [21] [23].

This architecture is suggested by the combined findings, but the evidence does not show it implemented or evaluated end-to-end in ambulance dispatch [4] [21].

Conclusion

The closest prior art in the supplied evidence is **not one paper or one product**, but a near-miss constellation: LoRa/mesh studies solve disconnected communication; WIISARD-like responder systems solve offline continuity and later synchronization; distributed-systems classics solve ordering, leases, and merge semantics. No retrieved paper, patent, or system combines them into a tested EMS workflow with **time-limited incident ownership, earliest-claim conflict resolution, timeout-based reopening, and post-reconnect dispatch reconciliation** [1] [7] [21] [25] [26].

Overall confidence level: High — the evidence is consistent across multiple sub-literatures and repeatedly identifies the same missing integration point [7] [15] [27].

References

1. Yavuz, Ö.Ç. (2026) Privileged communication and coordination network for managerial decision support in disaster and emergency scenarios. *Social Sciences and Humanities Open*. https://doi.org/10.1016/j.ssaho.2026.103296
2. Liang, C.-W., Wu, Y.-L., Shi, C.-Y., (...), Lee, H.-C. (2019) Poster abstract: Evaluation of a Lora mesh W networking system supporting time-critical tra and data lost recovery. *IPSN 2019 - Proceedings of the 2019 Information Processing in Sensor Networks*. https://doi.org/10.1145/3302506.3312607
3. Thaenthong, J., Pimsen, T., Chidchuea, K. (2023) R-AODV: Reverse Ad-Hoc On-Demand Distance Vector Routing Algorithm With LoRa Mesh Based for Emergency Alert System. *2023 15th International Conference on Information Technology and Electrical Engineering, ICITEE 2023*. https://doi.org/10.1109/ICITEE59582.2023.10317648
4. https://www.sciencedirect.com/science/article/pii/S1572819621001765
5. Cârdei, I., Wu, Y., Junco, J. (2014) Backup Wi-Fi Ad-Hoc network for emergency response in scenarios with sporadic connectivity and primary users. *Proceedings - 2014 10th International Conference on Mobile Ad-Hoc and Sensor Networks, MSN 2014*. https://doi.org/10.1109/MSN.2014.16
6. Thangadorai, K.K., Sivalingam, K.M., Murugesan, K. (2024) Poster: A Multi-Radio Aware Mesh Platform for Resilient Human-to-Human Communication. *International Conference on Embedded Wireless Systems and Networks*. https://www.scopus.com/pages/publications/85218246244
7. Brown, S., Griswold, W., Lenert, L.A. (2005) A web-services architecture designed for intermittent connectivity to support medical response to disasters.. *AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium*. https://www.scopus.com/pages/publications/39049193560
8. Chenji, H., Stoleru, R. (2021) *Advances in Delay-Tolerant Networks (DTNs)*. https://doi.org/10.1016/B978-0-08-102793-6.00006-0
9. Chenji, H., Zhang, W., Stoleru, R., Arnett, C. (2013) DistressNet: A disaster response system providing constant availability cloud-like services. *Ad Hoc Networks*. https://doi.org/10.1016/j.adhoc.2013.06.008
10. Tollefsen, W.W., Myung, D., Moulton, S., Gaynor, M. (2004) iRevive, A Pre-Hospital Mobile Database. *10th Americas Conference on Information Systems, AMCIS 2004*. https://www.scopus.com/pages/publications/85138997007
11. Traore, B.B., Kamsu-Foguem, B., Tangara, F., Tiako, P. (2018) Software services for supporting remote crisis management. *Sustainable Cities and Society*. https://doi.org/10.1016/j.scs.2018.02.029

12. Nanda, S., Kotz, D. (2008) Mesh-Mon: A multi-radio mesh monitoring and management system. *Computer Communications*. https://doi.org/10.1016/j.comcom.2008.01.046

13. Trono, E.M., Fujimoto, M., Suwa, H., (...), Yasumoto, K. (2017) Generating pedestrian maps of disaster areas through ad-hoc deployment of computing resources across a DTN. *Computer Communications*. https://doi.org/10.1016/j.comcom.2016.12.003

14. Grassi, L., Ciranni, M., Baglietto, P., (...), Sgorbissa, A. (2023) Emergency management through information crowdsourcing. *Information Processing and Management*. https://doi.org/10.1016/j.ipm.2023.103386

15. Chanida, K., Thassanee, S., Prakit, S. (2026) Adaptive clinical command and operational resilience in maritime mass casualty incidents: A qualitative study. *International Emergency Nursing*. https://doi.org/10.1016/j.ienj.2026.101906

16. Chen, J., Arumaithurai, M., Fu, X., Ramakrishnan, K.K. (2016) CNS: Content-oriented notification service for managing disasters. *ACM-ICN 2016 - Proceedings of the 2016 3rd ACM Conference on Information-Centric Networking*. https://doi.org/10.1145/2984356.2984368

17. Singh, G. (2008) Information sharing for emergency response. *2008 IEEE International Conference on Technologies for Homeland Security, HST'08*. https://doi.org/10.1109/THS.2008.4534489

18. Shafiq, B., Chun, S.A., Atluri, V., (...), Nabi, G. (2012) Resource sharing using UICDS™ framework for incident management. *Transforming Government: People, Process and Policy*. https://doi.org/10.1108/17506161211214813

19. Balfour, R.E. (2014) An emergency information sharing (EIS) framework for effective shared situational awareness (SSA). *2014 IEEE Long Island Systems, Applications and Technology Conference, LISAT 2014*. https://doi.org/10.1109/LISAT.2014.6845195

20. Lamport, L. (1978) Time, Clocks, and the Ordering of Events in a Distributed System. *Communications of the ACM*. https://doi.org/10.1145/359545.359563

21. Terry, D.B., Theimer, M.M., Petersen, K., (...), Hauser, C.H. (1995) Managing update conflicts in bayou, a weakly connected replicated storage system. *Proceedings of the 15th ACM Symposium on Operating Systems Principles, SOSP 1995*. https://doi.org/10.1145/224056.224071

22. DeCandia, G., Hastorun, D., Jampani, M., (...), Vogels, W. (2007) Dynamo: Amazon's highly available key-value store. *Operating Systems Review (ACM)*. https://doi.org/10.1145/1294261.1294281

23. Shapiro, M., Preguiça, N., Baquero, C., Zawirski, M. (2011) Conflict-free replicated data types. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-642-24550-3_29

24. Corbett, J.C., Dean, J., Epstein, M., (...), Woodford, D. (2012) Spanner: Google's globally-distributed database. *Proceedings of the 10th USENIX Symposium on Operating Systems Design and Implementation, OSDI 2012*. https://www.scopus.com/pages/publications/85065170765

25. Nicoletta, V., Robitaille-Fortin, M., Bélanger, V., (...), Harrisson, J. (2025) Performance measures of the medical priority dispatch system in an urban basic life support system. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. https://doi.org/10.1186/s13049-025-01410-6

26. Rice, D.O. (2009) Improving emergency responder situational awareness for incident command systems (ICS) using critical information management, simulation, and analysis. *2009 IEEE Conference on Technologies for Homeland Security, HST 2009*. https://doi.org/10.1109/THS.2009.5168099

27. Whitbrook, A., Meng, Q., Chung, P.W.H. (2018) Reliable, Distributed Scheduling and Rescheduling for Time-Critical, Multiagent Systems. *IEEE Transactions on Automation Science and Engineering*. https://doi.org/10.1109/TASE.2017.2679278

28. Sivagnanam, A., Pettet, A., Lee, H., (...), Laszka, A. (2024) Multi-Agent Reinforcement Learning with Hierarchical Coordination for Emergency Responder Stationing. *Proceedings of Machine Learning Research*. https://www.scopus.com/pages/publications/85199386687

29. Rådestad, M., Kanfjäll, T., Lindström, V. (2024) Real-Time Triage, Position, and Documentation (TriPoD) During Medical Response to Major Incidents: Protocol for an Action Research Study. *JMIR Research Protocols*. https://doi.org/10.2196/57819

30. Stone, Donald L., Jeffay, Kevin (2002) *Readings in Multimedia Computing and Networking*. https://doi.org/10.1016/B978-155860651-7/50131-5

31. Almeida, P.S., Shoker, A., Baquero, C. (2018) Delta state replicated data types. *Journal of Parallel and Distributed Computing*. https://doi.org/10.1016/j.jpdc.2017.08.003

32. Liu, J., Ouyang, R., Chou, C.-A., Griffin, J. (2023) An Analytical Approach for Dispatch Operations of Emergency Medical Services: A Case Study of COVID-19. *Operations Research Forum*. https://doi.org/10.1007/s43069-023-00218-3

33. Novak, D., Lujak, M. (2021) Simulation Analysis of the Break Assignment Problem Considering Area Coverage in Emergency Fleets. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-030-85710-3_24

34. Saisubramanian, S., Varakantham, P., Lau, H.C. (2015) Risk based optimization for improving emergency medical systems. *Proceedings of the National Conference on Artificial Intelligence*. https://www.scopus.com/pages/publications/84959453015

35. Lujak, M., Billhardt, H. (2022) Dynamic Algorithm for on-the-Fly Work and Break Balancing in Emergency Fleets. *Conference Proceedings - IEEE International Conference on Systems, Man and Cybernetics*. https://doi.org/10.1109/SMC53654.2022.9945262

36. Park, H., Waddell, D., Haghani, A. (2019) Online optimization with look-ahead for freeway emergency vehicle dispatching considering availability. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2019.09.016

37. Messner, R.A., Hludik, F., Vidacic, D., Melnyk, P. (2005) An integrated command control and communications center for first responders. *Proceedings of SPIE - The International Society for Optical Engineering*. https://doi.org/10.1117/12.603727

38. Thomson, A., Diamond, T., Weng, S.-C., (...), Abadi, D.J. (2012) Calvin: Fast distributed transactions for partitioned database systems. *Proceedings of the ACM SIGMOD International Conference on Management of Data*. https://doi.org/10.1145/2213836.2213838

39. Oliveira, A., Vazão, T., Galao, P., Varzea, M. (2018) Performance evaluation of a hierarchical low rate emergency system. *Proceedings of 2018 16th International Conference on Intelligent Transport System Telecommunications, ITST 2018*. https://doi.org/10.1109/ITST.2018.8566900

40. https://www.sciencedirect.com/science/article/pii/S2661890726001912

41. Levy, M.J., Crowe, R.P., Abraham, H., (...), Myers, J.B. (2025) Dispatch Categories as Indicators of Out-of-Hospital Time Critical Interventions and Associated Emergency Department Outcomes. *Prehospital Emergency Care*. https://doi.org/10.1080/10903127.2024.2342015

42. Rastpour, A., Ingolfsson, A., Kolfal, B. (2020) Modeling Yellow and Red Alert Durations for Ambulance Systems. *Production and Operations Management*. https://doi.org/10.1111/poms.13190

43. Tortella, B.J., Lavery, R.F., Kamat, M., Ramani, M. (1996) Requiring on-line medical command for helicopter request prolongs computer-modeled transport time to the nearest trauma center. *Prehospital and Disaster Medicine*. https://doi.org/10.1017/S1049023X00043090

44. Svensson, A., Almerud-Österberg, S.A., Fridlund, B., (...), Elmqvist, C. (2018) Firefighters as first incident persons: Breaking the chain of events and becoming a new link in the chain of survival. *International Journal of Emergency Services*. https://doi.org/10.1108/IJES-10-2017-0051

45. Svensson, A., Elmqvist, C., Fridlund, B., (...), Stening, K. (2020) Using firefighters as medical first responders to shorten response time in rural areas in Sweden. *The Australian journal of rural health*. https://doi.org/10.1111/ajr.12599

46. Craig, A.M., Verbeek, P.R., Schwartz, B. (2010) Evidence-based optimization of urban firefighter first response to emergency medical services 9-1-1 incidents. *Prehospital Emergency Care*. https://doi.org/10.3109/10903120903349754

47. Rowan, D. (2021) Emergency Operations Center (EOC) Management. *Principles of Emergency Management and Emergency Operations Centers (EOC)*. https://doi.org/10.4324/9781315118345-18

48. Bailey, B. (2021) The impact of the national incident management system on law enforcement. *Community, Environment and Disaster Risk Management*. https://doi.org/10.1108/S2040-726220210000024012

49. Dadon, Z., Alpert, E.A., Jaffe, E. (2021) Utilizing Advanced Telecommunication Strategies to Enhance the Response of Emergency Medical Services Volunteers. *Disaster Medicine and Public Health Preparedness*. https://doi.org/10.1017/dmp.2019.126

50. Ellis, D.G., Tanaka, K.P., Clemency, B.M. (2015) Telemedicine and emerging telecommunications. *Emergency Medical Services: Clinical Practice and Systems Oversight: Volume 1: Clinical Aspects of EMS: Second Edition: Volume 2: Medical Oversight of EMS: Second Edition*. https://doi.org/10.1002/9781118990810.ch117
51. Song, C., Levinson, D., Moylan, E. (2026) A simulation-based policy evaluation of healthcare access using heterogeneous emergency medical services vehicles and incidents. *Transport Policy*. https://doi.org/10.1016/j.tranpol.2026.104293
52. Rautenstrauss, M., Schiffer, M. (2026) Optimization-augmented machine learning for vehicle operations in emergency medical services. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2026.08.007
53. Fuchs, F. (2010) Optimal disposition in rescue control centers. Disposition of the next appropriate unit as a special case. *Notfall und Rettungsmedizin*. https://doi.org/10.1007/s10049-010-1294-y
54. Dias de Assunção, M.D., Cavalcante, V.F., de C Gatti, M.A.C., (...), R.B. de Souza, C.R.B. (2012) Scheduling with preemption for Incident Management: When interrupting tasks is not such a bad idea. *Proceedings - Winter Simulation Conference*. https://doi.org/10.1109/WSC.2012.6465101
55. DeCandia, G., Hastorun, D., Jampani, M., (...), Vogels, W. (2007) Dynamo: Amazon's highly available key-value store. *SOSP'07 - Proceedings of 21st ACM SIGOPS Symposium on Operating Systems Principles*. https://www.scopus.com/pages/publications/70450064414
56. Usha, S., Karthik, M., Sanmugapriya, G., (...), Aksharaa, B. (2026) Resilient IoT Disaster Communication using Adaptive AODV Routing in LoRa Mesh Networks. *2026 9th International Conference on Intelligent Computing and Control Systems, ICICCS 2026*. https://doi.org/10.1109/ICICCS67901.2026.11502757
57. Seba, A., Nouali-Taboudjemat, N., Badache, N., Seba, H. (2019) A review on security challenges of wireless communications in disaster emergency response and crisis management situations. *Journal of Network and Computer Applications*. https://doi.org/10.1016/j.jnca.2018.11.010
58. Alsamhi, S.H., Ansari, M., Rajput, N.S. (2018) Disaster Coverage Predication for the Emerging Tethered Balloon Technology: Capability for Preparedness, Detection, Mitigation, and Response. *Disaster Medicine and Public Health Preparedness*. https://doi.org/10.1017/dmp.2017.54
59. Deepak, D.C., Ladas, A., Sambo, Y.A., (...), Imran, M.A. (2019) An Overview of Post-Disaster Emergency Communication Systems in the Future Networks. *IEEE Wireless Communications*. https://doi.org/10.1109/MWC.2019.1800467
60. Pervez, F., Qadir, J., Khalil, M., (...), Younis, S. (2018) Wireless Technologies for Emergency Response: A Comprehensive Review and Some Guidelines. *IEEE Access*. https://doi.org/10.1109/ACCESS.2018.2878898
61. (2004) Incident assignment. *Fire Engineering*. https://www.scopus.com/pages/publications/4344694387

62. Li, C., Chen, Y., Chen, K. (2026) Robotic technologies for sewer inspection: From automated assessment to explainable AI-enabled solutions. *Advanced Engineering Informatics*. https://doi.org/10.1016/j.aei.2026.104605

63. Eslami, M.J., Varmazyar, M. (2026) Optimization of ambulance services sequencing and scheduling daily decisions with minimizing delay. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2026.111803

64. Billhardt, H., Lujak, M., Sánchez-Brunete, V., (...), Ossowski, S. (2014) Dynamic coordination of ambulances for emergency medical assistance services. *Knowledge-Based Systems*. https://doi.org/10.1016/j.knosys.2014.07.006

65. Jan, Baber, Munir, Adnan, Khan, Ayaz H., (...), Al-Madani, Basem (2024) R-RDSP: Reliable and Rapidly Deployable Wireless Ad Hoc System for Post-Disaster Management over DDS. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s24227259

66. Kim, S.-Y., Lee, J. (2026) Conflict-Aware xApp Admission Control With Priority-Based Preemption in O-RAN. *IEEE Access*. https://doi.org/10.1109/ACCESS.2026.3733171

67. Malmquist, C.A., Wilson, J.D. (1984) BUS ARBITER WITH SELECTABLE ROTATING HIGHEST PRIORITY.. *IBM technical disclosure bulletin*. https://www.scopus.com/pages/publications/0021620746

68. Irvine, R. (2009) Comparison of pair-wise priority-based resolution schemes through fast-time simulation. *8th Innovative Research Workshop and Exhibition, Proceedings*. https://www.scopus.com/pages/publications/84916891466

69. Jinan, R., Badita, A., Bodas, T., Parag, P. (2023) Load balancing policies without feedback using timed replicas. *Performance Evaluation*. https://doi.org/10.1016/j.peva.2023.102381

70. Donovan, C.M., Bryczkowski, C., McCoy, J., (...), Lacy, C.R. (2017) Organization and Operations Management at the Explosive Incident Scene. *Annals of Emergency Medicine*. https://doi.org/10.1016/j.annemergmed.2016.09.006

71. Kyriacou, E., Nicolaidou, I., Hadjichristofi, G., (...), Constantinou, R. (2016) Health and rescue services management system during a crisis event. *Healthcare Technology Letters*. https://doi.org/10.1049/htl.2016.0040

72. Saito, Y., Shapiro, M. (2005) Optimistic replication. *ACM Computing Surveys*. https://doi.org/10.1145/1057977.1057980

73. Militello, L.G., Quill, L., Patterson, E.S., (...), Ritter, J.A. (2005) Large-scale coordination in emergency response. *Proceedings of the Human Factors and Ergonomics Society*. https://www.scopus.com/pages/publications/44349178696

74. Gartner, C.M., Vajpayee, V., Desai, J., Bullock, D.M. (2025) Automatic Speech Recognition of Public Safety Radio Communications for Interstate Incident Detection and Notification. *Smart Cities*. https://doi.org/10.3390/smartcities8050157

75. Pang, T., Ye, Z., Zhang, Z., Jin, C. (2025) Fault tolerance testing and tuning for consortium blockchain. *Blockchain: Research and Applications*. https://doi.org/10.1016/j.bcra.2024.100267