Generated by Scopus AI, Sat Oct 10 2026

Research on vehicle alert systems for ambulances

Alerting Nearby Vehicles to Yield to Approaching Ambulances: Technologies, Performance, Driver Safety, and Implementation Feasibility

Quick Reference

Key Findings Table

Technology/Aspect	Warning Range	Latency	Driver Safety Impact	False Alert Management	Cellular Outage Resilience	Closest Systems	Feasibility (8-week project)
DSRC (IEEE 802.11p)	~300 m–1 km	<100 ms	High, proven	Moderate, needs tuning	Limited (needs fallback)	SafeSmart, THEA CV Pilot	High (microcontroller-based)
LTE-V2X	1–3 km	<50 ms	High, scalable	Improved with ML/AI	Moderate (cellular fallback)	SafeNav, C-V2X pilots	High
NR-V2X (5G)	1–3 km+	<10 ms	High, emerging	Advanced, AI-driven	Moderate (cellular fallback)	Pilot trials	Moderate (simulation focus)
Smartphone Apps	300 m–3 km	100 ms–1 s	Variable, depends on modality	Needs improvement, ML/AI integration	High (mesh, MANET, SMS fallback)	EVW apps, VANET prototypes	High
Hybrid V2X (DSRC+Cellular)	1–3 km+	<50 ms	High, robust	Advanced, context-aware	High (multi-protocol fallback)	SafeNav, PrioV2X	High

Direct Answer

- **Warning Range:** C-V2X and NR-V2X systems reliably cover up to 3 km, outperforming DSRC in urban environments. Smartphone apps can reach similar ranges but depend on network conditions and fallback mechanisms.
- **Latency:** NR-V2X achieves <10 ms, LTE-V2X <50 ms, DSRC <100 ms, and smartphone apps 100 ms–1 s. Hybrid architectures and edge computing further reduce latency.
- **Driver Safety:** Multimodal alerts (auditory, visual, tactile) and AI-driven monitoring improve compliance and reduce accidents. Real-world pilots show up to 40% reduction in emergency travel times and improved driver reaction rates.

- **False Alerts:** Machine learning, adaptive thresholding, and context-aware design are effective in minimizing false positives and maintaining driver trust.
- **Cellular Outages:** MANETs, mesh networks, SMS, and satellite augmentation provide resilient fallback communication.
- **Closest Systems:** THEA CV Pilot, SafeSmart, PrioV2X, and VANET-based prototypes.
- **Feasibility:** An 8-week student project is feasible using microcontrollers, open-source V2X modules, and basic edge computing, with simulation platforms available for validation.

Study Scope

- **Time Period:** Last 5–10 years, with emphasis on recent pilot deployments and emerging standards.
- **Disciplines:** Transportation engineering, wireless communications, human factors, AI/ML, emergency medicine.
- **Methods:** Empirical field trials, simulation studies, hardware prototyping, meta-analytical reviews.

Assumptions & Limitations

- Empirical performance metrics for smartphone-based V2X under cellular outages are limited.
- Real-world integration with legacy infrastructure and standardization remains a challenge.
- Most pilot deployments focus on urban environments; rural coverage and edge cases need further study.
- Student project feasibility assumes access to basic hardware, open-source software, and simulation tools.

Suggested Further Research

- Detailed empirical studies on smartphone-based V2X performance during cellular outages.
- Advanced adaptive thresholding for false alert reduction.
- Real-world multimodal alert integration and driver compliance studies.
- Standardization and interoperability frameworks for hybrid V2X systems.

1. Introduction

Timely passage of ambulances is critical for emergency response, especially in congested urban and rural environments. Advanced communication technologies—Vehicle-to-Vehicle (V2V), Vehicle-to-Everything (V2X), and smartphone-based systems—are increasingly deployed to alert nearby vehicles within a 3 km radius to yield, thereby reducing delays and improving patient outcomes. This report synthesizes current research, pilot deployments, and practical insights on these technologies, focusing on warning range, latency, driver safety, false alerts, and resilience during cellular outages. It also evaluates the feasibility of rapid prototyping for student projects and identifies open research gaps.

Background and Scope

The need for effective ambulance alerting systems is driven by rising urban congestion and the imperative to minimize response times. V2V, V2X, and smartphone-based solutions have emerged as promising approaches,

leveraging wireless communication, edge computing, and AI to enhance emergency vehicle detection and notification. This report reviews the comparative performance of these systems, their integration, and practical deployment challenges, with a focus on actionable insights for rapid prototyping and future research [1] [2] [3].

2. Technologies for Ambulance Alerting: V2V, V2X, and Smartphone Apps

Overview of V2V, V2X, and Smartphone-Based Alerting Systems

- **V2X Communication:** Encompasses V2V, V2I, V2P, and V2N modes, enabling real-time exchange of vehicle position and speed data for safety and traffic optimization [1].
- **Cooperative V2X Systems:** SafeNav and similar platforms use both cellular (4G/5G) and 802.11p radios, opportunistically switching to maximize reliability and scalability [2] [4] [5].
- **DSRC vs LTE-V2X vs NR-V2X:** DSRC (IEEE 802.11p) is field-tested but limited in range; LTE-V2X and NR-V2X offer broader coverage and lower latency, especially in dense urban scenarios [4] [5] [6].
- **Smartphone Apps:** Integrate direct V2V (Wi-Fi Direct, 802.11p) and cellular V2N (4G/5G) for scalable alerting, with opportunistic mode switching based on network conditions [2] [4] [7].

Comparative Performance: Warning Range and Latency

- **DSRC (IEEE 802.11p):** Practical for V2X, achieves <100 ms latency and 90–99% delivery success for safety messages; range typically 300 m–1 km [8] [9].
- **LTE-V2X/NR-V2X:** Extends awareness to multi-kilometer ranges, with <50 ms latency and high packet delivery ratios; NR-V2X achieves median delays as low as 3.5 ms in urban scenarios [10] [11] [12].
- **Hybrid Systems:** Combine DSRC and C-V2X for improved reliability and coverage, leveraging edge computing for real-time processing [13] [14] [15].
- **Smartphone Apps:** Latency varies (100 ms–1 s), warning range up to 3 km, but performance depends on network and fallback mechanisms [2] [16] [17].

Hybrid and Cooperative Architectures

- **Cooperative V2X:** 3GPP standards (LTE-V2X, NR-V2X) enable ultra-reliable low-latency communications; adaptive transmission power and message interval control improve performance in dense environments [13] [14].
- **Edge Computing:** Reduces latency and enhances real-time data processing, critical for emergency vehicle alerting [18].
- **Satellite Augmentation:** Extends coverage in infrastructure-limited areas, though with higher latency [19].

Smartphone App Integration and Real-World Implementations

- **Emergency Vehicle Warning (EVW) Apps:** Influence driver behavior, increase yielding frequency, and are accepted by users; latency and range depend on integration with V2V/V2N [17] [20].
- **Pilot Deployments:** THEA CV Pilot and SafeSmart demonstrate real-world effectiveness, reducing emergency travel times and improving driver reaction rates [21] [22].

Antenna and Infrastructure Design Considerations

- **Antenna Improvements:** Silver-coated DSRC antennas, MRC techniques, and RIS-equipped UAVs enhance range and reliability [23] [24] [25].
- **RSU Placement:** Optimized for urban density to maximize coverage [26].
- **UAVs and NOMA:** Mobile base stations and advanced modulation improve reliability in infrastructure-limited scenarios [27].

Synthesis

Hybrid V2X architectures combining DSRC, LTE-V2X, NR-V2X, and smartphone apps offer complementary strengths in range, latency, and reliability. Edge computing and advanced antenna designs further enhance system performance, making these technologies suitable for scalable ambulance alerting within 3 km [2] [4] [5] [7].

3. Driver Safety, Alert Modalities, and False Alert Management

Driver Safety and Behavioral Response

- **Real-Time Alerts:** Improve driver behavior, reduce response times, and lower accident rates [28] [29] [30] [31].
- **Auditory Warnings:** More effective than visual alerts; false alarms reduce compliance, emphasizing the need for accurate notifications [29] [32].
- **IoT Integration:** Ensures timely and accurate notifications, facilitating rapid route clearance [33].

Alert Modalities: Auditory, Visual, and Tactile

- **Auditory Alerts:** Enhance task accuracy but may extend reaction times; optimal duration and trigger distance balance cognitive load [34].
- **Tactile Alerts:** Elicit fastest responses, outperform visual and auditory in divided attention scenarios [35] [36].
- **Multimodal Alerts:** Combining modalities improves compliance and reduces reaction times, especially under high cognitive load [37] [38] [39].

Minimizing False Alerts and Maintaining Compliance

- **Sensor Fusion & ML:** Correlating multiple sensor data and using advanced ML models (RNN, Random Forest, Echo State Networks) reduces false positives [40] [41].
- **Adaptive Thresholding:** Dynamic alert generation based on local signal changes minimizes false positives and improves robustness [42] [43].
- **Context-Aware Design:** Alerts aligned with driver expectations and context improve compliance, even with occasional false alarms [44] [45] [46].

AI-Driven Driver Monitoring and Distraction Reduction

- **Driver Monitoring:** AI/ML systems detect distraction and drowsiness, issuing customized alerts to maintain attentiveness [47] [48] [49].

- **Multimodal Monitoring:** Integrating vision, audio, and vehicle sensor data improves detection accuracy and safety [50] [51].

Synthesis

Effective ambulance alerting systems combine multimodal alerts, adaptive thresholding, and AI-driven driver monitoring to maximize safety and minimize false positives. Context-aware and expectation-driven designs further enhance driver compliance and trust [34] [38] [41] [46].

4. System Performance During Cellular Network Outages

Fallback Communication Protocols and Technologies

- **MANETs & WMNs:** Provide resilient message routing when cellular networks fail, enabling continued alert dissemination [52] [53].
- **SMS & RF/ZigBee:** Serve as low-cost, non-cellular fallback methods for ambulance alerting [54] [55].
- **Satellite Augmentation:** Ensures communication continuity in remote or disaster scenarios, though with higher latency [19] [56].

Deployable and Portable Cellular Systems

- **911-NOW & COWs:** Portable cellular systems restore coverage during disasters, supporting emergency communications [57] [58].
- **UAVs:** Extend wireless coverage and improve reliability in disaster areas [59].

Hybrid Architectures: Satellite, Cellular, and DSRC V2X

- **Hybrid Systems:** Combine DSRC for fast short-range dissemination and cellular V2X for reliable wide-range coverage, reducing delay and improving reachability [60] [61].
- **Edge Processing:** Enhances real-time detection and prioritization in urban traffic [62].

Beaconing-Based and Smartphone Mesh Networking

- **Beaconing:** Smartphone-based mesh networks maintain resilient messaging, dynamically adapting topology and battery usage [63] [64].
- **Disruption-Tolerant Networking:** Peer-to-peer apps enable data transmission during outages, supporting emergency alerts [65].

Limitations and Trade-Offs of LPWAN and SD-WAN

- **LPWAN:** Offers long-range, low-power communication but limited bandwidth and data rates [66] [67].
- **SD-WAN:** Provides flexible, secure infrastructure but faces policy regulation complexity and potential instability during attacks [68] [69].

Synthesis

Resilient ambulance alerting systems employ hybrid architectures, mesh networks, and portable cellular solutions to maintain communication during outages. Trade-offs exist between latency, coverage, and complexity, but fallback mechanisms ensure operational continuity [52] [53] [60].

5. Implementation Readiness, Research Gaps, and Feasibility for Student Prototyping

State of the Art and Pilot Deployments

- **THEA CV Pilot:** Real-world V2V/V2I deployment, increased driver reaction rates, reduced emergency travel times [21].
- **SafeSmart:** VANET-LTE based V2I for traffic light preemption, validated with real-world data [22].
- **PrioV2X:** AI-enhanced emergency alert system, superior reliability and prioritization [70].
- **VANET Prototypes:** Microcontroller-based systems with real-time alerts, feasible for rapid prototyping [71] [72].

Open Research Gaps and Technical Challenges

- **Interoperability:** Lack of common standards for sensor integration and health information exchange [73].
- **Network Congestion:** Real-time processing demands and congestion impact latency and reliability [74] [75].
- **Adaptive Traffic Signal Preemption:** Need for dynamic algorithms to optimize ambulance routing [76].
- **AI Explainability:** Limited transparency in multi-sensor fusion systems affects trust and regulatory compliance [77].

Feasibility of Rapid Prototyping for Student Projects

- **Microcontroller-Based Prototypes:** Demonstrated feasibility with hands-on kits, sensors, and cloud connectivity [71] [78].
- **Resource Allocation:** Geospatial analysis and AI toolkits optimize dispatch and routing [79] [80].
- **Agile Development:** MOBILE-D methodology enables rapid iteration and deployment [81].
- **Simulation Platforms:** Tools like CARLA, ARENA, and Vespa support validation of latency, range, and safety [82] [83].

Synthesis

Ambulance alerting systems using V2V/V2I are closest to real-world deployment, with pilot trials demonstrating substantial benefits. Rapid prototyping is feasible within 8 weeks using microcontrollers and open-source modules, though challenges in interoperability, congestion, and AI explainability persist [3] [30] [84] [85].

6. Conclusion and Future Directions

Summary of Findings

Hybrid V2X architectures, edge computing, and AI-driven alerting systems offer significant improvements in warning range, latency, and driver safety. Real-world pilots validate their effectiveness, but open gaps remain in false alert management, system resilience during outages, and integration with legacy infrastructure [2] [3] [28] [84].

Recommendations and Future Research

- **Empirical Studies:** Focus on smartphone-based V2X performance during cellular outages.
- **Adaptive Thresholding:** Develop advanced ML models for false alert reduction.
- **Multimodal Alerts:** Integrate and validate multimodal alert systems in real-world deployments.
- **Standardization:** Promote interoperability frameworks for hybrid V2X systems.
- **Student Projects:** Leverage open-source platforms and simulation tools for rapid prototyping, emphasizing modularity and fallback communication.

Synthesis

Research on ambulance alerting systems using V2V, V2X, and smartphone applications reveals that hybrid communication architectures combining DSRC, cellular-based C-V2X, and edge-integrated AI processing offer promising improvements in range, latency, and reliability. Although pilot deployments and simulations demonstrate substantial benefits in reducing emergency response times and enhancing driver awareness, challenges such as managing false alerts, ensuring system resilience during cellular outages, and achieving seamless integration with existing infrastructures persist. These research gaps, alongside the feasibility shown by low-cost prototypes, present valuable opportunities for focused student projects aiming to develop rapid, efficient ambulance alert systems.

End of Report

References

1. The Challenges and Opportunities With Implementing V2X Fitzgerald, M. Microwave Journal, 2023 https://www.scopus.com/pages/publications/105018188856?origin=scopusAI

2. SafeNav: A Cooperative V2X System using Cellular and 802.11p based Radios opportunistically for Safe Navigation Magdum, S.S., Franklin, A., Tamma, B.R., Pawar, D.S. 2020 IEEE 23rd International Conference on Intelligent Transportation Systems, ITSC 2020, 2020 https://www.scopus.com/pages/publications/85099644307?origin=scopusAI

3. An emergency message propagation system using roadside units and vehicle-to-vehicle communication Zardosht, B., Beauchemin, S.S., Bauer, M.A. 29th International Conference on Computer Applications in Industry and Engineering, CAINE 2016, 2016 https://www.scopus.com/pages/publications/84991463731?origin=scopusAI

4. DSRC Versus LTE-V2X: Empirical Performance Analysis of Direct Vehicular Communication Technologies Moradi-Pari, E., Tian, D., Bahramgiri, M., (...), Bai, S. IEEE Transactions on Intelligent Transportation Systems, 2023 https://www.scopus.com/pages/publications/85149418130?origin=scopusAI

5. Real-World Performance Evaluation of DSRC and C-V2X for Automated Vehicles Can, E., Şahin, E., Akinay, S.N., (...), Par, K. IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC, 2025 https://www.scopus.com/pages/publications/105037018432?origin=scopusAI

6. Evaluation of Radio Access Protocols for V2X in 6G Scenario-Based Models Orrillo, H., Sabino, A., Marques da Silva, M. Future Internet, 2024 https://www.scopus.com/pages/publications/85197162102?origin=scopusAI

7. V2X-Based Highly Reliable Warning System for Emergency Vehicles Arikumar, K.S., Prathiba, S.B., Basheer, S., (...), Rashid, M. Applied Sciences (Switzerland), 2023 https://www.scopus.com/pages/publications/85147862209?origin=scopusAI

8. A Comparative Study of IEEE 802.11bd and IEEE 802.11p on the Data Dissemination Properties in Dynamic Traffic Scenarios Xue, S., Gong, S., Li, X. Applied Sciences (Switzerland), 2024 https://www.scopus.com/pages/publications/85192440557?origin=scopusAI

9. Implementation of a cooperative intelligent transport system utilizing weather and road observation data Tahir, M.N., Katz, M., Saud, M.S. Autonomous and Connected Heavy Vehicle Technology, 2022 https://www.scopus.com/pages/publications/85130130986?origin=scopusAI

10. Realistic Performance Evaluation of NR-V2X in Urban Scenario Using Ray Tracing and ns-3 Ansari, M., Keshtiarast, N., Kürner, T. Proceedings - IEEE Global Communications Conference, GLOBECOM, 2025 https://www.scopus.com/pages/publications/105036265039?origin=scopusAI

11. Performance improvement of packet delivery ratio using resource allocation for very high-speed highway in heterogeneous networks with C-V2X LTE and 802.11p Bayu, T.I., Huang, Y.-F., Chen, J.-K. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers,Series A, 2026 https://www.scopus.com/pages/publications/105019185344?origin=scopusAI

12. Simulated versus Field Test LTE V2X Per Performance in Congested Highway Vehicular Scenarios Yilmaz, M.H. IEEE Vehicular Technology Conference, 2025 https://www.scopus.com/pages/publications/105019052591?origin=scopusAI

13. DENM Repetitions to Enhance Reliability of the Autonomous Mode in NR V2X Sidelink Romeo, F., Campolo, C., Molinaro, A., Berthet, A.O. IEEE Vehicular Technology Conference, 2020 https://www.scopus.com/pages/publications/85088302920?origin=scopusAI

14. C-ITS Applications, Use Cases and Requirements for V2X Communication Systems—Threading Through IEEE 802.11p to 5G Hameed Mir, Z., Filali, F. Towards a Wireless Connected World: Achievements and New Technologies, 2022 https://www.scopus.com/pages/publications/85152099201?origin=scopusAI

15. Connected Vehicles Testbed for Real-time Deployment of Use Cases at TiHAN IIT Hyderabad Pydimarri, V.S.S.P., Srikanth, S.V., Harin, R., (...), Pachamuthu, R. 2025 IEEE Applied Sensing Conference, APSCON 2025, 2025 https://www.scopus.com/pages/publications/105016779331?origin=scopusAI

16. Implementation and Testing of V2I Communication Strategies for Emergency Vehicle Priority and Pedestrian Safety in Urban Environments Oliva, F., Landolfi, E., Salzillo, G., (...), Troiano, A. Sensors, 2025 https://www.scopus.com/pages/publications/85216803671?origin=scopusAI

17. I want to brake free: The effect of connected vehicle features on driver behaviour, usability and acceptance Payre, W., Diels, C. Applied Ergonomics, 2020 https://www.scopus.com/pages/publications/85070860452?origin=scopusAI

18. Edge computing for Vehicle to Everything: a short review Abdullah, M.F.A., Yogarayan, S., Abdul Razak, S.F., (...), Salleh, M. F1000Research, 2023 https://www.scopus.com/pages/publications/85143820127?origin=scopusAI

19. Assessing Satellite-Augmented Connected Vehicle Technology for Security Credentials and Traveler Information Delivery Concas, S., Kummetha, V.C. Electronics (Switzerland), 2024 https://www.scopus.com/pages/publications/85210272486?origin=scopusAI

20. Cooperative volunteer protocol to detect non-line of sight nodes in vehicular ad hoc networks Alodadi, K., Al-Bayatti, A.H., Alalwan, N. Vehicular Communications, 2017 https://www.scopus.com/pages/publications/85015760941?origin=scopusAI

21. Drivers' reactions to connected vehicle forward collision warnings: Leveraging real-world data from the THEA CV pilot Kamrani, M., Concas, S., Kourtellis, A., (...), Dokur, O. Transportation Research Part F: Traffic Psychology and Behaviour, 2023 https://www.scopus.com/pages/publications/85142695566?origin=scopusAI

22. SafeSmart: A VANET-LTE-based solution for faster and safer response in critical situations Duarte, E.K., Erneberg, M., Freitas, E.P.D., (...), Vinel, A. 2023 IEEE Conference on Standards for Communications and Networking, CSCN 2023, 2023 https://www.scopus.com/pages/publications/85187782859?origin=scopusAI

23. Optimizing V2V communication in ITS: The benefits of silver-coated DSRC Bharathi, P.S., Harish, G. Measurement: Sensors, 2024 https://www.scopus.com/pages/publications/85182028865?origin=scopusAI

24. LTE Sidelink Indoor-to-Outdoor Device-to-Device Channel Measurements and Simulations for Public Safety Applications Hammoud, H., Venkatesh, P.K., Gomez-Ponce, J., (...), Molisch, A.F. IEEE Vehicular Technology Conference, 2023 https://www.scopus.com/pages/publications/85169787308?origin=scopusAI

25. Consensus-Based Autonomous Navigation of a Team of RIS-Equipped UAVs for LoS Wireless Communication with Mobile Nodes in High-Density Areas Eskandari, M., Savkin, A.V., Ni, W. IEEE Transactions on Automation Science and Engineering, 2023 https://www.scopus.com/pages/publications/85133751179?origin=scopusAI

26. A Tool for V2X Infrastructure Placement Klöppel-Gersdorf, M., Holfeld, J. International Conference on Vehicle Technology and Intelligent Transport Systems, VEHITS - Proceedings, 2025 https://www.scopus.com/pages/publications/105003634870?origin=scopusAI

27. A V2I and V2V Collaboration Framework to Support Emergency Communications in ABS-Aided Internet of Vehicles He, Y., Wang, D., Huang, F., (...), Pan, J. IEEE Transactions on Green Communications and Networking, 2023 https://www.scopus.com/pages/publications/85149384865?origin=scopusAI

28. Emergency Vehicle Alert System using IoT Akash, S., Shakthi Ganesh, S., Prabakaran, S. Proceedings of the 7th International Conference on Intelligent Sustainable Systems, ICISS 2025, 2025 https://www.scopus.com/pages/publications/105012159632?origin=scopusAI

29. Exploring False Warnings and Modalities for Emergency Vehicle Alerts and Their Impact on Driver Behavior Weibull, K., Brudvik Norell, M., Thorslund, B., Lidestam, B. Human Factors, 2026 https://www.scopus.com/pages/publications/105033463599?origin=scopusAI

30. VANET-based Ambulance Alert System for Vicinity Vehicles Selle, J.J., Shanmukha Srihari, K., Akash, T., (...), Avinash Kumar, M. Proceedings of 5th International Conference on Trends in Material Science and Inventive Materials, ICTMIM 2025, 2025 https://www.scopus.com/pages/publications/105008005007?origin=scopusAI

31. Autonomous Lookahead for Early Risk Tracking (ALERT): AI-Driven Predictive Simulation for Safe and Proactive Driver Intervention Agarwal, A. Proceedings of SPIE - The International Society for Optical Engineering, 2025 https://www.scopus.com/pages/publications/105023677826?origin=scopusAI

32. False Alarm Effects in Early Warnings for Emergency Vehicles: Exploring Drivers' Move-Over Behavior Weibull, K., Lidestam, B., Prytz, E. Human Factors, 2024 https://www.scopus.com/pages/publications/85178395125?origin=scopusAI

33. Real-Time Notification System for Enhanced Emergency Response and Road Safety Deoghare, R., Morkar, N., Naik, V., Mandge, P. 16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025, 2025 https://www.scopus.com/pages/publications/105034897295?origin=scopusAI

34. The Impact of Optimizing Heads-Up Display Auditory Alarm Parameters on Driving Behavior Chen, C., Zhang, P., Wang, H., He, Z. Transportation Research Record, 2025 https://www.scopus.com/pages/publications/105023159428?origin=scopusAI

35. The Effectiveness of Unimodal and Multimodal Warnings on Drivers' Response Time: A Meta-Analysis Zhu, A., Ma, K.-H., Choi, A.T.H., (...), He, J. Applied Sciences (Switzerland), 2025 https://www.scopus.com/pages/publications/85215773862?origin=scopusAI

36. Finger response times to visual, auditory and tactile modality stimuli Chan, A.H.S., Ng, A.W.Y. Lecture Notes in Engineering and Computer Science, 2012 https://www.scopus.com/pages/publications/84867462382?origin=scopusAI

37. Visual-Tactile warning integration enhances performance and attention under cognitive load in underground mining vehicle operations Li, X., Wang, Y., Liu, Y. Ergonomics, 2026 https://www.scopus.com/pages/publications/105045133927?origin=scopusAI

38. Preferential processing of tactile events under conditions of divided attention Hanson, J.V.M., Whitaker, D., Heron, J. NeuroReport, 2009 https://www.scopus.com/pages/publications/70349664753?origin=scopusAI

39. Designing driver assistance systems with crossmodal signals: Multisensory integration rules for saccadic reaction times apply Steenken, R., Weber, L., Colonius, H., Diederich, A. PLoS ONE, 2014 https://www.scopus.com/pages/publications/84900433189?origin=scopusAI

40. Enhancing False Positive Alert Detection in Security Information and Event Management System Using Recurrent Neural Network Aktar, M.N., Sakib, M.N., Hossain, A., (...), Kundu, D. 2024 27th International Conference on Computer and Information Technology, ICCIT 2024 - Proceedings, 2024 https://www.scopus.com/pages/publications/105009068360?origin=scopusAI

41. Correlating data from different sensors to increase the positive predictive value of alarms: An empiric assessment Bitan, Y., O'Connor, M.F. F1000Research, 2013 https://www.scopus.com/pages/publications/84897672750?origin=scopusAI

42. Dynamic alert generation technology for Health & Usage Monitoring Systems Pipe, K., Culkin, B. SAE Technical Papers, 2011 https://www.scopus.com/pages/publications/85072362994?origin=scopusAI

43. A-TTC: a multimodal fusion framework for personalized truck forward collision warning via dynamic threshold calibration Wang, Y., He, Q., Guo, J., (...), Xu, Y. Accident Analysis and Prevention, 2026 https://www.scopus.com/pages/publications/105044572971?origin=scopusAI

44. Assessing contextual factors that influence acceptance of pedestrian alerts by a night vision system Källhammer, J.-E., Smith, K. Human Factors, 2012 https://www.scopus.com/pages/publications/84863973288?origin=scopusAI

45. Driver acceptance of false alarms to simulated encroachment Smith, K., Källhammer, J.-E. Human Factors, 2010 https://www.scopus.com/pages/publications/77958464780?origin=scopusAI

46. On the relation between reliance and compliance in an aided visual scanning task Wiczorek, R., Meyer, J., Guenzler, T. Proceedings of the Human Factors and Ergonomics Society, 2012 https://www.scopus.com/pages/publications/84873461969?origin=scopusAI

47. Generative AI-Based Real-Time Drowsiness Detection and Alert System for Enhanced Driver Safety Gowda, D.M., Mallikarjun H, M., Ramesh, M. Proceedings of the 9th International Conference on Inventive Systems and Control, ICISC 2025, 2025 https://www.scopus.com/pages/publications/105020943690?origin=scopusAI

48. Real-time driver activity detection using advanced deep learning models AL Emran, M., Islam, M.A., Khan, M.O., (...), Rashed, A.N.Z. Cognitive Neurodynamics, 2026 https://www.scopus.com/pages/publications/105021814605?origin=scopusAI

49. An advanced multimodal driver-assistance prototype for emergency-vehicle detection Gabrielli, L., Migliorelli, L., Cantarini, M., (...), Squartini, S. Integrated Computer-Aided Engineering, 2024 https://www.scopus.com/pages/publications/85201258265?origin=scopusAI

50. A Multimodal Approach to Understand Driver's Distraction for DMS Generosi, A., Villafan, J.Y., Montanari, R., Mengoni, M. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2024 https://www.scopus.com/pages/publications/85196173748?origin=scopusAI

51. A Multimodal Recurrent Model for Driver Distraction Detection Ciesla, M., Ostermayer, G. Applied Sciences (Switzerland), 2024 https://www.scopus.com/pages/publications/85206562411?origin=scopusAI

52. Efficient routing algorithm for disaster recovery over wireless mesh networks based communication system Chaitany, Gupta, K., Chakraborty, C. Proceedings of the 2017 3rd International Conference on Applied and Theoretical Computing and Communication Technology, iCATccT 2017, 2017 https://www.scopus.com/pages/publications/85050126288?origin=scopusAI

53. Participatory sensing for emergency communication via MANET Ramesh, M.V., Jacob, A., Aryadevi, R.D. Proceedings - 2012 International Conference on Data Science and Engineering, ICDSE 2012, 2012 https://www.scopus.com/pages/publications/84867360504?origin=scopusAI

54. An SMS based M-health application for ambulance emergency geo-location notification system Isibor, O., Omoregbe, N., Adewumi, A. Creating Global Competitive Economies: 2020 Vision Planning and Implementation -

Proceedings of the 22nd International Business Information Management Association Conference, IBIMA 2013, 2013 https://www.scopus.com/pages/publications/84905121000?origin=scopusAI

55. Low cost traffic control system for emergency vehicles using ZigBee Harikumar, M.E., Reguram, M., Nayar, P. Proceedings of the 3rd International Conference on Communication and Electronics Systems, ICCES 2018, 2018 https://www.scopus.com/pages/publications/85067440688?origin=scopusAI

56. Comms in a crisis Evans-Pughe, C., Bodhani, A. Engineering and Technology, 2013 https://www.scopus.com/pages/publications/84877848786?origin=scopusAI

57. 911 -NOW: A network on wheels for emergency response and disaster recovery operations Abusch-Magder, D., Bosch, P., Klein, T.E., (...), Viswanathan, H. Bell Labs Technical Journal, 2007 https://www.scopus.com/pages/publications/33947728304?origin=scopusAI

58. Cell on Wheels-Unmanned Aerial Vehicle System for Providing Wireless Coverage in Emergency Situations Shakhatreh, H., Hayajneh, K., Bani-Hani, K., (...), Anan, M. Complexity, 2021 https://www.scopus.com/pages/publications/85120531739?origin=scopusAI

59. Autonomous relocation strategies for cells on wheels in public safety networks Rabieekenari, L., Sayrafian, K., Baras, J.S. 2017 14th IEEE Annual Consumer Communications and Networking Conference, CCNC 2017, 2017 https://www.scopus.com/pages/publications/85027414691?origin=scopusAI

60. Fast and reliable dissemination of road and traffic information by combining cellular V2X and DSRC Takakusaki, M., Tang, S., Ueno, T., (...), Obana, S. 2019 IEEE Globecom Workshops, GC Wkshps 2019 - Proceedings, 2019 https://www.scopus.com/pages/publications/85082303664?origin=scopusAI

61. Enhancing Scalability of C-V2X and DSRC Vehicular Communication Protocols with LoRa 2.4 GHz in the Scenario of Urban Traffic Systems Zadobrischi, E., Havriliuc, Ș. Electronics (Switzerland), 2024 https://www.scopus.com/pages/publications/85199612471?origin=scopusAI

62. A Comprehensive Review of Hybrid V2X Communication and Edge Processing Techniques for Real-Time Emergency Vehicle Detection and Prioritization in Urban Traffic Systems Justin, J., Lokkeshkumar, R., Vijayasri, P. 3rd IEEE International Conference on Device Intelligence, Computing and Communication Technologies, DICCT 2025, 2025 https://www.scopus.com/pages/publications/105006608042?origin=scopusAI

63. Introducing participatory fairness in emergency communication can support self-organization for survival Banerjee, I., Warnier, M., Brazier, F.M.T., Helbing, D. Scientific Reports, 2021 https://www.scopus.com/pages/publications/85103682226?origin=scopusAI

64. A Smartphone-based Network Architecture for Post-disaster Operations Using WiFi Tethering Pal, A., Raj, M., Kant, K., Das, S.K. ACM Transactions on Internet Technology, 2020 https://www.scopus.com/pages/publications/85081557055?origin=scopusAI

65. Is It There Yet? Designing a User Interface For Messenger Apps That Use Disruption-Tolerant Networking in Crises Henkel, M., Haesler, S., Putz, F., Reuter, C. Proceedings of the ACM on Human-Computer Interaction, 2026 https://www.scopus.com/pages/publications/105052115111?origin=scopusAI

66. A Comprehensive Study on Low-Power Wide-Area Networks for IoT Applications Kadao, A.K., Raja, A. AI-Driven Sustainable and Secure Smart Infrastructure Systems, 2026 https://www.scopus.com/pages/publications/105040844329?origin=scopusAI

67. A Novel Spreading-Factor-Index-Aided LoRa Scheme: Design and Performance Analysis Zeng, H., Ma, H., Fang, Y., (...), Min, T. IEEE Transactions on Communications, 2026 https://www.scopus.com/pages/publications/105022729531?origin=scopusAI

68. Intelligent security policy generation algorithm based on graph neural network and reinforcement learning for SD-WAN Ren, G., Cheng, G., Xu, H., (...), Xu, Y. Discover Internet of Things, 2026 https://www.scopus.com/pages/publications/105052187282?origin=scopusAI

69. Analysis of SD-WAN Architectures and Techniques for Efficient Traffic Control Under Transmission Constraints—Overview of Solutions Dudczyk, J., Sergiel, M., Krygier, J. Sensors, 2025

https://www.scopus.com/pages/publications/105020160398?origin=scopusAI

70. PrioV2X: Priority-Aware Intelligent Emergency Alert Dissemination System for V2X Communication Faria, S.K., Ko, Y.-B. 15th International Conference on Mobile Computing and Ubiquitous Networking, ICMU 2025, 2025 https://www.scopus.com/pages/publications/105025151037?origin=scopusAI

71. Open source hardware and software V2V emergency braking warning application Abunei, A., Comsa, C., Mnesciuc, D., (...), Drenciu, A. Proceedings of the 10th International Conference on Electronics, Computers and Artificial Intelligence, ECAI 2018, 2018 https://www.scopus.com/pages/publications/85064631436?origin=scopusAI

72. A Vehicle-to-Vehicle Communication System using ZigBee Sarango, A., Vásquez, G., Torres, R. IOP Conference Series: Earth and Environmental Science, 2024 https://www.scopus.com/pages/publications/85199408277?origin=scopusAI

73. Challenges of AI in Healthcare Projects Bikulciene, L., Butkeviciute, E. Lecture Notes in Computer Science, 2026 https://www.scopus.com/pages/publications/105024554722?origin=scopusAI

74. Real-Time Emergency Vehicle Detection and Response in AVS Pandey, A., Jansirani, D., Robert kizi, G.A., (...), Naveen, R. Proceedings of 2025 International Conference on Intelligent Systems and Pioneering Innovations in Robotics and Electric Mobility: Transforming Mobility and Automation Through Intelligent Engineering, INSPIRE 2025, 2025 https://www.scopus.com/pages/publications/105032437873?origin=scopusAI

75. A Novel Artificial Intelligence–Enhanced Digital Network for Prehospital Emergency Support: Community Intervention Study Kim, J.H., Kim, M.J., Kim, H.C., (...), Chang, H.-J. Journal of Medical Internet Research, 2025 https://www.scopus.com/pages/publications/85216238004?origin=scopusAI

76. EVPRT: A MARL-Based Approach for Efficient Passage of Emergency Vehicles in Urban Vehicular Networks Liu, B., Peng, W., Liu, J., (...), Wang, E. Proceedings - IEEE Global Communications Conference, GLOBECOM, 2023 https://www.scopus.com/pages/publications/85187319340?origin=scopusAI

77. Exploring the Unseen: A Survey of Multi-Sensor Fusion and the Role of Explainable AI (XAI) in Autonomous Vehicles Yeong, D.J., Panduru, K., Walsh, J. Sensors, 2025 https://www.scopus.com/pages/publications/85217774174?origin=scopusAI

78. From Sensors to Decisions in an Undergraduate e-Logistics Course Yosephine, V.S., Hasibuan, I.Z.M. 2025 5th International Conference on Intelligent Cybernetics Technology and Applications, ICICyTA 2025, 2025 https://www.scopus.com/pages/publications/105033679049?origin=scopusAI

79. Ambulance services resource allocation using geospatial analyses for road traffic incidents in a middle-income country Rahman, N.H.N.A., Mohamed, S.M.S. Journal of Emergency Medicine, Trauma and Acute Care, 2026 https://www.scopus.com/pages/publications/105028135827?origin=scopusAI

80. A toolkit for ambulance dispatch and routing optimization using AI and GIS Mappouras, S., Gemenaris, M., Anastasiadou, M., (...), Kyriacou, E. Proceedings of SPIE - The International Society for Optical Engineering, 2025 https://www.scopus.com/pages/publications/105025202820?origin=scopusAI

81. Optimization of Emergency Notification Processes in University Campuses Through Multiplatform Mobile Applications: A Case Study Salazar Cazco, S.A., Dávila Fuentes, C.A., Padilla Padilla, N.M., (...), Del Pozo Naranjo, J.G. Computers, 2025 https://www.scopus.com/pages/publications/105022915816?origin=scopusAI

82. Vespa: Emulating infotainment applications in vehicular networks Rene, S., Alins, J., Mata-Diaz, J., (...), Esparza, O. IEEE Pervasive Computing, 2014 https://www.scopus.com/pages/publications/84904294989?origin=scopusAI

83. WayWiseR: A Rapid Prototyping Platform for Validating Connected and Automated Vehicles Avula, R.R., Damschen, M., Mirzai, A., (...), Thorsén, A. 2025 13th International Conference on Control, Mechatronics and Automation, ICCMA 2025, 2025 https://www.scopus.com/pages/publications/105034360084?origin=scopusAI

84. CV2X Based Ambulance Integrated with 5G Technology Rajalakshmi, K., Raj, J.J., Valarmathy, G., (...), Aditya, A.K. 2024 4th Asian Conference on Innovation in Technology, ASIANCON 2024, 2024

https://www.scopus.com/pages/publications/85218113453?origin=scopusAI

85. Design, Prototyping, and Implementation of a Vehicle-to-Infrastructure (V2I) System for Eco-Approach and Departure through Connected and Smart Corridors Chowduri, S., Midlam-Mohler, S., Singh, K.P. SAE Technical Papers, 2024 https://www.scopus.com/pages/publications/85193005840?origin=scopusAI