Generated by Scopus AI, Sat Oct 10 2026

Coordinating ambulances with alternative communication systems

Decentralized Ambulance Coordination under Communication Failures: Mesh/LoRa Networks, Conflict Resolution, and Post-Reconnection Reconciliation

Quick Reference

Key Findings Table

Theme	Summary	Closest Systems/Prototypes	Open Gaps	Feasibility for 8-Week Project
Decentralized Communication	Mesh and LoRa radio networks enable robust, scalable ambulance coordination during network failures.	LoRa mesh, B.A.T.M.A.N., TETRA extensions	Scaling, collision management, adaptive routing	High, using open-source simulation tools
Time-Limited Claims & Conflict Resolution	POMDPs, auction-based, and reputation-weighted algorithms prevent duplicate/unassigned incidents.	Agent-based negotiation, TACIT, blockchain	Privacy-efficiency trade-offs, dynamic conflict resolution	High, modular implementation possible
Post-Reconnection Reconciliation	Standardized protocols, probabilistic linkage, and automated sync ensure continuity after reconnection.	CARESYNC, cloud-based sync, linkage tools	Data quality, variable selection, real-time reconciliation	High, with iterative linkage and sync
Blockchain & Hybrid Systems	Blockchain/smart contracts improve privacy and transparency, but real-time scalability remains a challenge.	Polygon, Hyperledger, edge ML integration	Latency, integration complexity, regulatory compliance	Medium, proof-of-concept achievable
Simulation & Prototyping	Open-source platforms (USARSim, MOAST, NS3, ROS2/Gazebo) support rapid prototyping and testing.	USARSim+MOAST, JEMSS, ROS2/Gazebo	Field validation, hardware integration	High, simulation-focused project feasible

Direct Answer

Existing research shows that decentralized ambulance coordination can be achieved using mesh networks and LoRa radio, employing adaptive routing protocols and time-limited claims managed by POMDP or auction-based algorithms to prevent duplicates during communication failures. Key prototypes use decentralized agent negotiation or blockchain-based systems to allocate tasks and reconcile data with central dispatch post-

connection. Open research gaps include efficient conflict resolution under dynamic conditions, privacy–efficiency trade-offs in decentralized negotiations, and optimizing real-time scalability of blockchain frameworks—all of which are feasible for an 8-week student project if approached modularly using existing open-source simulation frameworks [1] [2] [3] [4] [5] [6] [7] [8].

Study Scope

- **Time Period:** Focus on research and prototypes from the last 5–10 years, with emphasis on advances since 2019.
- **Disciplines:** Emergency medical services (EMS), wireless communications, distributed AI, blockchain, simulation engineering.
- **Methods:** Meta-analysis of empirical studies, protocol reviews, simulation platform evaluations, and algorithmic performance benchmarking.

Assumptions & Limitations

- Assumes access to open-source simulation platforms and modular hardware (e.g., ESP32 for LoRa).
- Limitations include lack of large-scale field validation, potential privacy concerns, and integration challenges with legacy healthcare infrastructure.
- Most findings are based on simulation or small-scale prototypes; real-world deployment may require additional regulatory and technical adaptation.

Suggested Further Research

- Develop and validate conflict resolution mechanisms tailored for decentralized EMS environments, balancing privacy and efficiency.
- Study adaptive routing under high network load in LoRa mesh networks.
- Integrate lightweight blockchain for real-time conflict resolution and secure logging.
- Pilot real-world deployments with modular simulation and hardware-in-the-loop testing.

1. Introduction

Background and Motivation

Ambulance coordination is critically dependent on reliable communication with central dispatch systems. However, during disasters, large-scale outages, or cellular network failures, centralized coordination can break down, leading to duplicate responses, unassigned incidents, and delayed care [1] [9] [10]. Decentralized approaches leveraging mesh or LoRa radio networks, time-limited claims, and robust conflict resolution algorithms offer promising alternatives. These systems enable ambulances to self-organize, allocate tasks, and maintain operational continuity, even when disconnected from central infrastructure [1] [2] [10]. The motivation

for this review is to bridge theoretical advances in decentralized coordination with practical insights for rapid prototyping and deployment in EMS contexts.

2. Theoretical Frameworks

Decentralized Communication Mechanisms for Ambulance Coordination

Mesh and LoRa Radio Networks in Emergency Response

- **Mesh Networks:** Multi-radio mesh networks embedded in emergency vehicles form rapidly deployable, decentralized communication backbones. Protocols like B.A.T.M.A.N. Advanced and TETRA extensions enable self-monitoring and operation independent of central routing [1] [11] [12].
- **LoRa Mesh:** LoRa mesh networks are validated for medical monitoring and emergency alerts, offering high delivery rates and scalability under moderate loads. Adaptive routing and spreading factor adjustments are critical for reliability, especially under high contention [2] [13].
- **Hybrid Systems:** Integration with UAVs and satellites (e.g., RAIN4C, AMLT-NTN) provides fallback connectivity, enhancing robustness during cellular outages [14] [15].

Adaptive Routing and Protocol Enhancements

- **Routing Protocols:** Adaptive enhancements to AODV, DSDV, and position-based protocols improve reliability, reduce delay, and extend network lifetime in dynamic environments [16] [17].
- **Spreading Factor Adjustments:** SNIR-aware decision loops and multi-armed bandit algorithms optimize LoRaWAN performance under interference [17].
- **Failure Modes:** B.A.T.M.A.N. faces challenges with route discovery and recovery in high-mobility scenarios; alternative models and temporary route recovery mechanisms mitigate these issues [18] [19].

Hybrid Multi-Layer Communication Frameworks

- **UAVs & Satellites:** Hybrid frameworks combine terrestrial, aerial, and satellite links, using adaptive architectures and deep reinforcement learning for resource allocation and trajectory optimization [14] [20].
- **Fallback Strategies:** UAVs act as aerial relays, dynamically optimizing communication throughput and fairness, ensuring continuous connectivity during disasters [21].

Flooding vs. Unicast Protocols: Latency and Energy Trade-offs

- **Flooding:** Provides broad coverage but suffers from broadcast storms, increasing latency and energy consumption.
- **Unicast/Hybrid:** Reduces redundancy and improves energy efficiency, with adaptive schemes balancing latency and coverage [22] [23].

Synthesis: Decentralized mesh and LoRa radio networks, enhanced by adaptive routing and hybrid architectures, are foundational for resilient ambulance coordination during network failures. Trade-offs between coverage, latency, and energy consumption must be carefully managed, especially in high-mobility and high-load scenarios [1] [2] [13] [24] [25].

Decentralized Task Allocation: Time-Limited Claims and Conflict Resolution

Heuristic and Auction-Based Task Allocation Algorithms

- **POMDPs:** Heuristic algorithms based on Partially Observable Markov Decision Processes (POMDPs) enable efficient, near-optimal task allocation without explicit communication, overcoming computational bottlenecks [3] [4].
- **Macro-Actions:** Temporally extended actions allow asynchronous execution and scalable coordination, supporting longer horizons and larger state spaces [26].
- **Auction-Based Mechanisms:** Hybrid decentralized auction algorithms (e.g., Bayesian networks + Hungarian algorithm) improve flexibility and resilience, enabling local communication and probabilistic task success evaluation [27].

Conflict Resolution Frameworks and Reputation Mechanisms

- **TACIT:** Reputation-weighted Nash Social Welfare optimization resolves conflicts without explicit detection, isolating unreliable agents through online learning [28].
- **Consensus Algorithms:** CBAA and CBBA use local communication and consensus routines to guarantee conflict-free assignments, maintaining performance despite network topology variations [29].

Handling Dynamic Availability and Communication Failures

- **Dynamic Adaptation:** Auction-based algorithms enable real-time adaptation to changing ambulance availability, resubmitting uncompleted tasks for bidding after each completion [27] [30].
- **Robustness:** Connectivity terms in bid valuation formulas and repeated auction mechanisms improve resilience to communication failures [31].

Safety Shields and Robustness under Uncertainty

- **Priority-Conditional Risk Control:** Selectively activates tail-risk protection for critical incidents, improving response times and SLA compliance [32].
- **Robust Optimization:** Cardinality-constrained models manage demand uncertainty, balancing performance and robustness [33].

Synthesis: Decentralized task allocation in ambulance coordination is supported by POMDPs, auction-based algorithms, and reputation-weighted conflict resolution frameworks. These methods balance computational efficiency, privacy, and robustness, but further research is needed to optimize dynamic adaptation and conflict management under uncertain communication conditions [3] [4] [27] [28].

Post-Reconnection Reconciliation with Central Dispatch Systems

Protocols and Frameworks for Data Synchronization

- **Standardized Protocols:** Emergency call taking and dispatch systems use structured handover and standardized data exchange formats for reliable information transfer [5].
- **Cloud-Based Sync:** Systems like CARESYNC utilize GPS tracking and centralized databases for real-time updates and resource allocation [34].
- **Automated Transmission:** In-ambulance data transmission via satellite or mobile boosters supports uniform medical control and synchronization [35].

Probabilistic Linkage Methods for Data Reconciliation

- **Probabilistic Linkage:** Enables integration of EMS, patient care, and hospital data without unique identifiers, using multiple demographic and clinical variables for high sensitivity and specificity [36] [37].
- **Iterative Strategies:** Iterative and optimized linkage improves match rates and reduces false matches, addressing data quality issues post-disruption [38].

Real-Time and Iterative Reconciliation Strategies

- **Summarization Algorithms:** SkipBloom and BlockSketch speed up blocking and matching for streaming data, enabling near real-time reconciliation [39].
- **Retransmission-Free Reconstruction:** RFDR uses dynamic time warping and interpolation to reconstruct missing data, reducing latency [40].
- **Federated Learning:** Supports real-time processing and transfer across distributed units, addressing migration and latency challenges [41].

Key Data Variables for Accurate Linkage

- **Variable Selection:** Age, gender, race, hospital, date, call/arrival times, mechanism, vital signs, and clinical indicators maximize linkage accuracy [42] [43].
- **Machine Learning:** Features such as edit distances and missingness improve sensitivity and predictive value [43].

Synthesis: Post-reconnection reconciliation relies on standardized protocols, probabilistic linkage, and automated synchronization. Variable selection and iterative strategies are critical for maximizing accuracy and ensuring continuity of care after network disruptions [5] [36] [39] [42].

3. Methods & Data Transparency

- **Meta-Analysis:** Aggregated findings from empirical studies, protocol reviews, and simulation platform evaluations.
- **Simulation Platforms:** USARSim, MOAST, NS3, ROS2/Gazebo, JEMSS, and modular Python-based simulators are identified as suitable for rapid prototyping [7] [8].

- **Algorithm Benchmarking:** Performance results for POMDPs, auction-based, and consensus algorithms are drawn from real-world and simulated deployments [4] [27] [29].
- **Data Variables:** Key features for linkage and reconciliation are based on sensitivity and specificity analyses in EMS-hospital data integration studies [42] [43].

4. Critical Analysis of Findings

Real-world Implications

- **Resilience:** Decentralized mesh and LoRa networks provide robust communication backbones during central dispatch or cellular failures, enabling ambulances to self-organize and allocate tasks [1] [2] [13].
- **Efficiency vs. Privacy:** Agent-based negotiation and auction mechanisms preserve patient privacy but may reduce assignment efficiency compared to full information sharing. Hybrid approaches are needed to balance these trade-offs [6].
- **Conflict Resolution:** Reputation-weighted and consensus algorithms (e.g., TACIT, CBAA/CBBA) are effective in resolving conflicts and ensuring task allocation robustness, but require further validation in dynamic, large-scale environments [28] [29].
- **Blockchain Integration:** Blockchain and smart contracts enhance transparency and security, but real-time scalability and latency remain challenges. Off-chain storage and lightweight consensus protocols offer partial solutions [44] [45].
- **Data Reconciliation:** Probabilistic linkage and automated synchronization ensure continuity of care post-reconnection, with variable selection and iterative strategies critical for accuracy [36] [39] [42].

Comparative Analysis Table

Approach	Strengths	Limitations	Real-world Suitability
Mesh/LoRa Networks	Robust, scalable, power-efficient	Collision management, scaling issues	High for disaster scenarios
POMDP/Auction Algorithms	Efficient, near-optimal, privacy-aware	Trade-offs in efficiency/privacy	High for decentralized task allocation
Blockchain Frameworks	Secure, transparent, tamper-proof	Latency, integration complexity	Medium for real-time dispatch
Probabilistic Linkage	High accuracy, no unique IDs needed	Data quality, manual review needed	High for post-reconnection reconciliation
Simulation Platforms	Rapid prototyping, modular, extensible	Limited field validation	High for student projects

5. Real-world Implications

- **Disaster Response:** Decentralized systems are particularly valuable in disaster scenarios where infrastructure is compromised, enabling continued ambulance coordination and patient care [1] [13] [46].
- **Privacy & Security:** Blockchain and agent-based negotiation frameworks address privacy concerns, but efficiency trade-offs and regulatory compliance must be considered [6] [44].
- **Scalability:** Open-source simulation platforms and modular design principles support rapid prototyping and scalability, making them suitable for student projects and pilot deployments [7] [8].
- **Integration:** Real-world deployment requires integration with legacy healthcare infrastructure, standardized protocols, and robust data reconciliation mechanisms [5] [34].

6. Future Research Directions

Priority Areas

- **Conflict Resolution:** Develop and validate conflict resolution mechanisms tailored for decentralized EMS environments, balancing privacy and efficiency [6] [28].
- **Adaptive Routing:** Study the impact of high network load on adaptive routing protocols in LoRa mesh networks [2] [16].
- **Blockchain Optimization:** Integrate lightweight blockchain for real-time conflict resolution and secure logging, addressing latency and scalability challenges [44] [45].
- **Pilot Deployments:** Conduct real-world pilot studies with modular simulation and hardware-in-the-loop testing to validate decentralized coordination frameworks [7] [8].
- **Data Quality:** Improve data collection and standardization for probabilistic linkage and reconciliation post network disruption [42] [43].

Conclusion and Future Directions

Summary of Findings

Decentralized ambulance coordination is feasible and effective using mesh and LoRa radio networks, adaptive routing, and time-limited claim strategies. Agent-based negotiation, auction-based algorithms, and blockchain frameworks provide robust task allocation and conflict resolution, while standardized protocols and probabilistic linkage ensure accurate reconciliation with central dispatch post-reconnection. Open-source simulation platforms support rapid prototyping, making an 8-week student project achievable. However, challenges remain in scaling, privacy–efficiency trade-offs, and real-world integration [3] [5] [9] [10].

Recommendations for Future Research

- Validate conflict resolution and privacy-preserving coordination mechanisms in decentralized EMS environments.

- Optimize adaptive routing and collision management in LoRa mesh networks under high load.
- Pilot blockchain-enabled ambulance dispatch systems, focusing on latency and real-time scalability.
- Enhance data quality and variable selection for probabilistic linkage in EMS-hospital record reconciliation.
- Integrate simulation and hardware-in-the-loop testing for real-world validation and deployment [6] [47] [48].

Synthesis: The convergence of mesh/LoRa radio networks, decentralized task allocation algorithms, and robust data reconciliation protocols offers a promising pathway for resilient ambulance coordination during communication failures. Modular, simulation-driven approaches are well-suited for rapid prototyping and student-led innovation, while ongoing research should focus on optimizing conflict resolution, privacy, and real-time scalability for broader deployment in EMS systems.

References

1. Mesh-Mon: A multi-radio mesh monitoring and management system Nanda, S., Kotz, D. Computer Communications, 2008 https://www.scopus.com/pages/publications/43049092942?origin=scopusAI

2. LoRa Mesh-based smart medical measurement system Liang, H., Jian, M., Liu, J., (...), Liu, Y. Journal of Electronic Measurement and Instrumentation, 2025 https://www.scopus.com/pages/publications/105017376450?origin=scopusAI

3. Cooperative decision algorithm for time critical assignment without explicit communication Zhang, Y., Xu, Y., Hu, H. IFIP Advances in Information and Communication Technology, 2014 https://www.scopus.com/pages/publications/84910649623?origin=scopusAI

4. Approximate Planning in POMDPs with Weighted Graph Models Lin, Y., Lu, X., Makedon, F. International Journal on Artificial Intelligence Tools, 2015 https://www.scopus.com/pages/publications/84940032152?origin=scopusAI

5. Quo vadis joint emergency dispatch system?: Standardized emergency call survey in the Berlin dispatch center Breuer, F., Brettschneider, P., Poloczek, S., (...), Dahmen, J. Notfall und Rettungsmedizin, 2024 https://www.scopus.com/pages/publications/85137486733?origin=scopusAI

6. Decentralized privacy-concerned assignment of ambulances in special emergencies Carbo, J., Pedraza, J., Molina, J.M. Information and Communications Technology Law, 2025 https://www.scopus.com/pages/publications/105004579187?origin=scopusAI

7. MOAST and USARSim - A combined framework for the development and testing of autonomous systems Scrapper, C., Balakirsky, S., Messina, E. Proceedings of SPIE - The International Society for Optical Engineering, 2006 https://www.scopus.com/pages/publications/33748576228?origin=scopusAI

8. Design and Simulation of Mobile Robots Operating Within Networked Architectures Tailored for Emergency Situations Mărieș, M., Tătar, M.O. Applied Sciences (Switzerland), 2025 https://www.scopus.com/pages/publications/105007786657?origin=scopusAI

9. Cascading failures in multiple infrastructures: From transportation to communication network Barrett, C., Beckman, R., Channakeshava, K., (...), Pei, G. 2010 5th International Conference on Critical Infrastructure, CRIS 2010 - Proceedings, 2010 https://www.scopus.com/pages/publications/78649973248?origin=scopusAI

10. AI-Enabled Ambulance Coordination System for Emergency Healthcare Indira, K.R., Gayathri, G., Pon Jeyashree, V.J., (...), Akshaya, B. 2025 IEEE 9th International Conference on Information and Communication Technology, CICT 2025, 2025 https://www.scopus.com/pages/publications/105041716415?origin=scopusAI

11. Development of a Mobile Communication System with an Emergency Call Muratchaev, S., Volkova, E., Gorelik, A., (...), Grigo, S. Proceedings of the 2024 Conference of Young Researchers in Electrical and Electronic Engineering, ElCon 2024, 2024 https://www.scopus.com/pages/publications/85189977913?origin=scopusAI

12. TETRA as a building block to WMNs Plans, P., Gomez, C., Ferrer, J.L., Paradells, J. Terrestrial Trunked Radio - TETRA: A Global Security Tool, 2007 https://www.scopus.com/pages/publications/84891387057?origin=scopusAI

13. Resilient IoT Disaster Communication using Adaptive AODV Routing in LoRa Mesh Networks Usha, S., Karthik, M., Sanmugapriya, G., (...), Aksharaa, B. 2026 9th International Conference on Intelligent Computing and Control Systems, ICICCS 2026, 2026 https://www.scopus.com/pages/publications/105041000276?origin=scopusAI

14. Adaptive Multi-Layered Non-Terrestrial Network with Integrated FSO and RF Communications for Enhanced Global Connectivity Jnr, O.W.B., Agomuo, O.C., Muzamal, J.H. 27th IEEE/ACIS International Summer Conference on Software Engineering Artificial Intelligence Networking and Parallel/Distributed Computing, SNPD 2024 - Proceedings, 2024 https://www.scopus.com/pages/publications/85205993629?origin=scopusAI

15. RAIN4C: A Multi-Layer Framework Integrating Satellite and Aerial Networks for Reliable Communications in Emergency Scenarios Heideker, A., Interdonato, G., Pizzi, S., Trotta, A. IEEE Communications Standards Magazine, 2026 https://www.scopus.com/pages/publications/105022708729?origin=scopusAI

16. Adaptive enhancements to AODV and DSDV for post-disaster networks Muthumarilakshmi, S., Thilagavathi, N., Prema, P. Agricultural Engineering International: CIGR Journal, 2026 https://www.scopus.com/pages/publications/105044001332?origin=scopusAI

17. OSFARI: Online Spreading Factor Adaptation under Realistic Interference Sanou, F.D., Tall, H., Chalhoub, G., Yelemou, T. 2026 International Wireless Communications and Mobile Computing Conference, IWCMC 2026, 2026 https://www.scopus.com/pages/publications/105044704475?origin=scopusAI

18. An even better approach – Improving the B.A.T.M.A.N. protocol through formal modelling and analysis Fehnker, A., Chaudhary, K., Mehta, V. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2018 https://www.scopus.com/pages/publications/85045327106?origin=scopusAI

19. On demand temporary route recovery for frequent link failures in adhoc networks Kokula Krishna Hari, K. Proceedings of the 2nd International Conference on Trendz in Information Sciences and Computing, TISC-2010, 2010 https://www.scopus.com/pages/publications/79952784192?origin=scopusAI

20. Trajectory Optimization and Resource Allocation for UAV Relay-based Emergency Satellite Communication Tang, Y., Lv, S., Lin, X., (...), Liu, S. Proceedings of 2023 IEEE 5th International Conference on Civil Aviation Safety and Information Technology, ICCASIT 2023, 2023 https://www.scopus.com/pages/publications/85182283031?origin=scopusAI

21. Jointly Optimized Deployment and Power for Unmanned Aerial Vehicle - Satellite Assisted Cell-Free Massive MIMO Systems Zhao, H., Liu, Y., Wang, Q., (...), Zhu, H. Dianzi Yu Xinxi Xuebao/Journal of Electronics and Information Technology, 2025 https://www.scopus.com/pages/publications/105007504436?origin=scopusAI

22. The route based emergency message dissemination scheme using multihop wireless network for VANETs: The route based emergency message dissemination scheme using multihop wireless network for VANETs: R. Kaur et al. Kaur, R., Doss, R., Pan, L. Telecommunication Systems, 2024 https://www.scopus.com/pages/publications/85211397599?origin=scopusAI

23. A survey on probabilistic broadcast schemes for wireless ad hoc networks Reina, D.G., Toral, S.L., Johnson, P., Barrero, F. Ad Hoc Networks, 2015 https://www.scopus.com/pages/publications/84930759687?

origin=scopusAI

24. LoRa Communication-Based Deployment Methods for IoT Applications Bagul, D., Devkate, A., Ramphale, M., Rajput, A. Lecture Notes in Electrical Engineering, 2026 https://www.scopus.com/pages/publications/105028352535?origin=scopusAI

25. Gateway-Free LoRa Mesh on ESP32: Design, Self-Healing Mechanisms, and Empirical Performance Arregui Almeida, D., Chafla Altamirano, J., Román Cañizares, M., (...), Sánchez, I. Sensors, 2025 https://www.scopus.com/pages/publications/105018913920?origin=scopusAI

26. Planning with macro-actions in decentralized POMDPs Amato, C., Konidaris, G.D., Kaelbling, L.P. 13th International Conference on Autonomous Agents and Multiagent Systems, AAMAS 2014, 2014 https://www.scopus.com/pages/publications/84911422338?origin=scopusAI

27. MULTI-ROBOT TASK ALLOCATION BASED ON BAYESIAN NETWORKS IN WAREHOUSE ENVIRONMENTS Chuang, C.-W., Chen, H.-J. Proceedings of the ASME Design Engineering Technical Conference, 2025 https://www.scopus.com/pages/publications/105024067928?origin=scopusAI

28. TACIT: Trustworthy Arbitration Through Calibrated Inference Tracking for rApp Conflict Resolution in O-RAN Armstrong, J., Fallon, S., Fallon, E. IEEE Access, 2026 https://www.scopus.com/pages/publications/105038929634?origin=scopusAI

29. Consensus-based decentralized auctions for robust task allocation Choi, H.-L., Brunet, L., How, J.P. IEEE Transactions on Robotics, 2009 https://www.scopus.com/pages/publications/69249232093?origin=scopusAI

30. Repeated auctions for robust task execution by a robot team Nanjanath, M., Gini, M. Robotics and Autonomous Systems, 2010 https://www.scopus.com/pages/publications/78049445672?origin=scopusAI

31. Communication-Preserving Bids in Market-Based Task Allocation Quinton, F., Grand, C., Lesire, C. IEEE International Conference on Intelligent Robots and Systems, 2022 https://www.scopus.com/pages/publications/85146319648?origin=scopusAI

32. Intelligent EMS Dispatch via Adaptive Learning With Counterfactual and Risk-Aware Optimization Kumwilaisak, W. IEEE Access, 2026 https://www.scopus.com/pages/publications/105031661657?origin=scopusAI

33. A cardinality-constrained robust approach for the ambulance location and dispatching problem Nicoletta, V., Lanzarone, E., Bélanger, V., Ruiz, A. Springer Proceedings in Mathematics and Statistics, 2017 https://www.scopus.com/pages/publications/85042556989?origin=scopusAI

34. CARESYNC: Cloud-Backed Real-Time Hospital Bed & ICU Tracking System for Ambulances Prasanna, D., Bharanikavi, P., Bharathkumar, P., (...), S.u, H. 6th International Conference on Computer Networks and Inventive Communication Technologies, ICCNCT 2026 - Proceedings, 2026 https://www.scopus.com/pages/publications/105045589443?origin=scopusAI

35. Japanese telemedical concept of ambulatory application Nakajima, I. Journal of Medical Systems, 2011 https://www.scopus.com/pages/publications/79955688719?origin=scopusAI

36. Challenges of Using Probabilistic Linkage Methodology to Characterize Post-Cardiac Arrest Care in Michigan Swor, R., Qu, L., Putman, K., (...), Fales, W. Prehospital Emergency Care, 2018 https://www.scopus.com/pages/publications/85029533009?origin=scopusAI

37. Probabilistic linkage of computerized ambulance and inpatient hospital discharge records: A potential tool for evaluation of emergency medical services Dean, J.M., Vernon, D.D., Cook, L., (...), Suruda, A. Annals of Emergency Medicine, 2001 https://www.scopus.com/pages/publications/0034996932?origin=scopusAI

38. Linking Emergency Medical Services and Emergency Department Data to Improve Overdose Surveillance in North Carolina Fix, J., Ising, A.I., Proescholdbell, S.K., (...), Waller, A.E. Public Health Reports, 2021 https://www.scopus.com/pages/publications/85118499079?origin=scopusAI

39. Summarizing and linking electronic health records Karapiperis, D., Gkoulalas-Divanis, A., Verykios, V.S. Distributed and Parallel Databases, 2021 https://www.scopus.com/pages/publications/85063145510?origin=scopusAI

40. RFDR: a retransmission-free data reconstruction framework for emergency response networks Shi, Y., Lu, W., Zhao, N., (...), Gao, Y. Science China Information Sciences, 2026 https://www.scopus.com/pages/publications/105028379795?origin=scopusAI

41. Loss Aware Federated Learning for Service Migration in Multimodal E-Health Services Singh, H., Pratap, A., Yadav, R.N., Das, D. IEEE Transactions on Services Computing, 2024 https://www.scopus.com/pages/publications/85192722787?origin=scopusAI

42. Validation of probabilistic linkage to match de-identified ambulance records to a state trauma registry Newgard, C.D. Academic Emergency Medicine, 2006 https://www.scopus.com/pages/publications/29244488576?origin=scopusAI

43. Derivation and validation of a machine learning record linkage algorithm between emergency medical services and the emergency department Redfield, C., Tlimat, A., Halpern, Y., (...), Horng, S. Journal of the American Medical Informatics Association, 2020 https://www.scopus.com/pages/publications/85076583247?origin=scopusAI

44. Blockchain for security and privacy in the smart healthcare Chowdhury, S., Ranaweera, P., Jurcut, A.D. Blockchain and Digital Twin for Smart Healthcare, 2025 https://www.scopus.com/pages/publications/105006582743?origin=scopusAI

45. Healthcare Data Security and Privacy Protection Framework Based on Dual Channel Blockchain Kaur, J., Rani, R., Kalra, N. Transactions on Emerging Telecommunications Technologies, 2025 https://www.scopus.com/pages/publications/85214086430?origin=scopusAI

46. Utilizing Lora For Real Time Traffic Signal Control In Ambulance Dispatch Systems Surya, S., Anand Babu, B., Vasanth, N., (...), Samuvel Arockiyam, J. 4th International Conference on Power, Energy, Control and Transmission Systems: Harnessing Power and Energy for an Affordable Electrification of India, ICPECTS 2024, 2024 https://www.scopus.com/pages/publications/85215535256?origin=scopusAI

47. Privileged communication and coordination network for managerial decision support in disaster and emergency scenarios Yavuz, Ö.Ç. Social Sciences and Humanities Open, 2026 https://www.scopus.com/pages/publications/105050458242?origin=scopusAI

48. Decentralized Response and Emergency Ambulance Management System: A Blockchain and Smart Contracts Based Framework on Polygon Bhadange, P., Namose, M., Deore, V., (...), Bhuse, A. 10th International Conference on Inventive Systems and Control, ICISC 2026 - Proceedings, 2026 https://www.scopus.com/pages/publications/105051998713?origin=scopusAI