Generated by Scopus AI, Sat Oct 10 2026

Decentralized task allocation in robotics

Decentralized Task Allocation and Consistency Mechanisms under Agent Disconnection in Robotics and Emergency Response

Quick Reference

Key Findings Table

Mechanism/Algorithm	Handles Disconnection?	Conflict/Duplicate Detection	Empirical Evaluation	Application Domains	Limitations/Gaps
CBBA, GCBBA, CBBA-LR	Yes (with variants)	Consensus routines, local replanning	Yes (sim/real)	Robotics, disaster response	Limited study for multi-minute disconnects
ACBBA (Asynchronous CBBA)	Yes	Local deconfliction, async updates	Yes (sim/real)	Multi-robot, UAVs	Trade-off: speed vs. comm. overhead
Auction-Consensus Methods	Yes	Auction + consensus, loss mechanisms	Yes	Multi-robot, swarms	Higher comm. overhead in large teams
Quorum Voting	Partially	Consensus, failure detectors	Limited	Distributed systems	Less common in robotics
Leases, Timeouts, Expiring Claims	Yes	Timeout-triggered rescheduling	Yes	Robotics, distributed AI	Lease duration tuning is critical
Hierarchical/Hybrid Frameworks	Yes	Local/global arbitration, recovery	Yes	Large-scale emergency ops	Complexity, scalability

Direct Answer

Several papers evaluate decentralized task allocation mechanisms such as CBBA, ACBBA, and auction-consensus algorithms in settings with transient agent disconnects. Variants like Global CBBA (GCBBA) and CBBA-LR handle dynamic task reassignments when agents are temporarily cut off. Mechanisms such as leases, timeouts, and expiring claims are integrated into multi-agent protocols to detect when agents become inactive, triggering dynamic rescheduling and task reallocation using consensus and local replanning routines. Duplicate, conflicting, or unassigned tasks are typically detected using asynchronous consensus routines (e.g., in ACBBA, which leverages local deconfliction rules and timestamped message exchanges) and resolved via partial replanning or auction-based conflict resolution methods. In real-world robotic and emergency response applications, these methods have been tested in simulated disaster scenarios, using both hierarchical

coordination frameworks and decentralized auction approaches that have shown resilience to intermittent connectivity and agent dropouts [1] [2] [3] [4] [5] [6] [7].

Study Scope

- **Time Period:** 2000–2024 (focus on recent advances)
- **Disciplines:** Robotics, distributed AI, multi-agent systems, emergency/disaster response, distributed systems
- **Methods:** Theoretical analysis, simulation studies, real-world pilot deployments, comparative empirical evaluations

Assumptions & Limitations

- Most empirical studies focus on short to moderate disconnection periods (seconds to a few minutes); explicit evaluation for multi-minute or longer disconnects is limited [8] [9].
- Many algorithms assume reliable message delivery upon reconnection; real-world network unreliability and agent heterogeneity may reduce performance.
- Lease/timeout parameter tuning is context-dependent and often lacks systematic guidelines for dynamic environments [9] [10].
- Integration of advanced technologies (e.g., blockchain, RL) is promising but introduces computational and latency overheads [11] [12].

Suggested Further Research

- Systematic empirical evaluation of CBBA, ACBBA, and auction-consensus variants under prolonged (multi-minute to multi-hour) agent disconnections.
- Adaptive lease/timeout mechanisms that self-tune based on observed network and agent behavior.
- Hybrid frameworks combining reinforcement learning, blockchain, and classical consensus for robust, scalable task allocation in highly dynamic, unreliable environments.
- Real-world deployments in large-scale disaster response with heterogeneous agent teams and intermittent connectivity.

1. Introduction

Decentralized task allocation is a cornerstone of multi-agent systems, enabling teams of robots or autonomous agents to coordinate efficiently without centralized control. This is especially critical in robotics, disaster, and emergency response, where communication infrastructure is often unreliable, and agents may be temporarily disconnected due to environmental hazards or network failures. Ensuring robust task allocation and conflict-free operation under such conditions is a major research challenge [1] [13] [14].

1.1 Background and Motivation

In real-world deployments, agents frequently experience intermittent connectivity, leading to scenarios where they are cut off for minutes and later reconnect. This raises key challenges:

- **Task Consistency:** Ensuring that tasks are not duplicated, lost, or left unassigned during and after disconnections.
- **Conflict Resolution:** Detecting and resolving conflicting task assignments that may arise from delayed or asynchronous updates.
- **Resilience:** Maintaining mission effectiveness and rapid recovery in the face of agent failures or network partitions.

Recent research has focused on extending decentralized algorithms (e.g., CBBA, ACBBA, auction-consensus) and integrating mechanisms such as leases, timeouts, and expiring claims to address these challenges [1] [13] [14] .

2. Theoretical Frameworks

2.1 Consensus-Based Bundle Algorithms (CBBA) and Variants

CBBA is a leading decentralized task allocation method that guarantees conflict-free assignments with a 50% optimality guarantee under diminishing marginal gains (DMG) utility functions. Key variants include:

- **Global CBBA (GCBBA):** Restores optimality guarantees and accelerates convergence via global consensus [1] .
- **CBBA-LR (Local Replanning):** Efficiently incorporates new tasks by resetting only overlapping tasks, improving solution quality and convergence time [2] .
- **CBBA-AMG (Adaptive Multi-Granularity):** Dynamically adjusts replanning granularity (global, cluster, individual) based on disturbance impact, balancing response speed and stability [15] .

These frameworks are designed to handle dynamic environments and agent disconnections by enabling local replanning and consensus-based conflict resolution [1] [2] [15] [16] .

2.2 Asynchronous and Communication-Aware Extensions

- **ACBBA (Asynchronous CBBA):** Minimizes communication load and handles out-of-order messages, preserving convergence in asynchronous networks [5] .
- **CA-CBBA (Communication-Aware):** Uses learned communication scheduling and censorship policies to prioritize critical messages, reducing collisions and improving convergence in bandwidth-limited environments [17] .
- **Assignment-Consistent Dynamic Multi-UAV Task Allocation (AC-DMTA):** Transmits only assignment-relevant information, using uncertainty sets and stability certificates to suppress irrelevant messages and maintain competitive reward and task completion rates under delay and packet loss [18] .

These extensions are particularly effective in environments with intermittent connectivity, as they allow agents to operate and converge without requiring global synchronization [5] [17].

2.3 Auction-Consensus and Market-Based Methods

Auction-consensus algorithms combine auction bidding with consensus mechanisms, enabling decentralized task allocation and conflict resolution:

- **Auction-Consensus Algorithm with Loss Mechanism (ACALM):** Dynamically updates task priorities based on accumulated losses from unsuccessful bids, improving global efficiency in large-scale systems [14].
- **Hybrid Decentralized Auction Methods:** Integrate Bayesian networks and the Hungarian algorithm for real-time task success probability evaluation and globally optimal allocation [19].

These methods are robust to agent dropout and communication failures, though they may incur higher communication overhead in large teams [14] [20] [21].

2.4 Quorum Voting and Consensus Protocols

Quorum voting and consensus protocols (e.g., Chandra-Toueg, Omega failure detector) are used in distributed systems to maintain consistency and enable recovery after disconnections. They are less common in robotics but provide theoretical underpinnings for robust agreement in the presence of failures [22] [23] [24].

3. Methods & Data Transparency

3.1 Empirical Evaluations

- **Simulation Studies:** Most algorithms are evaluated in simulation, modeling intermittent connectivity, agent failures, and dynamic task environments [16] [25] [26] [27].
- **Real-World Pilots:** Select studies deploy algorithms in physical robot teams or UAV swarms, validating robustness to communication loss and agent dropout [27] [28].
- **Comparative Analysis:** Algorithms are compared on metrics such as task completion rate, communication overhead, convergence speed, and robustness to failures [2] [29] [30].

3.2 Data Transparency

- **Open-Source Implementations:** Some frameworks (e.g., CBBA, ACBBA) provide code and simulation environments for reproducibility.
- **Parameter Sensitivity:** Studies often report sensitivity to timeout/lease durations, communication frequency, and network topology [9] [10].

4. Critical Analysis of Findings

4.1 Robustness under Intermittent Connectivity

CBBA and its variants (GCBBA, CBBA-LR, CBBA-AMG) demonstrate improved convergence speed, local replanning efficiency, and robustness to agent disconnections. However, explicit evaluation for multi-minute or longer disconnects is limited, and most studies focus on short to moderate outages [1] [2] [8] [15].

ACBBA and communication-aware variants effectively reduce communication overhead and maintain convergence in asynchronous, unreliable networks, but may trade off speed for reduced bandwidth usage [5] [17].

Auction-consensus methods are resilient to agent dropout and can dynamically reallocate tasks, but incur higher communication costs in large teams [14].

4.2 Mechanisms for Handling Agent Disconnection

Leases, timeouts, and expiring claims are widely used to manage task ownership and trigger rescheduling after agent inactivity:

- **Timeouts:** Optimal thresholds balance detection sensitivity and task switching costs; dynamic timeouts adapt to network conditions and agent failure rates [9] [10] [31] [32].
- **Leases:** Effective for concurrency control, but require careful duration estimation to avoid premature or delayed task reassignment [10].
- **Expiring Claims:** Used to bound task ownership and enable rapid recovery after agent reconnection [3] [4].

Failure detectors and consensus protocols (e.g., Omega, Chandra-Toueg) provide theoretical guarantees for recovery and consistent state restoration after disconnections [22] [24] [33].

4.3 Detection and Resolution of Task Conflicts

- **Consensus Routines:** CBBA and its variants use local communication-based consensus to resolve conflicts and guarantee convergence to conflict-free assignments, even under inconsistent situational awareness [6] [34] .
- **Asynchronous Updates:** ACBBA and similar algorithms handle out-of-order messages and redundant information, detecting and resolving duplicates/conflicts caused by delayed synchronization and agent reconnection [5] [35].
- **Partial Replanning:** Extensions like CBBA-LR and CBBA-PR limit replanning to affected agents/tasks, improving response speed and reducing unnecessary task switching [2].
- **Virtual Tasks and Task Elimination:** Used to maintain allocation consistency when agents fail or disconnect for extended periods [15] [36].
- **Distributed Fault Detection:** Mechanisms identify unassigned tasks and support robust reallocation after agent reconnection [7] [37].

4.4 Real-World Implications

- **Robotics and Disaster Response:** Decentralized task allocation methods (CBBA, ACBBA, auction-consensus) have been successfully applied in multi-robot and UAV teams for search and rescue, disaster mapping, and emergency logistics, demonstrating resilience to intermittent connectivity and agent failures [27] [28] [38].

- **Hierarchical and Multi-Team Frameworks:** Enable scalable coordination and rapid recovery in large-scale emergency operations, balancing local rescue with global optimization [7] [39] [40].
- **Integration with Advanced Technologies:** Reinforcement learning and blockchain are being explored to enhance task allocation consistency, transparency, and security, though challenges remain in computational overhead and latency [11] [12] [41].

5. Real-world Implications

5.1 Case Studies and Empirical Evaluations

- **Simulated Search and Rescue:** Decentralized heuristics and epistemic planning approaches improve performance and resilience to agent failures/disconnections [27] [38].
- **Crowdsourcing in Emergencies:** Frameworks enable robust information exchange among first responders, citizens, and robots despite intermittent connectivity [28].
- **Adaptive Swarm Intelligence (ASIET):** Manages transient disconnections and dynamic task scheduling in disaster environments using explicit waiting periods and knowledge-based re-attempt scheduling [42] [43].

5.2 Performance of Auction-Consensus and CBBA-Based Methods

- **Robustness:** CBBA and auction-consensus algorithms maintain high task completion rates and conflict-free assignments under unreliable communication and agent dropout [2] [14] [30].
- **Efficiency:** Communication-aware and hierarchical variants improve scalability and reduce overhead in large teams [5] [18].
- **Limitations:** Performance may degrade with prolonged disconnects or in highly dynamic, heterogeneous environments without further adaptation [1] [16].

5.3 Integration of Reinforcement Learning and Blockchain

- **Benefits:** Enhanced consistency, transparency, and security in task allocation; automated incentive mechanisms via smart contracts [11] [41].
- **Challenges:** Increased computational and communication overhead; scalability and latency concerns [11] [12].

5.4 Hierarchical and Multi-Team Coordination

- **Scalability:** Hierarchical frameworks enable coordination of large agent teams, rapid local recovery, and robust task reassignment after disconnections [7] [39] [40].
- **Flexibility:** Support for human-in-the-loop operation and integration with advanced planning and learning modules [44] [45].

6. Future Research Directions

6.1 Current Gaps and Limitations

- **Prolonged Disconnections:** Limited explicit evaluation of CBBA, GCBBA, and CBBA-LR under multi-minute or longer agent disconnections; need for systematic studies in real-world settings [1] [8] [9].
- **Lease/Timeout Tuning:** Lack of adaptive, context-aware mechanisms for setting lease durations and timeout thresholds; static values may lead to premature or delayed task reassignment [9] [10].
- **Integration Overhead:** RL and blockchain integration introduces computational and latency challenges; further research needed on lightweight, scalable consensus mechanisms [11] [12].

6.2 Opportunities for Algorithmic and Systemic Improvements

- **Adaptive Communication Policies:** Dynamic adjustment of communication frequency and message prioritization based on network and agent state [17] [46].
- **Hybrid Learning Approaches:** Combining reinforcement learning with classical control and consensus for improved resilience and sample efficiency [44] [46].
- **Scalable Hierarchical Frameworks:** Further development of multi-team and hierarchical coordination models for large-scale, heterogeneous agent systems [39] [40].
- **Real-World Validation:** Deployment and evaluation in operational disaster response scenarios with diverse agent types and communication constraints [1].

Synthesis

The literature demonstrates robust advances in decentralized task allocation through CBBA, ACBBA, and auction-consensus algorithms, with extensions for local replanning, asynchronous communication, and hierarchical coordination. Leases, timeouts, and expiring claims are effective for managing task ownership and enabling rapid conflict resolution during agent disconnections. However, significant gaps remain in empirical evaluation under prolonged disconnects and in the integration of emerging technologies for enhanced resilience. Addressing these gaps will be critical for deploying robust, scalable multi-agent systems in real-world robotics, disaster, and emergency response applications [3] [16] [34] [39] [41] [47].

References

1. Enhancing CBBA Convergence and Optimality Guarantees in Multiagent Task Allocation Kha, A., Beynier, A., Labreuche, C., Marchand, M. Frontiers in Artificial Intelligence and Applications, 2025 https://www.scopus.com/pages/publications/105024427944?origin=scopusAI

2. Consensus-based bundle algorithm with local replanning for heterogeneous multi-UAV system in the time-sensitive and dynamic environment Chen, J., Qing, X., Ye, F., (...), Sun, Q. Journal of Supercomputing, 2022 https://www.scopus.com/pages/publications/85108783228?origin=scopusAI

3. A distributed system for collaboration and control of UAV groups: Experiments and analysis Godwin, M.F., Spry, S.C., Hedrick, J.K. Lecture Notes in Economics and Mathematical Systems, 2007 https://www.scopus.com/pages/publications/53749093510?origin=scopusAI

4. Extensions of Receding Horizon Task Assignment for Area Coverage in Dynamic Environments Hong, Y., Jung, S., Kim, S., Cha, J. IEEE Transactions on Aerospace and Electronic Systems, 2023 https://www.scopus.com/pages/publications/85144062282?origin=scopusAI

5. Improving the efficiency of a decentralized tasking algorithm for UAV teams with asynchronous communications Johnson, L.B., Ponda, S.S., Choiz, H.-L., How, J.P. AIAA Guidance, Navigation, and Control Conference, 2010 https://www.scopus.com/pages/publications/84867770299?origin=scopusAI

6. Consensus-based decentralized auctions for robust task allocation Choi, H.-L., Brunet, L., How, J.P. IEEE Transactions on Robotics, 2009 https://www.scopus.com/pages/publications/69249232093?origin=scopusAI

7. Hierarchical Task Allocation Framework with Adaptive Network Recovery under Node Failures Dong, J., Han, L., Ren, Z. Proceedings - 2025 China Automation Congress, CAC 2025, 2025 https://www.scopus.com/pages/publications/105040925244?origin=scopusAI

8. A cluster-based approach to consensus based distributed task allocation Smith, D., Wetherall, J., Woodhead, S., Adekunle, A. Proceedings - 2014 22nd Euromicro International Conference on Parallel, Distributed, and Network-Based Processing, PDP 2014, 2014 https://www.scopus.com/pages/publications/84899415988?origin=scopusAI

9. Respecializing swarms by forgetting reinforced thresholds Kazakova, V.A., Wu, A.S., Sukthankar, G.R. Swarm Intelligence, 2020 https://www.scopus.com/pages/publications/85081590865?origin=scopusAI

10. Analyzing performance of lease-based schemes under failures Vitenberg, R., Zinenko, D., Kvilekval, K., Singh, A. Proceedings of the IEEE Symposium on Reliable Distributed Systems, 2011 https://www.scopus.com/pages/publications/83155160990?origin=scopusAI

11. Comparison of Task Distribution Methods for Blockchain-Powered Multi Robot Systems Şen, M.O., Okumuş, F., Kocamaz, A.F. 9th International Artificial Intelligence and Data Processing Symposium, IDAP 2025, 2025 https://www.scopus.com/pages/publications/105025017973?origin=scopusAI

12. Machine Learning Aided Blockchain Assisted Framework for Wireless Networks Khan, A.S., Zhang, X., Lambotharan, S., (...), Hanzo, L. IEEE Network, 2020 https://www.scopus.com/pages/publications/85089454640?origin=scopusAI

13. Incremental Negotiation and Coalition Formation for Resource-bounded Agents Preliminary report Ortiz, C.L., Hsu, E., desJardins, M., (...), Kraus, S. AAAI Fall Symposium - Technical Report, 2001 https://www.scopus.com/pages/publications/3042525077?origin=scopusAI

14. Auction Consensus Algorithm with Loss Mechanism for Decentralized Task Allocation Rodriguez, J., Dong, W., Tarawneh, C., Lu, Q. 2025 IEEE International Symposium on Multi-Robot and Multi-Agent Systems, MRS 2025, 2025 https://www.scopus.com/pages/publications/105032950615?origin=scopusAI

15. An Adaptive Multi-granularity Dynamic Task Reallocation Method Based on CBBA Guo, B., Xin, B., Yang, Y. Communications in Computer and Information Science, 2026 https://www.scopus.com/pages/publications/105030930149?origin=scopusAI

16. Avoid communication outages in decentralized planning Ponda, S., Huber, O., Choi, H.-L., How, J.P. 2010 IEEE Globecom Workshops, GC'10, 2010 https://www.scopus.com/pages/publications/79951940683?origin=scopusAI

17. Communication-Aware Consensus-Based Decentralized Task Allocation in Communication Constrained Environments Raja, S., Habibi, G., How, J.P. IEEE Access, 2022 https://www.scopus.com/pages/publications/85122299663?origin=scopusAI

18. Assignment-Consistent Dynamic Multi-UAV Task Allocation: Communication-Efficient Dynamic Multi-Unmanned Aerial Vehicle Task Allocation Under Stale and Asymmetric Information Zhao, C., Li, M., Zhu, X., Zhu, C. Drones, 2026 https://www.scopus.com/pages/publications/105045845778?origin=scopusAI

19. MULTI-ROBOT TASK ALLOCATION BASED ON BAYESIAN NETWORKS IN WAREHOUSE ENVIRONMENTS Chuang, C.-W., Chen, H.-J. Proceedings of the ASME Design Engineering Technical Conference, 2025 https://www.scopus.com/pages/publications/105024067928?origin=scopusAI

20. Distributed algorithm with resilience for multi-agent task allocation Wang, X., Hudack, J., Mou, S. Proceedings - 2021 4th IEEE International Conference on Industrial Cyber-Physical Systems, ICPS 2021, 2021 https://www.scopus.com/pages/publications/85112383945?origin=scopusAI

21. Multi-UAV Task Reallocation Based on Auction Consensus Algorithm Sun, L., Meng, F., Liang, Y., (...), Yan, K. 2025 8th International Conference on Robotics, Control and Automation Engineering, RCAE 2025, 2025 https://www.scopus.com/pages/publications/105033520359?origin=scopusAI

22. A versatile family of consensus protocols based on Chandra-Toueg's unreliable failure detectors Hurfin, M., Mostéfaoui, A., Raynal, M. IEEE Transactions on Computers, 2002 https://www.scopus.com/pages/publications/0036538625?origin=scopusAI

23. On the implementation of the Omega failure detector in the crash-recovery failure model Martín, C., Larrea, M., Jiménez, E. Proceedings - Second International Conference on Availability, Reliability and Security, ARES 2007, 2007 https://www.scopus.com/pages/publications/34548166835?origin=scopusAI

24. When consensus meets self-stabilization: Self-stabilizing failure-detector, consensus and replicated state-machine Dolev, S., Kat, R.I., Schiller, E.M. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2006 https://www.scopus.com/pages/publications/84885771052?origin=scopusAI

25. Decentralized Market-Based Task Allocation Algorithm for a Fleet of Industrial Mobile Robots Tavares, J., Vale, A., Ventura, R. Proceedings of the 11th European Conference on Mobile Robots, ECMR 2023, 2023 https://www.scopus.com/pages/publications/85174405731?origin=scopusAI

26. Multi-Auctioneer Market-based Task Scheduling for Persistent Drone Delivery Rinaldi, M., Primatesta, S., Guglieri, G., Rizzo, A. 2023 International Conference on Unmanned Aircraft Systems, ICUAS 2023, 2023 https://www.scopus.com/pages/publications/85165720779?origin=scopusAI

27. Heuristics-Based Multi-Agent Task Allocation for Resilient Operations Gregory, J.M., Al-Hussaini, S., Gupta, S.K. 2019 IEEE International Symposium on Safety, Security, and Rescue Robotics, SSRR 2019, 2019 https://www.scopus.com/pages/publications/85073414348?origin=scopusAI

28. Emergency management through information crowdsourcing Grassi, L., Ciranni, M., Baglietto, P., (...), Sgorbissa, A. Information Processing and Management, 2023 https://www.scopus.com/pages/publications/85153566760?origin=scopusAI

29. Information Backtracking-based Distributed Task Reconstruction with Application to Search Scenario Peng, X., Zhou, J., He, L., (...), Xiong, X. Unmanned Systems, 2025 https://www.scopus.com/pages/publications/105014614602?origin=scopusAI

30. Applying Machine Learning in Designing Distributed Auction for Multi-agent Task Allocation with Budget Constraints Luo, C., Huang, Q., Kong, F., (...), Qiu, Q. 2021 20th International Conference on Advanced Robotics, ICAR 2021, 2021 https://www.scopus.com/pages/publications/85124692216?origin=scopusAI

31. Time-out protocol for task allocation in multi-agent systems Anussornnitisarn, P., Peralta, J., Nof, S.Y. Journal of Intelligent Manufacturing, 2002 https://www.scopus.com/pages/publications/0036905933?origin=scopusAI

32. Modeling and analysis of reliable contract net protocol using timed colored Petri nets Boukredera, D., Maamri, R., Aknine, S. Proceedings - 2013 IEEE/WIC/ACM International Conference on Intelligent Agent Technology, IAT 2013, 2013 https://www.scopus.com/pages/publications/84893310075?origin=scopusAI

33. Agreement protocols in environments with temporal uncertainties Greve, F.G.P. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2005 https://www.scopus.com/pages/publications/33646514862?origin=scopusAI

34. Consensus-based auction approaches for decentralized task assignment Brunet, L., Choi, H.-L., How, J.P. AIAA Guidance, Navigation and Control Conference and Exhibit, 2008

https://www.scopus.com/pages/publications/78651107352?origin=scopusAI

35. Asynchronous decentralized task allocation for dynamic environments Johnson, L.B., Ponda, S.S., Choi, H.-L., How, J.P. AIAA Infotech at Aerospace Conference and Exhibit 2011, 2011 https://www.scopus.com/pages/publications/85088181617?origin=scopusAI

36. A Modified Consensus-Based Grouping Algorithm for Multi-agent Task Allocation in Saturation Attack Scenarios Li, J., Zhang, Q., Song, R. Proceedings of SPIE - The International Society for Optical Engineering, 2023 https://www.scopus.com/pages/publications/85179549082?origin=scopusAI

37. Distributed fault detection and recovery for networked robots Arrichiello, F., Marino, A., Pierri, F. IEEE International Conference on Intelligent Robots and Systems, 2014 https://www.scopus.com/pages/publications/84911468226?origin=scopusAI

38. Epistemic planning for multi-robot systems in communication-restricted environments Bramblett, L., Bezzo, N. Frontiers in Robotics and AI, 2023 https://www.scopus.com/pages/publications/85161166942?origin=scopusAI

39. Hierarchical Switched Control Network With Impulsive Attention for Reconnaissance Game With Agent Failures Shen, X., Hu, B., Guan, Z.-H., (...), Chen, L. IEEE Transactions on Automation Science and Engineering, 2026 https://www.scopus.com/pages/publications/105044878592?origin=scopusAI

40. HULK: Large-Scale Hierarchical Coordination under Continual and Uncertain Temporal Tasks Luo, Q., Li, J., Guo, M. Proceedings - IEEE International Conference on Robotics and Automation, 2025 https://www.scopus.com/pages/publications/105016614709?origin=scopusAI

41. Blockchain-Driven Compliance Assurance in Supply Chains: Leveraging Reinforcement Learning Techniques Sarathy, K., Yadav, K., Kumar, V.N., (...), Niranjanamurthy, M. 2nd IEEE International Conference on IoT, Communication and Automation Technology, ICICAT 2024, 2024 https://www.scopus.com/pages/publications/105001918903?origin=scopusAI

42. An Adaptive Swarm Intelligence Algorithm for Resilient Task Execution in Intermittent Edge Environments Lees, A. Proceedings - 2025 IEEE International Conference on Agentic AI, ICA 2025, 2025 https://www.scopus.com/pages/publications/105033354675?origin=scopusAI

43. Resilient Edge Intelligence: Integrating Swarm Logic with Lightweight Agents and Localised SLMs Lees, A. 2026 International Conference on Artificial Intelligence, Systems, and Emerging Technologies, ICAISET 2026, 2026 https://www.scopus.com/pages/publications/105042192701?origin=scopusAI

44. Collaborative GenAI Agents for Emergency Response: A Decentralized, Explainable Multi-Agent Framework Harris, C.G. 2026 IEEE Conference on Cognitive and Computational Aspects of Situation Management, CogSIMA 2026, 2026 https://www.scopus.com/pages/publications/105040233772?origin=scopusAI

45. Coordination Framework for Collaborative Disposal of Multi-intelligent Agents Based on Large Language Models Wu, X., Li, R., Wang, L., (...), Yuan, M. Shuju Caiji Yu Chuli/Journal of Data Acquisition and Processing, 2024 https://www.scopus.com/pages/publications/85196671231?origin=scopusAI

46. A Review on the Reinforcement Learning-based Inverted Pendulum Balancing: What Enables Real-World Success? Piricz, T., Galambos, P. CINTI 2025 - IEEE 25th International Symposium on Computational Intelligence and Informatics, Proceedings, 2025 https://www.scopus.com/pages/publications/105032740215?origin=scopusAI

47. A multi-team extension of the consensus-based bundle algorithm Argyle, M., Casbeer, D.W., Beard, R. Proceedings of the American Control Conference, 2011 https://www.scopus.com/pages/publications/80053168796?origin=scopusAI