Generated by Scopus AI, Sat Oct 10 2026

Performance of Meshtastic and multi-hop LoRa networks

Measured Performance of Meshtastic and Multi-hop LoRa Mesh Networks in Urban and Field Emergency Messaging Deployments

Quick Reference

Key Findings Table

Metric	Meshtastic/LoRa Mesh (Urban/Field)	Typical Values/Observations	Emergency Messaging Context	Citations
Delivery Ratio (PDR)	75–99.25% (urban), >99% (field)	Drops with traffic/collisions; relay placement critical	High reliability with optimal relay placement	1 2 3 4
Latency	233–698 ms (1–3 hops), 0.82–1.54 s (alert), up to 11.65 s (failure)	Increases with hop count and node failures	Acceptable for emergency alerts; trade-off with resilience	4 5 6
Hop Count	1–3 typical; up to 10+ for coverage	Each hop increases delay; coverage extension up to 10 km^2	Enables wide-area emergency coverage	7 8
Airtime	<5% utilization (Meshtastic), increases with SF and packet size	Longer packets and higher SF increase collisions	Must be managed for timely emergency delivery	2 9 10
Channel Load	4–12% (Meshtastic), scales with traffic	Collisions rise with node density and traffic	Adaptive routing mitigates congestion	3 11 12

Direct Answer

Papers reporting measured performance of Meshtastic or multi-hop LoRa mesh networks in field or urban tests for emergency messaging include those referenced as 1, 2, 5, 13, 5, 6, 14, and 3. These studies provide experimental field measurements of delivery ratio, latency, hop count, airtime, and channel load under conditions mimicking emergency scenarios, highlighting both the benefits and challenges of using multi-hop and Meshtastic networks.

Study Scope

- **Time Period:** 2018–2024
- **Disciplines:** Wireless sensor networks, IoT, emergency communications, urban informatics

- **Methods:** Real-world field tests, urban testbeds, indoor multi-floor deployments, simulation, mathematical modeling, protocol validation

Assumptions & Limitations

- Most studies focus on small to medium-scale deployments (up to 40 nodes); large-scale urban mesh networks remain underexplored.
- Energy consumption and network lifetime analyses are often limited to short-term tests or simulations.
- Standardized methodologies for urban field testing are still evolving; results may not be directly comparable across studies.
- Meshtastic-specific emergency messaging evaluations are less common than generic LoRa mesh studies.

Suggested Further Research

- Standardized, comparative field evaluations of Meshtastic in diverse urban emergency scenarios.
- Long-term energy consumption and network sustainability studies under high traffic loads.
- Integration and testing of adaptive machine learning routing in real-world emergency deployments.
- Security and resilience analysis for mesh networks in disaster-prone environments.

1. Introduction

Multi-hop LoRa mesh networks, including Meshtastic, are increasingly deployed for emergency messaging in urban and field environments due to their ability to extend coverage, improve reliability, and operate independently of centralized infrastructure. Real-world performance metrics—delivery ratio, latency, hop count, airtime, and channel load—are critical for evaluating their suitability in time-sensitive, high-stakes scenarios such as disaster alerts and medical monitoring. This report synthesizes measured results from field and urban tests, focusing on practical insights and research gaps for emergency messaging applications [1] [6].

Scope and Motivation

The report centers on empirical evaluations of Meshtastic and multi-hop LoRa mesh networks, dissecting key performance metrics and their relevance to emergency messaging. It bridges theoretical foundations with practical deployment outcomes, highlighting the interplay between network architecture, routing protocols, environmental factors, and application requirements [1] [6].

2. Performance Metrics in Multi-hop LoRa Mesh Networks

Delivery Ratio and Latency

- **Packet Delivery Ratio (PDR):** Multi-hop LoRa mesh networks consistently outperform single-hop setups, achieving PDRs up to 99% in controlled environments and 75–96% in urban deployments with optimal relay placement [1] [5] [6] [14].

- **Latency:** Latency increases with hop count—233 ms (1 hop), 465 ms (2 hops), 698 ms (3 hops)—and can reach 0.82–1.54 s for emergency alerts, rising to 11.65 s during node failures [5] [6].
- **Trade-offs:** High PDR is maintained at the cost of increased latency, especially under high traffic or node failure scenarios. Adaptive routing and relay placement mitigate these effects [5] [6].

Synthesis

Multi-hop LoRa mesh networks deliver robust reliability for emergency messaging, but latency must be managed, especially as hop count and network density increase. Protocol optimizations and relay strategies are essential for balancing these trade-offs.

Hop Count and Network Coverage

- **Hop Count Distribution:** Typical deployments use 1–3 hops, with coverage extension up to 10 km² in rural and urban scenarios [5] [7] [8].
- **Impact on Reliability:** Each additional hop increases delay but enables communication across obstacles and larger areas. Analytical models and field tests confirm improved reliability with controlled hop counts [5] [8].
- **Methodologies:** RSSI, SNR, and PDR measurements, combined with routing table algorithms and MAC protocols, are used to quantify hop count effects [5] [15].

Synthesis

Hop count is a key lever for coverage and reliability in emergency messaging. Optimal relay placement and routing strategies maximize benefits while minimizing latency.

Airtime and Channel Load

- **Airtime Utilization:** Meshtastic networks report <5% transmission airtime utilization, with channel load varying between 4–12% depending on traffic and relay placement [2] [3] [9] [10] [11].
- **Collisions:** Longer packets and higher traffic increase collision rates; 150-byte packets cause 2.1× more collisions than 30-byte packets [2].
- **Energy Efficiency:** Relaying does not impose measurable additional energy cost under always-on operation; energy consumption is nearly identical across transmitter, receiver, and relay roles [3].
- **Adaptive Routing:** Protocols that consider local topology, relay load, and channel occupancy reduce collisions and improve energy efficiency [11].

Synthesis

Airtime and channel load are sensitive to packet size, traffic intensity, and hop count. Adaptive routing and relay placement are critical for maintaining efficiency and reliability in emergency messaging.

3. Network Architectures and Routing Protocols

Meshtastic vs. Other Multi-hop LoRa Mesh Architectures

- **Meshtastic:** Gateway-free, neighbor-based routing, hop-by-hop acknowledgments, self-healing, commodity hardware; achieves high reliability (up to 95% PDR in controlled, 75% in urban) [1] [16] [17] [18].
- **Other Protocols:** Tree/mesh topologies, time-slotted transmissions, dynamic/hierarchical routing, adaptive gateway deployment; focus on scalability, reliability, and energy efficiency [17] [19] [20].
- **Scalability:** Meshtastic prioritizes ease of deployment and self-organizing mesh, while others use complex configurations for large-scale urban IoT [16] [21].

Synthesis

Meshtastic's simplicity and self-healing are strengths for rapid emergency deployment, but advanced protocols offer greater scalability and reliability for dense urban networks.

Routing Protocols: AODV, Hierarchical, and Adaptive Approaches

- **AODV and Variants:** Widely used for dynamic routing; enhancements (e.g., R-AODV, AODV-EOCW) reduce energy consumption and delay, improve delivery ratio [20] [22] [23] [24] [25].
- **Multipath and Hierarchical Routing:** AOMDV, PG-AODV, and hierarchical protocols provide better load balancing, throughput, and resilience in emergency scenarios [24] [26].
- **Adaptive Routing:** Machine learning and reinforcement learning strategies optimize route selection, spreading factor, and load balancing [11] [27].

Synthesis

Validated routing protocols are essential for resilience and reliability in emergency messaging. Adaptive and multipath strategies are emerging as best practices for balancing latency, energy, and delivery ratio.

Relay Placement and Optimization

- **Relay Placement:** Critical for reliability in multi-floor indoor and urban environments; optimal placement partitions obstructions and maximizes PDR (up to 99.25%) [3] [25].
- **Energy Consumption:** Nearly uniform across roles; optimization focuses on reliability without extra energy penalty [3].
- **Algorithmic Approaches:** Hybrid simulated annealing, link quality metrics, and traffic load management inform relay deployment [6] [28].

Synthesis

Relay placement is a practical challenge with significant impact on emergency messaging reliability. Experimental guidelines and algorithmic optimization are key to effective deployment.

4. Test Environments and Environmental Factors

Urban and Field Test Characteristics

- **Environments:** Urban, suburban, rural, indoor multi-floor, city-wide testbeds; conditions include LOS/NLOS, weather, building density, node height [7] [29] [30] [31].
- **Metrics:** Throughput, range, PDR, RSSI, SNR, packet error rate; measured under varying SF, bandwidth, power [29] [32] [33].

Synthesis

Diverse test environments provide comprehensive insights into LoRa mesh performance, but standardized methodologies are needed for comparability.

Environmental Impact on Performance

- **Urban Topology:** Building density and NLOS conditions degrade SNR and RSSI, reducing PDR and increasing latency; relay placement mitigates effects [3] [30] [34] [35] [36].
- **Weather and Indoor Phenomena:** Temperature, humidity, fog, and indoor obstacles impact link quality; SF adjustments and relay nodes improve robustness [3] [30].
- **Quantitative Effects:** Higher SF extends range but increases latency; urban clutter causes variability in delivery probability [32] [36].

Synthesis

Environmental factors are major determinants of LoRa mesh performance. Adaptive strategies and relay deployment are effective countermeasures.

Measurement Techniques and Propagation Models

- **Models:** Okumura-Hata, log-distance, machine learning (Random Forest, XGBoost, ANN); local calibration improves accuracy [3] [37] [38] [39].
- **Techniques:** Empirical measurements, simulation, statistical analysis (PCA), continuous link quality monitoring [3] [37].
- **Channel Load/Airtime:** Sensitive to packet size, transmission rate, topology; adaptive routing and clustering improve efficiency [2] [40].

Synthesis

Effective measurement and modeling are foundational for optimizing LoRa mesh networks in urban environments. Machine learning approaches are promising for future deployments.

5. Emergency Messaging Applications

Real-world Emergency Messaging Deployments

- **Case Studies:** Disaster zones, hospital monitoring, earthquake early warning, underground mine communication; coverage extension, high PDR, and resilience validated [2] [6] [7] [41] [42].
- **Scalability:** Multi-hop networks support up to 40 nodes, coverage >10 km², and reliable message delivery in challenging environments [2] [7].

Synthesis

Multi-hop LoRa mesh networks are proven in diverse emergency scenarios, offering robust coverage and reliability.

Latency and Delivery Ratio in Emergency Scenarios

- **End-to-End Delay:** 2.284–6.75 s (1–3 hops), 0.82–1.54 s (alert), 1.8 s (optimized routing); PDR up to 99.99% [4] [6] [14] [43].
- **Trade-offs:** Delays increase with hop count and node failures; adaptive routing and relay placement maintain high delivery ratios [4] [6].

Synthesis

Latency and delivery ratio are critical for emergency messaging. Protocol and relay optimizations ensure timely, reliable delivery.

Routing Resilience and Adaptive Protocols

- **Validated Protocols:** R-AODV, RelayCom, PG-AODV, CAM-AODV; multipath and adaptive strategies improve reliability and latency [20] [24] [44] [45] [46].
- **Resilience:** Self-healing and adaptive routing maintain connectivity during node failures and dynamic conditions [20] [46].

Synthesis

Resilient routing protocols are essential for emergency messaging, especially in dynamic and failure-prone environments.

Energy Consumption and Network Lifetime

- **Energy Efficiency:** Duty-cycle-aware routing, load balancing, and adaptive parameter tuning extend network lifetime and reduce energy consumption [7] [27] [47] [48].
- **Trade-offs:** Relay nodes may experience higher energy consumption; balancing load and optimizing routing are necessary for sustainability [48].

Synthesis

Energy efficiency is a key challenge for sustained emergency messaging. Protocol and relay optimizations are required for long-term operation.

6. Discussion and Future Directions

Best Practices and Limitations

- **Best Practices:** Optimal relay placement, adaptive routing, duty-cycle management, and empirical measurement are critical for reliable emergency messaging [12] [27] [49] [50].
- **Limitations:** Lack of standardized testing, limited large-scale deployments, and incomplete energy consumption analyses [27] [51] [52] [53].

Synthesis

Current research provides robust frameworks for emergency messaging, but gaps in standardization and scalability remain.

Research Gaps and Recommendations

- **Gaps:** Standardized field evaluations for Meshtastic, long-term energy studies, comparative analyses under high traffic, and security assessments [27] [51] [52] [53].
- **Recommendations:** Develop standardized testbeds, integrate adaptive machine learning routing, conduct longitudinal energy and resilience studies, and address security vulnerabilities.

Synthesis

Future research should focus on comprehensive, standardized evaluations and advanced protocol integration to ensure robust, scalable, and secure emergency messaging networks.

Conclusion

Multi-hop LoRa mesh networks, including Meshtastic, offer substantial improvements in coverage, reliability, and scalability for emergency messaging in urban and field environments. Empirical studies demonstrate high packet delivery ratios, manageable latency, and efficient channel utilization, with relay placement and adaptive routing as key determinants of performance. However, challenges remain in standardizing methodologies, scaling deployments, and optimizing energy consumption for sustained operation. Emerging trends in machine learning and adaptive protocols promise further enhancements, but rigorous, comparative field evaluations are needed to fully realize the potential of these networks in emergency scenarios.

References

1. The Design and Development of LoRa-LoRaWAN Wireless Network Infrastructure with Multi-Hop Capability Wibawa, Y.P., Xerandy, Samudro, M., (...), Yogantara, W.W. Proceeding - 2024 International Conference on Radar, Antenna, Microwave, Electronics, and Telecommunications, ICRAMET 2024, 2024 https://www.scopus.com/pages/publications/85215998832?origin=scopusAI

2. LoRa Mesh-based smart medical measurement system Liang, H., Jian, M., Liu, J., (...), Liu, Y. Journal of Electronic Measurement and Instrumentation, 2025
https://www.scopus.com/pages/publications/105017376450?origin=scopusAI

3. Communication and Energy Consumption Performance of a Multi-Floor Indoor Meshtastic-Based LoRa Mesh Network Maizan, N.H.N., Abdullah, N.F., Zennaro, M., (...), Abu-Samah, A. IET Communications, 2026
https://www.scopus.com/pages/publications/105051042995?origin=scopusAI

4. Exploiting Underground Mine Topology for Resilient Concurrent LoRa Mesh Emergency Communications: Architecture, Protocol Design, and Performance Analysis Anabi, H.K., Frimpong, S., Raza, M.A. Sensors, 2026
https://www.scopus.com/pages/publications/105043191155?origin=scopusAI

5. LoRa-based mesh network for distribution substation monitoring Indrawan, A.W., Lukman, M.P., Basith, A.M., (...), Thaha, S. AIP Conference Proceedings, 2024
https://www.scopus.com/pages/publications/85199100347?origin=scopusAI

6. R-AODV: Reverse Ad-Hoc On-Demand Distance Vector Routing Algorithm With LoRa Mesh Based for Emergency Alert System Thaenthong, J., Pimsen, T., Chidchuea, K. 2023 15th International Conference on Information Technology and Electrical Engineering, ICITEE 2023, 2023
https://www.scopus.com/pages/publications/85179890513?origin=scopusAI

7. Feasibility Analysis of LoRa Mesh Network Deployment in Rural Areas Khalid, M.F., Wong, Y.-J., Tham, M.-L., (...), Sehmi, M.N.M. 2025 IEEE International Conference on Automatic Control and Intelligent Systems, I2CACIS 2025 - Proceedings, 2025 https://www.scopus.com/pages/publications/105014386366?origin=scopusAI

8. Implementation and Evaluation of Multi-hop LoRa Networks Tran, H.P., Oh, H. Journal of Communications, 2022 https://www.scopus.com/pages/publications/85128350667?origin=scopusAI

9. An Embedded Multi-Sensor IoT Platform for Agricultural Monitoring Using Meshtastic-Based LoRa Communication and Cloud Microservices Negulescu, C., Borangiu, T., Răileanu, S., Anghel, V.-V. Sensors, 2026 https://www.scopus.com/pages/publications/105051832687?origin=scopusAI

10. LoRaWAN Relaying: Push the Cell Boundaries Lumet, E., Le Floch, A., Kacimi, R., (...), Beylot, A.-L. MSWiM 2021 - Proceedings of the 24th International ACM Conference on Modeling, Analysis and Simulation of Wireless and Mobile Systems, 2021 https://www.scopus.com/pages/publications/85120669162?origin=scopusAI

11. Energy-Efficient Multi-Hop LoRa Communication in Forested Environments via Proximal Policy Optimization Jumali, M.K.B., Guan, L.K., Moung, E.G., (...), Kin, K.T.T. International Journal of Advanced Computer Science and Applications, 2026 https://www.scopus.com/pages/publications/105039820514?origin=scopusAI

12. Frequency and Time Shifting Strategies in Concurrent Transmission under LoRa Networks Quimbita, D.A.M., Rango, F.D. IEEE International Symposium on Personal, Indoor and Mobile Radio Communications, PIMRC, 2024 https://www.scopus.com/pages/publications/85215949201?origin=scopusAI

13. Practical Evaluation of Ranging Performance of 923 MHz LoRa with Meshtastic Nakudom, C., Kotpetch, H., Khongdeach, T., (...), Chongburee, W. Proceedings, International Conference on Electrical, Control and Instrumentation Engineering, ICECIE, 2025 https://www.scopus.com/pages/publications/105033670325?origin=scopusAI

14. Poster abstract: Evaluation of a Lora mesh W networking system supporting time-critical tra and data lost recovery Liang, C.-W., Wu, Y.-L., Shi, C.-Y., (...), Lee, H.-C. IPSN 2019 - Proceedings of the 2019 Information Processing in Sensor Networks, 2019 https://www.scopus.com/pages/publications/85066608473?origin=scopusAI

15. Simple Protocol Design of Multi-Hop Network in Lora Azhari, R.Y., Firmansyah, E., Bejo, A. 2019 2nd International Seminar on Research of Information Technology and Intelligent Systems, ISRITI 2019, 2019

https://www.scopus.com/pages/publications/85083310191?origin=scopusAI

16. Multi-hop communication protocol for LoRa with software-defined networking extension Farooq, M.O. Internet of Things (Netherlands), 2021 https://www.scopus.com/pages/publications/85114644696?origin=scopusAI

17. LoRaMesher: An open-source library for multi-hop LoRa mesh networks Miquel Solé, J., Freitag, F., Baig, R. SoftwareX, 2026 https://www.scopus.com/pages/publications/105030835773?origin=scopusAI

18. Gateway-Free LoRa Mesh on ESP32: Design, Self-Healing Mechanisms, and Empirical Performance Arregui Almeida, D., Chafla Altamirano, J., Román Cañizares, M., (...), Sánchez, I. Sensors, 2025 https://www.scopus.com/pages/publications/105018913920?origin=scopusAI

19. Demonstration of Concurrent Application Provision with LoRaMesher Sole, J.M., Freitag, F., Navarro, L., Selimi, M. Proceedings of the 2025 7th Experiment at International Conference, exp.at 2025, 2025 https://www.scopus.com/pages/publications/105034879253?origin=scopusAI

20. A Standalone LoRa Mesh Network with LoRa-Optimized AODV and End-to-End Encrypted Payloads on MCU-Class Devices Jezzini, T., Alwan, M. 2026 IEEE 5th International Multidisciplinary Conference on Engineering Technology, IMCET 2026, 2026 https://www.scopus.com/pages/publications/105040751134?origin=scopusAI

21. Multi-hop lora network with pipelined transmission capability Mai, D.L., Kim, M.K. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2020 https://www.scopus.com/pages/publications/85096423366?origin=scopusAI

22. Study of MANET routing protocols by GloMoSim simulator Pandey, A.K., Fujinoki, H. International Journal of Network Management, 2005 https://www.scopus.com/pages/publications/27944448511?origin=scopusAI

23. AODV-EOCW: An Energy-Optimized Combined Weighting AODV Protocol for Mobile Ad Hoc Networks Jiang, Y., Sun, H., Yang, M. Sensors, 2023 https://www.scopus.com/pages/publications/85167761464?origin=scopusAI

24. Design and Analysis of Adaptive PG-AODV LoRa Routing Protocol for Terminal Service Priority Differentiation Pang, S., Feng, J., Ma, Y. Proceedings of SPIE - The International Society for Optical Engineering, 2025 https://www.scopus.com/pages/publications/105026839328?origin=scopusAI

25. Cross-Layer Protocol Design and Performance Evaluation of LoRa Ad Hoc Networks for Heterogeneous Traffic Pang, S., Ma, Y., Cheng, X., (...), Wang, H. Sensors, 2026 https://www.scopus.com/pages/publications/105047150844?origin=scopusAI

26. Comparative Study of Load Analysis in MANET Routing Protocols: AODV vs. AOMDV Dubey, R.K., Sharma, A.K., Goswami, P., (...), Sharma, S. 2024 IEEE 4th International Conference on ICT in Business Industry and Government, ICTBIG 2024, 2024 https://www.scopus.com/pages/publications/105001585538?origin=scopusAI

27. Multi-Hop and Mesh for LoRa Networks: Recent Advancements, Issues, and Recommended Applications Wong, A.W.-L., Goh, S.L., Hasan, M.K., Fattah, S. ACM Computing Surveys, 2024 https://www.scopus.com/pages/publications/85188911082?origin=scopusAI

28. A Hierarchy-Based Dynamic Routing Protocol for LoRa Mesh Networks Feng, L., Yu, H., Jia, M. IEEE International Symposium on Broadband Multimedia Systems and Broadcasting, BMSB, 2023 https://www.scopus.com/pages/publications/85169424464?origin=scopusAI

29. Poster: Real-Time Performance Evaluation of Ground-to-Ground LoRa Modules in Urban Environments Uma Mahesh, R., Murugesan, K., Thangadorai, K.K. International Conference on Embedded Wireless Systems and Networks, 2024 https://www.scopus.com/pages/publications/85218257626?origin=scopusAI

30. Experimental study of the weather effects on LoRa-based vehicular communications Joshi, J., Singh, A.K. International Journal of Vehicle Information and Communication Systems, 2024 https://www.scopus.com/pages/publications/85183854173?origin=scopusAI

31. Demo: Lora mesh network experimentation in a city-wide testbed Tzimotoudis, P., Keranidis, S., Kazdaridis, G., (...), Korakis, T. Proceedings of the Annual International Conference on Mobile Computing and Networking, MOBICOM, 2019 https://www.scopus.com/pages/publications/85076425544?origin=scopusAI

32. Impact of Spreading Factor on LoRaWAN Propagation in a Metropolitan Environment Hosseinzadeh, S., Ramzan, N., Yousefi, M., (...), Larijani, H. 2020 International Conference on UK-China Emerging Technologies, UCET 2020, 2020 https://www.scopus.com/pages/publications/85094322437?origin=scopusAI

33. A Measurement of Packet Delivery Rate and Signal Strength in LoRa Communication in Urban and Suburban Areas of Sapporo Ishisaki, Y., Kunii, K., Tsutsui, H., Ohgane, T. IEEE Region 10 Humanitarian Technology Conference, R10-HTC, 2025 https://www.scopus.com/pages/publications/105034973676?origin=scopusAI

34. Real-Time Intersection-Based Segment Aware Routing Algorithm for Urban Vehicular Networks Al-Mayouf, Y.R.B., Abdullah, N.F., Mahdi, O.A., (...), Ahmed, S.H. IEEE Transactions on Intelligent Transportation Systems, 2018 https://www.scopus.com/pages/publications/85046832828?origin=scopusAI

35. Performance Evaluation of the Dragino DLOS8N and Four-Faith F8L10GW LoRaWAN Gateways in an Urban Scenario Graha, R.T., Setiawan, R.R., Fakhrurroja, H., (...), Pramesti, D. 2024 International Conference on Intelligent Cybernetics Technology and Applications, ICICyTA 2024, 2024 https://www.scopus.com/pages/publications/105001666034?origin=scopusAI

36. Multi-Metric Experimental Assessment of LoRa Link Quality and Coverage Boundaries Kedziora, P., Roszczyk, R. Progress in Applied Electrical Engineering, PAEE, 2026 https://www.scopus.com/pages/publications/105049145531?origin=scopusAI

37. Comparative Performance Analysis of Empirical Propagation Models for LoRaWAN 868MHz in an Urban Scenario Harinda, E., Hosseinzadeh, S., Larijani, H., Gibson, R.M. IEEE 5th World Forum on Internet of Things, WF-IoT 2019 - Conference Proceedings, 2019 https://www.scopus.com/pages/publications/85073914338?origin=scopusAI

38. LoRa Channel Propagation Modelling using Artificial Neural Network Mod Rofi, A.S., Habaebi, M.H., Islam, M.R., Basahel, A. Proceedings of the 8th International Conference on Computer and Communication Engineering, ICCCE 2021, 2021 https://www.scopus.com/pages/publications/85114121557?origin=scopusAI

39. Enhancing LoRa simulators with intelligent propagation modeling Ballestrin, R., Müller, I. Ad Hoc Networks, 2026 https://www.scopus.com/pages/publications/105034590772?origin=scopusAI

40. Improving the Capacity of a Mesh LoRa Network by Spreading-Factor-Based Network Clustering Zhu, G., Liao, C.-H., Sakdejayont, T., (...), Morikawa, H. IEEE Access, 2019 https://www.scopus.com/pages/publications/85062850292?origin=scopusAI

41. Privileged communication and coordination network for managerial decision support in disaster and emergency scenarios Yavuz, Ö.Ç. Social Sciences and Humanities Open, 2026 https://www.scopus.com/pages/publications/105050458242?origin=scopusAI

42. Rapid and Resilient LoRa Leap: A Novel Multi-Hop Architecture for Decentralised Earthquake Early Warning Systems Ranasinghe, V., Udara, N., Mathotaarachchi, M., (...), Drummond, P. Sensors, 2024 https://www.scopus.com/pages/publications/85205242079?origin=scopusAI

43. Energy-efficient clustering using improved kookaburra optimization and deep reinforcement learning-based multi-hop routing in LoRa networks Ramanan, K., Sumithra, R.P., Vidhya, S., Raja, P.M.S. European Physical Journal Plus, 2026 https://www.scopus.com/pages/publications/105040362249?origin=scopusAI

44. AAODV routing protocol: The impact of the routing metric on the performance of wireless mesh networks Ştefănescu, H., Skrocki, M., Kukliński, S. Proceedings - 6th International Conference on Wireless and Mobile Communications, ICWMC 2010, 2010 https://www.scopus.com/pages/publications/79952055387?origin=scopusAI

45. Comparative Evaluation of SNR and Swarm Intelligence Enhancements for AODV Routing Protocol in Mobile Ad Hoc Networks Azhar, F.F., Istikmal, Yovita, L.V. Proceedings - 2026 5th ICERA 2026: The International Conference on Electronics Representation and Algorithm, 2026 https://www.scopus.com/pages/publications/105050610851?origin=scopusAI

46. AODV-inspired Routing with Next-Hop Caching and Path Selection for LoRa Mesh Networks Ying Chong, M.J., Kit Lim, S., Tan, K.K., Huey Khor, J. 2025 IEEE Industrial Electronics and Applications Conference, IEACon 2025, 2025 https://www.scopus.com/pages/publications/105031154677?origin=scopusAI

47. Energy efficient link-delay aware data forwarding in low-duty-cycle LoRa mesh-based IoT networks Sun, G., Zhang, J. International Journal of Sensor Networks, 2024 https://www.scopus.com/pages/publications/85209934916?origin=scopusAI

48. Performance and Energy Trade-Offs of Multi-Hop LoRa in Large-Scale Agricultural Deployments Li, P., Tian, Z. IETE Technical Review (Institution of Electronics and Telecommunication Engineers, India), 2026 https://www.scopus.com/pages/publications/105044684003?origin=scopusAI

49. Multi-hop LOra network protocol with minimized latency Mai, D.L., Kim, M.K. Energies, 2020 https://www.scopus.com/pages/publications/85081959591?origin=scopusAI

50. LoRa Mesh Network with Time-Efficient Medium Utilization for IoT Building Monitoring System Ho Tsoi, M., Wing Lo, Y., Sze Choy, Y., (...), Mung, S.W.Y. IEEE Transactions on Instrumentation and Measurement, 2025 https://www.scopus.com/pages/publications/105001064734?origin=scopusAI

51. Improving Delivery Ratio in LoRa Network Marjasz, R., Połys, K., Strzoda, A., Grochla, K. MobiWac 2021 - Proceedings of the 19th ACM International Symposium on Mobility Management and Wireless Access, 2021 https://www.scopus.com/pages/publications/85121431467?origin=scopusAI

52. Satellite-Free Long Range Communication using Mesh-Driven LoRa Networks for Disaster Zones Golecha, S.C., Kotharkar, R.P., Likitha, R.M., (...), Prashanth, M.K. 3rd International Conference on Emerging Applications of Material Science and Technology, ICEAMST 2025, 2025 https://www.scopus.com/pages/publications/105033625289?origin=scopusAI

53. Current testing and performance evaluation methodologies of LoRa and LoRaWAN in IoT applications: Classification, issues, and future directives Alipio, M., Bures, M. Internet of Things (Netherlands), 2024 https://www.scopus.com/pages/publications/85181698861?origin=scopusAI