Test Research Paper: Campus Solar Energy Planning

Document type: Synthetic research report for testing PDF upload and evidence extraction

Abstract

This sample document is created for testing VerityGraph AI's document upload, PDF text extraction, claim extraction, evidence linking, and research synthesis workflow. All figures below are illustrative and are not real-world measurements.

Research Question

How should a small college compare rooftop solar options when budget, available roof area, and daily electricity demand are important constraints?

Method

We compare three hypothetical system options using illustrative cost, roof-area, and daily-energy figures. The values are intentionally synthetic so that the document can be safely used for software testing without misrepresenting actual research.

Option	Estimated cost	Roof area	Daily energy
Solar A	■4 lakh	800 sq. ft.	80 kWh/day
Solar B	■6 lakh	600 sq. ft.	110 kWh/day
Solar C	Not reported	900 sq. ft.	95 kWh/day

Illustrative Findings

Finding 1: Solar A has the lowest reported cost in this hypothetical comparison, but its daily energy estimate is lower than Solar B's.

Finding 2: Solar B has the highest stated daily energy estimate, but its illustrative cost exceeds a budget of ■5 lakh.

Finding 3: Solar C cannot be ranked reliably on cost because its cost is not reported. A decision-maker should obtain a cost estimate before comparing total value.

Potential Evidence Gap

The document does not provide installation location, seasonal generation variation, maintenance costs, equipment lifetime, warranty terms, or independently verified measurements. These missing variables could materially affect a real procurement decision.

Conclusion

A defensible recommendation requires matching the available evidence to the decision-maker's constraints and clearly separating reported facts, illustrative assumptions, and unknown information. This synthetic report is intended only for testing document-processing software.

Testing note: All options, values, and findings in this PDF are fictional and should not be used for real procurement decisions.