







































Cisco Packet Tracer


FileEditOptionsViewToolsExtensionsHelp








LogicalPhysicalx: 652, y: 178


[Root]00:32:00



Server-PT
Server0




2960-24TT
Switch0


PC-PT
PC0











PC-PT
PC1











PC-PT
PC2


PC-PT
PC3


Time: 00:01:05


RealtimeSimulation





2960-24TT

27°C
Mostly clear



Cisco Packet Tracer

File Edit Options View Tools Extensions

Logical Physical x: 766, y: 227

Time: 00:10:21

27°C Mostly clear

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP
- DHCP
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

FTP

Service ☒ On ☐ Off

User Setup

Username Password

☐ Write ☐ Read ☐ Delete ☐ Rename ☐ List

	Username	Password	Permission	
1	cisco	cisco	RWDNL	Add
2	x1	12345	RWDNL	Save
Remove				

File

- 1 asa842-k8.bin
- 2 asa923-k8.bin
- 3 c1841-advipservicesk9-mz.124-15.T1.bin
- 4 c1841-ipbase-mz.123-14.T7.bin
- 5 c1841-ipbasek9-mz.124-12.bin

Remove

☐ Top

05:11:30


Realtime Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

[Root] [Undo] [Redo] [Zoom In] [Zoom Out] [Reset] [Help]

Logical Physical x: 610, y: 153



Time: 00:11:12 [Refresh] [Play]

Realtime Simulation

Automatically Choose Connection Type

Cisco Packet Tracer

File Edit Options View Tools Extensions

Logical Physical x: 430, y: 46

Time: 00:16:09

27°C Mostly clear

Physical Config Services Desktop Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IP Address: 192.168.0.2

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.0.1

DNS Server: 192.168.0.2

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::260:2FFF:FEA5:6482

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MD5

Username:

Password:

☐ Top

08:07:00

Realtime Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions

Logical Physical x: 264, y: 213

Time: 00:16:15

27°C Mostly clear

Physical Config **Desktop** Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IP Address: 192.168.0.3

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.0.1

DNS Server: 192.168.0.2

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::201:63FF:FED8:C538

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MD5

Username:

Password:

☐ Top

08:10:00

Realtime Simulation