



































Cisco Packet Tracer






FileEditOptionsViewToolsExtensionsHelp





LogicalPhysical

[Root]



01:20:00

Server-PT
Server0

PC-PT
PC0



PC-PT
PC1

2950-24
Switch0



















PC-PT
PC2

PC-PT
PC3



Time: 00:02:41



























RealtimeSimulation



Automatically Choose Connection Type



34°C
Sunny



14:14
14-09-2022

13



Cisco Packet Tracer

File Edit Options View Tools Extensions

Logical Physical x: 498, y: 184

Time: 00:07:25

34°C Sunny

Physical Config Services Desktop Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IP Address: 192.168.11.5

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 192.168.11.5

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::20D:BDFF:FE7A:B675

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MD5

Username:

Password:

☐ Top

03:43:00


Realtime Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

[Root] 03:46:00

Logical Physical x: 801, y: 265



Time: 00:07:31

Realtime Simulation

Automatically Choose Connection Type

YouTube video player interface showing a video titled "10. Simulation of TCP and UDP configuration". The video has 9,966 views and was uploaded on 3 Jun 2022. The video content shows a Cisco Packet Tracer simulation environment with a command prompt window open.

Command Prompt window showing the output of the following commands:

```
Packet Tracer SERVER Command Line 1.0
C:\>coding.com
Invalid Command.

C:\>nslookup coding.com
Invalid Command.

C:\>nslookup coding.com
Invalid Command.

C:\>nslookup coding.com
Server: [192.168.11.5]
Address: 192.168.11.5
*** UnKnown can't find coding.com: Non-existent domain.

C:\>
```

YouTube video player interface showing a video titled "10. Simulation of TCP and UDP configuration". The video has 9,966 views and was uploaded on 3 Jun 2022. The video content shows a Cisco Packet Tracer simulation environment with a command prompt window open.