

Cisco Packet Tracer

File Edit Options View Tools Extensions

Logical Physical x: 452, y: 196

Time: 00:02:17

30°C Sunny

Physical Config Desktop Programming Attributes

IP Configuration

Interface: FastEthernet0

☐ DHCP ☒ Static

IP Address: 192.168.0.2

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::2D0:BCFF:FE17:E11C

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MD5

Username:

Password:

☐ Top

01:08:30

Realtime Simulation

10:26 14-09-2022

Cisco Packet Tracer

File Edit Options View Tools Extensions Help


Logical Physical x 600 y 200 [Root] 01:10:30

```
graph TD; Switch0[2930-24 Switch0] --- PC0[PC-PT PC0]; Switch0 --- PC1[PC-PT PC1]; Switch0 --- PC2[PC-PT PC2];
```

Time: 00:02:20 Realtime Simulation

Automatically Choose Connection Type

30°C Sunny 10:26 14-09-2022



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x 703, y 123

```
graph TD; S[Switch0] --- PC0[PC-PT PC0]; S --- PC1[PC-PT PC1]; S --- PC2[PC-PT PC2];
```

Simulation Panel

Event List

Vis	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.001	PC0	Switch0	ICMP
	0.002	Switch0	PC1	ICMP
	0.002	Switch0	PC2	ICMP
	0.003	PC2	Switch0	ICMP
Visible	0.004	Switch0	PC0	ICMP

Reset Simulation ☒ Constant Delay Captured to 150.029

Play Controls

Event List Filters - Visible Events
ARP, ICMP

Edit Filters Show All/None

Automatically Choose Connection Type

30°C Sunny 10:33 14-09-2022